

Airex

Electric Fans

XSF-750 - Airex 30" Industrial Heavy Duty Stand Fan

Brand: Airex
Model: RSF-750
Type of Fan: Stand Fan
Mounting Type: Free Standing
Voltage: 220-240V/50hz
Power Consumption (W): 190 W
Phase: Single
Body Material: Metal
Blade Material: Aluminum
Grill Material: Metal
Blade Diameter: 30"
Number of Blades: 3
Color: Black
Blade Speed (RPM): 1400
Airflow (CFM): 0 cfm
Airflow (m³/h): 0 m³/h
Oscillation: Manual, Yes
Adjustable Tilt: Yes
Number of Speed Settings: 3
Noise Level (dB): dB
Operating Environment: -10C ~+50C
Warranty: 1 Year Warranty
Safety certifications: CE, RoHS



XBF-750 - Airex 30" Industrial Heavy Duty Bracket Wall Fan

Brand: Airex
Model: RBF-750
Type of Fan: Wall Fan
Mounting Type: Wall Mount
Voltage: 220-240V/50hz
Power Consumption (W): 190 W
Phase: Single
Body Material: Metal
Blade Material: Aluminum
Grill Material: Metal
Blade Diameter: 30"
Number of Blades: 3
Color: Black
Blade Speed (RPM): 1400
Airflow (CFM): 0 cfm
Airflow (m³/h): 0 m³/h
Oscillation: Manual, Yes
Adjustable Tilt: Yes
Number of Speed Settings: 3
Noise Level (dB): dB
Operating Environment: -10C ~+50C
Warranty: 1 Year Warranty
Safety certifications: CE, RoHS



XBF-650 - Airex 26" Industrial Heavy Duty Bracket Wall Fan

Brand: Airex
Model: RBF-650
Type of Fan: Wall Fan
Mounting Type: Wall Mount
Voltage: 220-240V/50hz
Power Consumption (W): 160 W

Phase: Single
Body Material: Metal
Blade Material: Aluminum
Grill Material: Metal
Blade Diameter: 26"
Number of Blades: 3
Color: Black
Blade Speed (RPM): 1400
Airflow (CFM): cfm
Airflow (m³/h): 0 m³/h
Oscillation: Manual, Yes
Adjustable Tilt: Yes
Number of Speed Settings: 3
Noise Level (dB): dB
Operating Environment: -10C ~+50C
Warranty: 1 Year Warranty
Safety certifications: CE, RoHS



XSF-650 - Airex 26" Industrial Heavy Duty Stand Fan

Brand: Airex
Model: XSF-650
Type of Fan: Stand Fan
Mounting Type: Free Standing
Voltage: 220-240V/50hz
Power Consumption (W): 160 W
Phase: Single
Body Material: Metal
Blade Material: Aluminum
Grill Material: Metal
Blade Diameter: 26"
Number of Blades: 3
Color: Black
Blade Speed (RPM): 1400
Airflow (CFM): cfm
Airflow (m³/h): 0 m³/h
Oscillation: Manual, Yes
Adjustable Tilt: Yes
Number of Speed Settings: 3
Noise Level (dB): dB
Operating Environment: -10C ~+50C
Warranty: 1 Year Warranty
Safety certifications: CE, RoHS



XCF56G-2 - Airex 56" White Ceiling Fan

Brand: Airex
Model: XCF56G-2
Type of Fan: Ceiling Fan
Mounting Type: Ceiling Mount
Voltage: 220-240V/50hz
Power Consumption (W): 85 W
Phase: Single
Body Material: Metal
Blade Material: Mild Metal
Blade Diameter: 56"
Number of Blades: 3
Color: White
Blade Speed (RPM): 300
Airflow (CFM): cfm
Airflow (m³/h): 0 m³/h
Number of Speed Settings: 5 Speed Regulator (included)
Noise Level (dB): dB
Operating Environment: -10C ~+50C
Warranty: 1 Year Warranty
Safety certifications: CE




<p>A-S8000 - Airex Air Cooler Square Brand: Airex Model: A-S8000 Type of Fan: Evaporative Coolers Mounting Type: Free Standing Voltage: 220-240V/50hz Power Consumption (W): 160 W Phase: Single Body Material: PVC Blade Material: PVC Grill Material: PVC Color: White & Grey (Black Grill) Airflow (CFM): 2650 cfm Airflow (m³/h): 4502 m³/h Oscillation: Yes Number of Speed Settings: 3 Noise Level (dB): dB Remote Control: Yes Timer: Yes Operating Environment: -10C ~+40C Warranty: 1 Year Warranty Safety certifications: CE</p>	<p>No image available</p>
--	---------------------------

Evaporative Cooling Fans

No products found in this category.

Ventilation & Exhaust Fans

<p>XAU6 - Airex 6" Square With Metal Shutter Wall Mounting Brand: Airex Model: XAU6 Type of Fan: Wall Exhuast Fan Mounting Type: Wall Mount Voltage: 220-240V/50hz Power Consumption (W): 25 W Phase: Single Body Material: Metal Blade Material: PVC Blade Diameter: 6" (150mm) Number of Blades: 5 Color: White (Black Back Body) Airflow (CFM): 195 cfm Airflow (m³/h): 331 m³/h Noise Level (dB): dB Warranty: 2 Years Warranty Safety certifications: CE</p>	
<p>XAU8 - Airex 8" Square With Metal Shutter Wall Mounting Brand: Airex Model: XAU8 Type of Fan: Wall Exhuast Fan Mounting Type: Wall Mount Voltage: 220-240V/50hz Power Consumption (W): 32 W Phase: Single Body Material: Metal Blade Material: PVC Blade Diameter: 8" (200mm) Number of Blades: 5 Color: White (Black Back Body)</p>	

Airflow (CFM): 307 cfm
Airflow (m³/h): 522 m³/h
Noise Level (dB): dB
Warranty: 2 Years Warranty
Safety certifications: CE



XAU10 - Airex 10" Square With Metal Shutter Wall Mounting

Brand: Airex
Model: XAU10
Type of Fan: Wall Exhaust Fan
Mounting Type: Wall Mount
Voltage: 220-240V/50hz
Power Consumption (W): 42 W
Phase: Single
Body Material: Metal
Blade Material: PVC
Blade Diameter: 10" (250mm)
Number of Blades: 5
Color: White (Black Back Body)
Airflow (CFM): 508 cfm
Airflow (m³/h): 863 m³/h
Noise Level (dB): dB
Warranty: 2 Years Warranty
Safety certifications: CE



XAU12 - Airex 12" Square With Metal Shutter Wall Mounting

Brand: Airex
Model: XAU12
Type of Fan: Wall Exhaust Fan
Mounting Type: Wall Mount
Voltage: 220-240V/50hz
Power Consumption (W): 50 W
Phase: Single
Body Material: Metal
Blade Material: PVC
Blade Diameter: 12" (300mm)
Number of Blades: 5
Color: White (Black Back Body)
Airflow (CFM): 710 cfm
Airflow (m³/h): 1206 m³/h
Noise Level (dB): dB
Warranty: 2 Years Warranty
Safety certifications: CE



XC-150 - Airex 6" Centrifugal Exhaust Fan

Brand: Airex
Model: XC-150
Type of Fan: Axial Inline Fan
Mounting Type: Ceiling Mount/Wall Mount
Voltage: 220-240V/50hz

No image available

Power Consumption (W): 150 W
Phase: Single
Body Material: Metal
Blade Material: Metal
Duct size: 6" (150mm)
Color: White
Blade Speed (RPM): 2600
Airflow (CFM): 470.864 cfm
Airflow (m³/h): 800 m³/h
Pressure: 360
Noise Level (dB): 52 dB
Operating Environment: -10C ~+50C
Warranty: 2 Years Warranty
Safety certifications: CE

XC-200 - Airex 8" Centrifugal Exhaust Fan

Brand: Airex
Model: XC-200
Type of Fan: Axial Inline Fan
Mounting Type: Ceiling Mount/Wall Mount
Voltage: 220-240V/50hz
Power Consumption (W): 157 W
Phase: Single
Body Material: Metal
Blade Material: Metal
Duct size: 8" (200mm)
Color: White
Blade Speed (RPM): 2600
Airflow (CFM): 559.151 cfm
Airflow (m³/h): 950 m³/h
Pressure: 345
Noise Level (dB): 52 dB
Operating Environment: -10C ~+50C
Warranty: 2 Years Warranty
Safety certifications: CE



XC-250 - Airex 10" Centrifugal Exhaust Fan

Brand: Airex
Model: XC-250
Type of Fan: Axial Inline Fan
Mounting Type: Ceiling Mount/Wall Mount
Voltage: 220-240V/50hz
Power Consumption (W): 185 W
Phase: Single
Body Material: Metal
Blade Material: Metal
Duct size: 10" (250mm)
Color: White
Blade Speed (RPM): 2550
Airflow (CFM): 676.867 cfm
Airflow (m³/h): 1150 m³/h
Pressure: 550
Noise Level (dB): 57 dB
Operating Environment: -10C ~+50C
Warranty: 2 Years Warranty
Safety certifications: CE



XC-315 - Airex 12" Centrifugal Exhaust Fan

Brand: Airex
Model: XC-315
Type of Fan: Axial Inline Fan
Mounting Type: Ceiling Mount/Wall Mount
Voltage: 220-240V/50hz
Power Consumption (W): 270 W

Phase: Single
Body Material: Metal
Blade Material: Metal
Duct size: 12" (315mm)
Color: White
Blade Speed (RPM): 2600
Airflow (CFM): 1059.444 cfm
Airflow (m³/h): 1800 m³/h
Pressure: 710
Noise Level (dB): 60 dB
Operating Environment: -10C ~+50C
Warranty: 2 Years Warranty
Safety certifications: CE



XBP17U - Airex 4" Pvc Ceiling Exhaust Fan With Metal Body

Brand: Airex
Model: XBP17U
Type of Fan: Ceiling Blower Exhaust Fan
Mounting Type: Ceiling Mount
Voltage: 220-240V/50hz
Power Consumption (W): 25 W
Phase: Single
Body Material: Metal
Blade Material: Metal
Grill Material: PVC
Blower Size: 4" (100mm)
Duct size: 4" (100mm)
Color: White
Airflow (CFM): 48 cfm
Airflow (m³/h): 82 m³/h
Noise Level (dB): 26 dB
Operating Environment: -10C ~+40C
Safety certifications: CE

No image available

XBP24U - Airex 6" Pvc Ceiling Exhaust Fan With Metal Body

Brand: Airex
Model: XBP24U
Type of Fan: Ceiling Blower Exhaust Fan
Mounting Type: Ceiling Mount
Voltage: 220-240V/50hz
Power Consumption (W): 30 W
Phase: Single
Body Material: Metal
Blade Material: PVC
Grill Material: PVC
Blower Size: 6" (150mm)
Duct size: 4" (100mm)
Color: White
Airflow (CFM): 89 cfm
Airflow (m³/h): 151 m³/h
Noise Level (dB): 28 dB
Operating Environment: -10C ~+40C
Safety certifications: CE

No image available

XC-100 - Airex 4" Centrifugal Exhaust Fan

Brand: Airex
Model: XC-100
Type of Fan: Axial Inline Fan

No image available

Mounting Type: Ceiling Mount/Wall Mount
Voltage: 220-240V/50hz
Power Consumption (W): 60 W
Phase: Single
Body Material: Metal
Blade Material: Metal
Duct size: 4"(100mm)
Color: White
Blade Speed (RPM): 2650
Airflow (CFM): 206.003 cfm
Airflow (m³/h): 350 m³/h
Pressure: 320
Noise Level (dB): 47 dB
Operating Environment: -10C ~+50C
Warranty: 2 Years Warranty
Safety certifications: CE

XC-125 - Airex 5" Centrifugal Exhaust Fan

Brand: Airex
Model: XC-125
Type of Fan: Axial Inline Fan
Mounting Type: Ceiling Mount/Wall Mount
Voltage: 220-240V/50hz
Power Consumption (W): 65 W
Phase: Single
Body Material: Metal
Blade Material: Metal
Duct size: 5" (125mm)
Color: White
Blade Speed (RPM): 2650
Airflow (CFM): 288.4042 cfm
Airflow (m³/h): 490 m³/h
Pressure: 295
Noise Level (dB): 47 dB
Operating Environment: -10C ~+50C
Warranty: 2 Years Warranty
Safety certifications: CE



ADWAAL-JAZEERA
Electricals L.L.C.