


Socket Extensions & Adapters

| | |
|--|---|
| <p>A-E45 Admore 4 Gang 13A Switched Socket Extensions (5 Meters) Brand: Admore Voltage Rating: 250V Current Rating: 13A Max Power Rating: 3250 Watts Max Shape: Rectangle Bar Number of Outlets/Sockets: 4 Gang Type of Outlet/Socket: Type G (3 Pin UK) Body Material: PP Shell (Flame Retrardant Material) Wire Length: 5 Meters Wire Material: 99.9% Copper Wire: 1.25mm² Color: White Terminals: Copper Grounding: Yes Overload Protection: Yes Power Indicator Light: Yes Plug Type: Type G (3 Pin UK Fused Plug) Fuse: 13A Warranty: 1 Year Safety Standards: UAE.S IEC 60884-2-5 Certifications: CE</p> | <p>No image available</p> |
| <p>A-E410 Admore 4 Gang 13A Switched Socket Extensions (10 Meters) Brand: Admore Voltage Rating: 250V Current Rating: 13A Max Power Rating: 3250 Watts Max Shape: Rectangle Bar Number of Outlets/Sockets: 4 Gang Body Material: PP Shell (Flame Retrardant Material) Wire Length: 10 Meters Wire Material: 99.9% Copper Wire: 1.25mm² Color: White Terminals: Copper Grounding: Yes Overload Protection: Yes Power Indicator Light: Yes Plug Type: Type G (3 Pin UK Fused Plug) Fuse: 13A Warranty: 1 Year Safety Standards: UAE.S IEC 60884-2-5 Certifications: CE</p> |  |
| <p>SB01176 Admore 4 Gang 13A 5 Meters Switched Socket Extension Brand: Admore Voltage Rating: 250V Current Rating: 13A Max Power Rating: 3250 Watts Max Shape: Rectangle Bar Number of Outlets/Sockets: 4 Gang Type of Outlet/Socket: Type G (3 Pin UK) Body Material: ABS PVC Wire Length: 5 Meters Wire Material: 99.9% Copper Wire: 1.25mm² Color: Off-White Terminals: Copper</p> | |

Grounding: Yes
Overload Protection: Yes
Power Indicator Light: Yes
Plug Type: Type G (3 Pin UK Fused Plug)
Fuse: 13A
Warranty: 1 Year
Safety Standards: UAE.S IEC 60884-2-5
Certifications: CE



SB01178 | Admore 4 Gang 13A 5 Meters Universal Switched Socket Extension

Brand: Admore
Voltage Rating: 250V
Current Rating: 13A Max
Power Rating: 3250 Watts Max
Shape: Rectangle Bar
Number of Outlets/Sockets: 4 Gang
Type of Outlet/Socket: Type U (Universal Sockets)
Body Material: ABS PVC
Wire Length: 5 Meters
Wire Material: 99.9% Copper
Wire: 1.25mm²
Color: Off-White
Terminals: Copper
Grounding: Yes
Overload Protection: Yes
Power Indicator Light: Yes
Plug Type: Type G (3 Pin UK Fused Plug)
Fuse: 13A
Warranty: 1 Year
Safety Standards: UAE.S IEC 60884-2-5
Certifications: CE

No image available

A-E1x3C | Admore 3 Gang Universal Switched Socket Adapter with USB Charging Ports (Multiplug)

Brand: Admore
Voltage Rating: 250V
Current Rating: 13A Max
Power Rating: 3250 Watts Max
Number of Outlets/Sockets: 3 Gang
Type of Outlet/Socket: Type U (Universal Sockets)
Body Material: ABS PVC
Wire Material: 99.9% Copper
Wire: 1.25mm²
Color: White
Terminals: Copper
Grounding: Yes
Overload Protection: Yes
Power Indicator Light: Yes
Plug Type: Type G (3 Pin UK Fused Plug)
Fuse: 13A
Warranty: 1 Year
Safety Standards: UAE.S IEC 60884-2-5
Certifications: CE

No image available

AER5 | Admore 5 meters Green & Black 4 Gang Retractable Socket Extension

Brand: Admore
Voltage Rating: 250V
Current Rating: 13A Max
Power Rating: 3250 Watts Max
Shape: Round
Number of Outlets/Sockets: 4 Gang
Type of Outlet/Socket: Type G (3 Pin UK)
Body Material: ABS PVC
Wire Length: 5 Meters
Wire Material: 99.9% Copper
Wire: 1.25mm²
Color: Green & Black
Terminals: Copper
Grounding: Yes
Overload Protection: Yes
Thermal Cutout: Yes
Plug Type: Type G (3 Pin UK Fused Plug)
Fuse: 13A
Retractable Cord: Yes
Warranty: 1 Year
Safety Standards: UAE.S IEC 60884-2-5
Certifications: CE



AER50 | Admore 50 meters Green & Black 4 Gang Retractable Socket Extension

Brand: Admore
Voltage Rating: 250V
Current Rating: 13A Max
Power Rating: 3250 Watts Max
Shape: Round
Number of Outlets/Sockets: 4 Gang
Type of Outlet/Socket: Type G (3 Pin UK)
Body Material: ABS PVC
Wire Length: 50 Meters
Wire Material: 99.9% Copper
Wire: 1.25mm²
Color: Green & Black
Terminals: Copper
Grounding: Yes
Overload Protection: Yes
Thermal Cutout: Yes
Plug Type: Type G (3 Pin UK Fused Plug)
Fuse: 13A
Retractable Cord: Yes
Warranty: 1 Year
Safety Standards: UAE.S IEC 60884-2-5
Certifications: CE

No image available

SB01177 | Admore 4 Gang 13A 5 Meters Slim Socket Extension

Brand: Admore
Voltage Rating: 250V
Current Rating: 13A Max
Power Rating: 3250 Watts Max
Shape: Rectangle Bar
Number of Outlets/Sockets: 4 Gang
Type of Outlet/Socket: Type G (3 Pin UK)
Body Material: ABS PVC
Wire Length: 3 Meters
Wire Material: 99.9% Copper
Wire: 1.25mm²
Color: Off-White
Terminals: Copper

Grounding: Yes
Overload Protection: Yes
Power Indicator Light: Yes
Plug Type: Type G (3 Pin UK Fused Plug)
Fuse: 13A
Warranty: 1 Year
Safety Standards: UAE.S IEC 60884-2-5
Certifications: CE



SB01683 | Admore 3 Gang 13A 5 Meters Universal Switched Socket Extension with 2 USB Charging Ports

Brand: Admore
Voltage Rating: 250V
Current Rating: 13A Max
Power Rating: 3250 Watts Max
Shape: Rectangle Bar
Number of Outlets/Sockets: 3 Gang
Type of Outlet/Socket: Type G (3 Pin UK)
Body Material: ABS PVC
Wire Length: 5 Meters
Wire Material: 99.9% Copper
Wire: 1.25mm²
Color: Off-White
Terminals: Copper
Grounding: Yes
USB Charging Ports: 2 x Type A
Overload Protection: Yes
Power Indicator Light: Yes
Plug Type: Type G (3 Pin UK Fused Plug)
Fuse: 13A
Warranty: 1 Year
Safety Standards: UAE.S IEC 60884-2-5
Certifications: CE



A-E1x4 | Admore 4 Gang Universal Switched Socket Adapter (Multiplug)

Brand: Admore
Voltage Rating: 250V
Current Rating: 13A Max
Power Rating: 3250 Watts Max
Number of Outlets/Sockets: 4 Gang
Type of Outlet/Socket: Type U (Universal Sockets)
Body Material: ABS PVC
Wire Material: 99.9% Copper
Wire: 1.25mm²
Color: White
Terminals: Copper
Grounding: Yes
Overload Protection: Yes
Power Indicator Light: Yes
Plug Type: Type G (3 Pin UK Fused Plug)
Fuse: 13A
Warranty: 1 Year
Safety Standards: UAE.S IEC 60884-2-5
Certifications: CE



A-E33 | Admore 3 Gang 13A Switched Socket Extensions (3 Meters)

Brand: Admore
Voltage Rating: 250V
Current Rating: 13A Max
Power Rating: 3250 Watts Max
Shape: Rectangle Bar
Number of Outlets/Sockets: 3 Gang
Body Material: PP Shell (Flame Retrardant Material)
Wire Length: 3 Meters
Wire Material: 99.9% Copper
Wire: 1.25mm²
Color: White
Terminals: Copper
Grounding: Yes
Overload Protection: Yes
Power Indicator Light: Yes
Plug Type: Type G (3 Pin UK Fused Plug)
Fuse: 13A
Warranty: 1 Year
Safety Standards: UAE.S IEC 60884-2-5
Certifications: CE



A-E55 | Admore 5 Gang 13A Switched Socket Extensions (5 Meters)

Brand: Admore
Voltage Rating: 250V
Current Rating: 13A Max
Power Rating: 3250 Watts Max
Shape: Rectangle Bar
Number of Outlets/Sockets: 5 Gang
Body Material: PP Shell (Flame Retrardant Material)
Wire Length: 5 Meters
Wire Material: 99.9% Copper
Wire: 1.25mm²
Color: White
Terminals: Copper
Grounding: Yes
Overload Protection: Yes
Power Indicator Light: Yes
Plug Type: Type G (3 Pin UK Fused Plug)
Fuse: 13A
Warranty: 1 Year
Safety Standards: UAE.S IEC 60884-2-5
Certifications: CE

No image available

A-E35U | Admore 3 Gang 13A Switched Socket Extensions + USB Charging ports (5 Meters)

Brand: Admore
Voltage Rating: 250V
Current Rating: 13A Max
Power Rating: 3250 Watts Max
Shape: Rectangle Bar
Number of Outlets/Sockets: 3 Gang
Type of Outlet/Socket: Type G (3 Pin UK)
Body Material: PP Shell (Flame Retrardant Material)
Wire Length: 5 Meters
Wire Material: 99.9% Copper
Wire: 1.25mm²
Color: White
Terminals: Copper
Grounding: Yes
USB Charging Ports: 3 x Type A + 1 x Type C
Overload Protection: Yes
Power Indicator Light: 3 Red LED Indicators



Test Standard: BS1362
Plug Type: Type G (3 Pin UK Fused Plug)
Fuse: 13A
Warranty: 1 Year
Safety Standards: UAE.S IEC 60884-2-5
Certifications: CE

AER25 | Admore 25 meters Green & Black 4 Gang Retractable Socket Extension

Brand: Admore
Voltage Rating: 250V
Current Rating: 13A Max
Power Rating: 3250 Watts Max
Shape: Round
Number of Outlets/Sockets: 4 Gang
Type of Outlet/Socket: Type G (3 Pin UK)
Body Material: ABS PVC
Wire Length: 25 Meters
Wire Material: 99.9% Copper
Wire: 1.25mm²
Color: Green & Black
Terminals: Copper
Grounding: Yes
Overload Protection: Yes
Thermal Cutout: Yes
Plug Type: Type G (3 Pin UK Fused Plug)
Fuse: 13A
Retractable Cord: Yes
Warranty: 1 Year
Safety Standards: UAE.S IEC 60884-2-5
Certifications: CE



SB01174 | Admore 2 Gang 13A 5 Meters Switched Socket Extension

Brand: Admore
Voltage Rating: 250V
Current Rating: 13A Max
Power Rating: 3250 Watts Max
Shape: Rectangle Bar
Number of Outlets/Sockets: 2 Gang
Type of Outlet/Socket: Type G (3 Pin UK)
Body Material: ABS PVC
Wire Length: 5 Meters
Wire Material: 99.9% Copper
Wire: 1.25mm²
Color: Off-White
Terminals: Copper
Grounding: Yes
Overload Protection: Yes
Power Indicator Light: Yes
Plug Type: Type G (3 Pin UK Fused Plug)
Fuse: 13A
Warranty: 1 Year
Safety Standards: UAE.S IEC 60884-2-5
Certifications: CE



AER10 | Admore 10 meters Green & Black 4 Gang Retractable Socket Extension

Brand: Admore
Voltage Rating: 250V
Current Rating: 13A Max
Power Rating: 3250 Watts Max
Shape: Round
Number of Outlets/Sockets: 4 Gang

Type of Outlet/Socket: Type G (3 Pin UK)
Body Material: ABS PVC
Wire Length: 10 Meters
Wire Material: 99.9% Copper
Wire: 1.25mm²
Color: Green & Black
Terminals: Copper
Grounding: Yes
Overload Protection: Yes
Thermal Cutout: Yes
Plug Type: Type G (3 Pin UK Fused Plug)
Fuse: 13A
Retractable Cord: Yes
Warranty: 1 Year
Safety Standards: UAE.S IEC 60884-2-5
Certifications: CE



اضواء الجزيرة للكهربائيات ذ.م.م.

ADWA AL-JAZEERA

Electricals L.L.C.

