

# Socket Extensions & Adapters

## A-E45 | Admore 4 Gang 13A Switched Socket Extensions (5 Meters)

Brand: Admore  
Voltage Rating: 250V  
Current Rating: 13A Max  
Power Rating: 3250 Watts Max  
Shape: Rectangle Bar  
Number of Outlets/Sockets: 4 Gang  
Type of Outlet/Socket: Type G (3 Pin UK)  
Body Material: PP Shell (Flame Retrardant Material)  
Wire Length: 5 Meters  
Wire Material: 99.9% Copper  
Wire: 1.25mm<sup>2</sup>  
Color: White  
Terminals: Copper  
Grounding: Yes  
Overload Protection: Yes  
Power Indicator Light: Yes  
Plug Type: Type G (3 Pin UK Fused Plug)  
Fuse: 13A  
Warranty: 1 Year  
Safety Standards: UAE.S IEC 60884-2-5  
Certifications: CE

No image available

## A-E410 | Admore 4 Gang 13A Switched Socket Extensions (10 Meters)

Brand: Admore  
Voltage Rating: 250V  
Current Rating: 13A Max  
Power Rating: 3250 Watts Max  
Shape: Rectangle Bar  
Number of Outlets/Sockets: 4 Gang  
Body Material: PP Shell (Flame Retrardant Material)  
Wire Length: 10 Meters  
Wire Material: 99.9% Copper  
Wire: 1.25mm<sup>2</sup>  
Color: White  
Terminals: Copper  
Grounding: Yes  
Overload Protection: Yes  
Power Indicator Light: Yes  
Plug Type: Type G (3 Pin UK Fused Plug)  
Fuse: 13A  
Warranty: 1 Year  
Safety Standards: UAE.S IEC 60884-2-5  
Certifications: CE



## AER5 | Admore 5 meters Green & Black 4 Gang Retractable Socket Extension

Brand: Admore  
Voltage Rating: 250V  
Current Rating: 13A Max  
Power Rating: 3250 Watts Max  
Shape: Round  
Number of Outlets/Sockets: 4 Gang  
Type of Outlet/Socket: Type G (3 Pin UK)  
Body Material: ABS PVC  
Wire Length: 5 Meters  
Wire Material: 99.9% Copper  
Wire: 1.25mm<sup>2</sup>  
Color: Green & Black  
Terminals: Copper

Grounding: Yes  
Overload Protection: Yes  
Thermal Cutout: Yes  
Plug Type: Type G (3 Pin UK Fused Plug)  
Fuse: 13A  
Retractable Cord: Yes  
Warranty: 1 Year  
Safety Standards: UAE.S IEC 60884-2-5  
Certifications: CE



**AER50 | Admore 50 meters Green & Black 4 Gang Retractable Socket Extension**

Brand: Admore  
Voltage Rating: 250V  
Current Rating: 13A Max  
Power Rating: 3250 Watts Max  
Shape: Round  
Number of Outlets/Sockets: 4 Gang  
Type of Outlet/Socket: Type G (3 Pin UK)  
Body Material: ABS PVC  
Wire Length: 50 Meters  
Wire Material: 99.9% Copper  
Wire: 1.25mm<sup>2</sup>  
Color: Green & Black  
Terminals: Copper  
Grounding: Yes  
Overload Protection: Yes  
Thermal Cutout: Yes  
Plug Type: Type G (3 Pin UK Fused Plug)  
Fuse: 13A  
Retractable Cord: Yes  
Warranty: 1 Year  
Safety Standards: UAE.S IEC 60884-2-5  
Certifications: CE

No image available

**SB01176 | Admore 4 Gang 13A 5 Meters Switched Socket Extension**

Brand: Admore  
Voltage Rating: 250V  
Current Rating: 13A Max  
Power Rating: 3250 Watts Max  
Shape: Rectangle Bar  
Number of Outlets/Sockets: 4 Gang  
Type of Outlet/Socket: Type G (3 Pin UK)  
Body Material: ABS PVC  
Wire Length: 5 Meters  
Wire Material: 99.9% Copper  
Wire: 1.25mm<sup>2</sup>  
Color: Off-White  
Terminals: Copper  
Grounding: Yes  
Overload Protection: Yes  
Power Indicator Light: Yes  
Plug Type: Type G (3 Pin UK Fused Plug)  
Fuse: 13A  
Warranty: 1 Year  
Safety Standards: UAE.S IEC 60884-2-5



Certifications: CE	
<b>SB01178   Admore 4 Gang 13A 5 Meters Universal Switched Socket Extension</b> Brand: Admore Voltage Rating: 250V Current Rating: 13A Max Power Rating: 3250 Watts Max Shape: Rectangle Bar Number of Outlets/Sockets: 4 Gang Type of Outlet/Socket: Type U (Universal Sockets) Body Material: ABS PVC Wire Length: 5 Meters Wire Material: 99.9% Copper Wire: 1.25mm <sup>2</sup> Color: Off-White Terminals: Copper Grounding: Yes Overload Protection: Yes Power Indicator Light: Yes Plug Type: Type G (3 Pin UK Fused Plug) Fuse: 13A Warranty: 1 Year Safety Standards: UAE.S IEC 60884-2-5 Certifications: CE	No image available
<b>A-E1x3C   Admore 3 Gang Universal Switched Socket Adapter with USB Charging Ports (Multiplug)</b> Brand: Admore Voltage Rating: 250V Current Rating: 13A Max Power Rating: 3250 Watts Max Number of Outlets/Sockets: 3 Gang Type of Outlet/Socket: Type U (Universal Sockets) Body Material: ABS PVC Wire Material: 99.9% Copper Wire: 1.25mm <sup>2</sup> Color: White Terminals: Copper Grounding: Yes Overload Protection: Yes Power Indicator Light: Yes Plug Type: Type G (3 Pin UK Fused Plug) Fuse: 13A Warranty: 1 Year Safety Standards: UAE.S IEC 60884-2-5 Certifications: CE	No image available
<b>A-E55   Admore 5 Gang 13A Switched Socket Extensions (5 Meters)</b> Brand: Admore Voltage Rating: 250V Current Rating: 13A Max Power Rating: 3250 Watts Max Shape: Rectangle Bar Number of Outlets/Sockets: 5 Gang Body Material: PP Shell (Flame Retrardant Material) Wire Length: 5 Meters Wire Material: 99.9% Copper Wire: 1.25mm <sup>2</sup> Color: White Terminals: Copper Grounding: Yes	No image available

Overload Protection: Yes  
Power Indicator Light: Yes  
Plug Type: Type G (3 Pin UK Fused Plug)  
Fuse: 13A  
Warranty: 1 Year  
Safety Standards: UAE.S IEC 60884-2-5  
Certifications: CE

**A-E35U | Admore 3 Gang 13A Switched Socket Extensions + USB Charging ports (5 Meters)**

Brand: Admore  
Voltage Rating: 250V  
Current Rating: 13A Max  
Power Rating: 3250 Watts Max  
Shape: Rectangle Bar  
Number of Outlets/Sockets: 3 Gang  
Type of Outlet/Socket: Type G (3 Pin UK)  
Body Material: PP Shell (Flame Retrardant Material)  
Wire Length: 5 Meters  
Wire Material: 99.9% Copper  
Wire: 1.25mm<sup>2</sup>  
Color: White  
Terminals: Copper  
Grounding: Yes  
USB Charging Ports: 3 x Type A + 1 x Type C  
Overload Protection: Yes  
Power Indicator Light: 3 Red LED Indicators  
Test Standard: BS1362  
Plug Type: Type G (3 Pin UK Fused Plug)  
Fuse: 13A  
Warranty: 1 Year  
Safety Standards: UAE.S IEC 60884-2-5  
Certifications: CE



**AER25 | Admore 25 meters Green & Black 4 Gang Retractable Socket Extension**

Brand: Admore  
Voltage Rating: 250V  
Current Rating: 13A Max  
Power Rating: 3250 Watts Max  
Shape: Round  
Number of Outlets/Sockets: 4 Gang  
Type of Outlet/Socket: Type G (3 Pin UK)  
Body Material: ABS PVC  
Wire Length: 25 Meters  
Wire Material: 99.9% Copper  
Wire: 1.25mm<sup>2</sup>  
Color: Green & Black  
Terminals: Copper  
Grounding: Yes  
Overload Protection: Yes  
Thermal Cutout: Yes  
Plug Type: Type G (3 Pin UK Fused Plug)  
Fuse: 13A  
Retractable Cord: Yes  
Warranty: 1 Year  
Safety Standards: UAE.S IEC 60884-2-5  
Certifications: CE



**SB01174 | Admore 2 Gang 13A 5 Meters Switched Socket Extension**

Brand: Admore  
Voltage Rating: 250V  
Current Rating: 13A Max

Power Rating: 3250 Watts Max  
Shape: Rectangle Bar  
Number of Outlets/Sockets: 2 Gang  
Type of Outlet/Socket: Type G (3 Pin UK)  
Body Material: ABS PVC  
Wire Length: 5 Meters  
Wire Material: 99.9% Copper  
Wire: 1.25mm<sup>2</sup>  
Color: Off-White  
Terminals: Copper  
Grounding: Yes  
Overload Protection: Yes  
Power Indicator Light: Yes  
Plug Type: Type G (3 Pin UK Fused Plug)  
Fuse: 13A  
Warranty: 1 Year  
Safety Standards: UAE.S IEC 60884-2-5  
Certifications: CE



**SB01177 | Admore 4 Gang 13A 5 Meters Slim Socket Extension**

Brand: Admore  
Voltage Rating: 250V  
Current Rating: 13A Max  
Power Rating: 3250 Watts Max  
Shape: Rectangle Bar  
Number of Outlets/Sockets: 4 Gang  
Type of Outlet/Socket: Type G (3 Pin UK)  
Body Material: ABS PVC  
Wire Length: 3 Meters  
Wire Material: 99.9% Copper  
Wire: 1.25mm<sup>2</sup>  
Color: Off-White  
Terminals: Copper  
Grounding: Yes  
Overload Protection: Yes  
Power Indicator Light: Yes  
Plug Type: Type G (3 Pin UK Fused Plug)  
Fuse: 13A  
Warranty: 1 Year  
Safety Standards: UAE.S IEC 60884-2-5  
Certifications: CE





**SB01683 | Admore 3 Gang 13A 5 Meters Universal Switched Socket Extension with 2 USB Charging Ports**

Brand: Admore  
Voltage Rating: 250V  
Current Rating: 13A Max  
Power Rating: 3250 Watts Max  
Shape: Rectangle Bar  
Number of Outlets/Sockets: 3 Gang  
Type of Outlet/Socket: Type G (3 Pin UK)  
Body Material: ABS PVC  
Wire Length: 5 Meters  
Wire Material: 99.9% Copper  
Wire: 1.25mm<sup>2</sup>  
Color: Off-White  
Terminals: Copper  
Grounding: Yes  
USB Charging Ports: 2 x Type A  
Overload Protection: Yes  
Power Indicator Light: Yes  
Plug Type: Type G (3 Pin UK Fused Plug)  
Fuse: 13A





<p>Warranty: 1 Year Safety Standards: UAE.S IEC 60884-2-5 Certifications: CE</p>	
<p><b>A-E1x4   Admore 4 Gang Universal Switched Socket Adapter (Multiplug)</b> Brand: Admore Voltage Rating: 250V Current Rating: 13A Max Power Rating: 3250 Watts Max Number of Outlets/Sockets: 4 Gang Type of Outlet/Socket: Type U (Universal Sockets) Body Material: ABS PVC Wire Material: 99.9% Copper Wire: 1.25mm<sup>2</sup> Color: White Terminals: Copper Grounding: Yes Overload Protection: Yes Power Indicator Light: Yes Plug Type: Type G (3 Pin UK Fused Plug) Fuse: 13A Warranty: 1 Year Safety Standards: UAE.S IEC 60884-2-5 Certifications: CE</p>	
<p><b>A-E33   Admore 3 Gang 13A Switched Socket Extensions (3 Meters)</b> Brand: Admore Voltage Rating: 250V Current Rating: 13A Max Power Rating: 3250 Watts Max Shape: Rectangle Bar Number of Outlets/Sockets: 3 Gang Body Material: PP Shell (Flame Retrardant Material) Wire Length: 3 Meters Wire Material: 99.9% Copper Wire: 1.25mm<sup>2</sup> Color: White Terminals: Copper Grounding: Yes Overload Protection: Yes Power Indicator Light: Yes Plug Type: Type G (3 Pin UK Fused Plug) Fuse: 13A Warranty: 1 Year Safety Standards: UAE.S IEC 60884-2-5 Certifications: CE</p>	
<p><b>AER10   Admore 10 meters Green &amp; Black 4 Gang Retractable Socket Extension</b> Brand: Admore Voltage Rating: 250V Current Rating: 13A Max Power Rating: 3250 Watts Max Shape: Round Number of Outlets/Sockets: 4 Gang Type of Outlet/Socket: Type G (3 Pin UK) Body Material: ABS PVC Wire Length: 10 Meters Wire Material: 99.9% Copper Wire: 1.25mm<sup>2</sup> Color: Green &amp; Black Terminals: Copper</p>	

Grounding: Yes  
Overload Protection: Yes  
Thermal Cutout: Yes  
Plug Type: Type G (3 Pin UK Fused Plug)  
Fuse: 13A  
Retractable Cord: Yes  
Warranty: 1 Year  
Safety Standards: UAE.S IEC 60884-2-5  
Certifications: CE



اضواء الجزيرة للكهربائيات ذ.م.م.

ADWA AL-JAZEERA

Electricals L.L.C.

