# PC Classic Range: White

| | |
|---|---|
| **P-W405 – 13A 1 Gang Switch Socket -PC Classic Range: White**<br>Brand: Admore<br>Amp Rating: 13A<br>Color: White<br>Material: PC<br>Manufacturer Guarantee: 15 Year Manufacturer's Guarantee (T&Cs Apply)<br>Min. Back Box Depth Required: 25mm<br>Earth Terminal: Yes<br>Number of Gangs: 1<br>Number of Poles: Single<br>Operating Voltage: 220-240V<br>Product Type: Switched Socket<br>Number of Ways: 1<br>Terminals: Copper<br>Termination Type: Captive Screw | |
| **P-W406 – 13A 2 Gang Switch Socket -PC Classic Range: White**<br>Brand: Admore<br>Amp Rating: 13A<br>Color: White<br>Material: PC<br>Manufacturer Guarantee: 15 Year Manufacturer's Guarantee (T&Cs Apply)<br>Min. Back Box Depth Required: 25mm<br>Earth Terminal: Yes<br>Number of Gangs: 2<br>Number of Poles: Single<br>Operating Voltage: 220-240V<br>Product Type: Switched Socket<br>Number of Ways: 1<br>Terminals: Copper<br>Termination Type: Captive Screw |  |
| **P-W408 – 13A 2 Gang Switch Socket With A&C Port -PC Classic Range: White**<br>Brand: Admore<br>Amp Rating: 13A<br>Color: White<br>Material: PC<br>Manufacturer Guarantee: 15 Year Manufacturer's Guarantee (T&Cs Apply)<br>Min. Back Box Depth Required: 25mm<br>Earth Terminal: Yes<br>Number of Gangs: 2<br>Number of Poles: Single<br>Operating Voltage: 220-240V<br>Product Type: Switched Socket<br>Number of Ways: 1<br>Terminals: Copper<br>Termination Type: Captive Screw | |
| **P-W429 – 15A Switch Socket -PC Classic Range: White**<br>Brand: Admore<br>Amp Rating: 15A<br>Color: White<br>Material: PC<br>Manufacturer Guarantee: 15 Year Manufacturer's | |

| | |
|---|---|
| Guarantee (T&Cs Apply)<br>Min. Back Box Depth Required: 25mm<br>Earth Terminal: Yes<br>Number of Gangs: 1<br>Number of Poles: Single<br>Operating Voltage: 220-240V<br>Product Type: Switched Socket<br>Number of Ways: 1<br>Terminals: Copper<br>Termination Type: Captive Screw | |
| **P-W058 – Shaver Socket -PC Classic Range: White**<br>Brand: Admore<br>Amp Rating: 13A<br>Color: White<br>Material: PC<br>Manufacturer Guarantee: 15 Year Manufacturer's Guarantee (T&Cs Apply)<br>Min. Back Box Depth Required: 25mm<br>Earth Terminal: Yes<br>Number of Gangs: 1<br>Number of Poles: Single<br>Operating Voltage: 220-240V<br>Product Type: Socket<br>Number of Ways: 1<br>Terminals: Copper<br>Termination Type: Captive Screw |  |
| **P-W350 – Rj45 2 Gang Data Socket -PC Classic Range: White**<br>Brand: Admore<br>Color: White<br>Material: PC<br>Manufacturer Guarantee: 15 Year Manufacturer's Guarantee (T&Cs Apply)<br>Min. Back Box Depth Required: 25mm<br>Number of Gangs: 2<br>Port Type: RJ45<br>Product Type: Network Socket<br>Terminals: Copper<br>Termination Type: Captive Screw | No image available |
| **P-W001 – 1 Gang 1 Way Switch -PC Classic Range: White**<br>Brand: Admore<br>Amp Rating: 10A<br>Color: White<br>Material: PC<br>Manufacturer Guarantee: 15 Year Manufacturer's Guarantee (T&Cs Apply)<br>Min. Back Box Depth Required: 25mm<br>Earth Terminal: No<br>Number of Gangs: 1<br>Number of Poles: Single<br>Operating Voltage: 220-240V<br>Product Type: Electric Switch | |

| | |
|---|---|
| Number of Ways: 1<br>Terminals: Copper<br>Termination Type: Captive Screw |  |
| **P-W002 – 1 Gang 2 Way Switch -PC Classic Range: White**<br>Brand: Admore<br>Amp Rating: 10A<br>Color: White<br>Material: PC<br>Manufacturer Guarantee: 15 Year Manufacturer's Guarantee (T&Cs Apply)<br>Min. Back Box Depth Required: 25mm<br>Earth Terminal: No<br>Number of Gangs: 1<br>Number of Poles: Single<br>Operating Voltage: 220-240V<br>Product Type: Electric Switch<br>Number of Ways: 2<br>Terminals: Copper<br>Termination Type: Captive Screw |  |
| **P-W003 – 2 Gang 1 Way Switch -PC Classic Range: White**<br>Brand: Admore<br>Amp Rating: 10A<br>Color: White<br>Material: PC<br>Manufacturer Guarantee: 15 Year Manufacturer's Guarantee (T&Cs Apply)<br>Min. Back Box Depth Required: 25mm<br>Earth Terminal: No<br>Number of Gangs: 2<br>Number of Poles: Single<br>Operating Voltage: 220-240V<br>Product Type: Electric Switch<br>Number of Ways: 1<br>Terminals: Copper<br>Termination Type: Captive Screw |  |
| **P-W004 – 2 Gang 2 Way Switch -PC Classic Range: White**<br>Brand: Admore<br>Amp Rating: 10A<br>Color: White<br>Material: PC<br>Manufacturer Guarantee: 15 Year Manufacturer's Guarantee (T&Cs Apply)<br>Min. Back Box Depth Required: 25mm<br>Earth Terminal: No | |

| | |
|---|---|
| Number of Gangs: 2<br>Number of Poles: Single<br>Operating Voltage: 220-240V<br>Product Type: Electric Switch<br>Number of Ways: 2<br>Terminals: Copper<br>Termination Type: Captive Screw | |
| **P-W005 – 3 Gang 1 Way Switch -PC Classic Range: White**<br>Brand: Admore<br>Amp Rating: 10A<br>Color: White<br>Material: PC<br>Manufacturer Guarantee: 15 Year Manufacturer's Guarantee (T&Cs Apply)<br>Min. Back Box Depth Required: 25mm<br>Earth Terminal: No<br>Number of Gangs: 3<br>Number of Poles: Single<br>Operating Voltage: 220-240V<br>Product Type: Electric Switch<br>Number of Ways: 1<br>Terminals: Copper<br>Termination Type: Captive Screw |  |
| **P-W006 – 3 Gang 2 Way Switch -PC Classic Range: White**<br>Brand: Admore<br>Amp Rating: 10A<br>Color: White<br>Material: PC<br>Manufacturer Guarantee: 15 Year Manufacturer's Guarantee (T&Cs Apply)<br>Min. Back Box Depth Required: 25mm<br>Earth Terminal: No<br>Number of Gangs: 3<br>Number of Poles: Single<br>Operating Voltage: 220-240V<br>Product Type: Electric Switch<br>Number of Ways: 2<br>Terminals: Copper<br>Termination Type: Captive Screw |  |
| **P-W313 – 4 Gang 1 Way Switch (3X3) -PC Classic Range: White**<br>Brand: Admore<br>Amp Rating: 10A<br>Color: White<br>Material: PC<br>Manufacturer Guarantee: 15 Year Manufacturer's Guarantee (T&Cs Apply)<br>Min. Back Box Depth Required: 25mm<br>Earth Terminal: No | |

| | |
|---|---|
| Number of Gangs: 4<br>Number of Poles: Single<br>Operating Voltage: 220-240V<br>Product Type: Electric Switch<br>Number of Ways: 1<br>Terminals: Copper<br>Termination Type: Captive Screw |  |
| **P-W007 – 4 Gang 1 Way Switch (3X6) -PC Classic Range: White**<br>Brand: Admore<br>Amp Rating: 10A<br>Color: White<br>Material: PC<br>Manufacturer Guarantee: 15 Year Manufacturer's Guarantee (T&Cs Apply)<br>Min. Back Box Depth Required: 25mm<br>Earth Terminal: No<br>Number of Gangs: 4<br>Number of Poles: Single<br>Operating Voltage: 220-240V<br>Product Type: Electric Switch<br>Number of Ways: 1<br>Terminals: Copper<br>Termination Type: Captive Screw | |
| **P-W009 – 6 Gang 1 Way Switch( 3X6 ) -PC Classic Range: White**<br>Brand: Admore<br>Amp Rating: 10A<br>Color: White<br>Material: PC<br>Manufacturer Guarantee: 15 Year Manufacturer's Guarantee (T&Cs Apply)<br>Min. Back Box Depth Required: 25mm<br>Earth Terminal: No<br>Number of Gangs: 6<br>Number of Poles: Single<br>Operating Voltage: 220-240V<br>Product Type: Electric Switch<br>Number of Ways: 1<br>Terminals: Copper<br>Termination Type: Captive Screw | |
| **P-W013 – 1 Gang Intermediate Switch -PC Classic Range: White**<br>Brand: Admore<br>Amp Rating: 10A<br>Color: White<br>Material: PC<br>Manufacturer Guarantee: 15 Year Manufacturer's Guarantee (T&Cs Apply)<br>Min. Back Box Depth Required: 25mm<br>Earth Terminal: No | |

Number of Gangs: 1
Number of Poles: Single
Operating Voltage: 220-240V
Product Type: Electric Switch
Number of Ways: 3
Terminals: Copper
Termination Type: Captive Screw



**P-W017 – 10A Bell Push Switch -PC Classic Range: White**
Brand: Admore
Amp Rating: 10A
Color: White
Material: PC
Manufacturer Guarantee: 15 Year Manufacturer's Guarantee (T&Cs Apply)
Min. Back Box Depth Required: 25mm
Earth Terminal: No
Number of Gangs: 1
Number of Poles: Single
Operating Voltage: 220-240V
Product Type: Electric Switch
Number of Ways: 1
Terminals: Copper
Termination Type: Captive Screw

**P-W024 – 20A DP Switch -PC Classic Range: White**
Brand: Admore
Amp Rating: 20A
Color: White
Material: PC
Manufacturer Guarantee: 15 Year Manufacturer's Guarantee (T&Cs Apply)
Min. Back Box Depth Required: 25mm
Earth Terminal: Yes
Number of Gangs: 1
Number of Poles: Single
Operating Voltage: 220-240V
Product Type: Electric Switch
Number of Ways: 1
Terminals: Copper
Termination Type: Captive Screw

**P-W027 – 45A Dp Switch (3X3) -PC Classic Range: White**
Brand: Admore
Amp Rating: 45A
Color: White
Material: PC
Manufacturer Guarantee: 15 Year Manufacturer's Guarantee (T&Cs Apply)
Min. Back Box Depth Required: 25mm
Earth Terminal: Yes

| | |
|---|---|
| Number of Gangs: 1<br>Number of Poles: Single<br>Operating Voltage: 220-240V<br>Product Type: Electric Switch<br>Number of Ways: 1<br>Terminals: Copper<br>Termination Type: Captive Screw | |
| **P-W029 – 45A Dp Switch(3X6) -PC Classic Range: White**<br>Brand: Admore<br>Amp Rating: 45A<br>Color: White<br>Material: PC<br>Manufacturer Guarantee: 15 Year Manufacturer's Guarantee (T&Cs Apply)<br>Min. Back Box Depth Required: 25mm<br>Earth Terminal: Yes<br>Number of Gangs: 1<br>Number of Poles: Single<br>Operating Voltage: 220-240V<br>Product Type: Electric Switch<br>Number of Ways: 1<br>Terminals: Copper<br>Termination Type: Captive Screw | |
| **P-W031 – Cooker Unit -PC Classic Range: White**<br>Brand: Admore<br>Amp Rating: 45A<br>Color: White<br>Material: PC<br>Manufacturer Guarantee: 15 Year Manufacturer's Guarantee (T&Cs Apply)<br>Min. Back Box Depth Required: 25mm<br>Earth Terminal: Yes<br>Number of Gangs: 1<br>Number of Poles: Single<br>Operating Voltage: 220-240V<br>Product Type: Switched Socket<br>Number of Ways: 1<br>Terminals: Copper<br>Termination Type: Captive Screw |  |
| **P-W401 – 1 Gang Blank Plate (3X3) -PC Classic Range: White**<br>Brand: Admore<br>Color: White<br>Material: PC<br>Manufacturer Guarantee: 15 Year Manufacturer's Guarantee (T&Cs Apply)<br>Min. Back Box Depth Required: 25mm<br>Earth Terminal: Yes<br>Number of Gangs: 1 | |

| | |
|---|---|
| Product Type: Blank Plate<br>Terminals: Copper<br>Termination Type: Captive Screw | |
| **P-W402 – 2 Gang Blank Plate (3X6) -PC Classic Range: White**<br>Brand: Admore<br>Color: White<br>Material: PC<br>Manufacturer Guarantee: 15 Year Manufacturer's Guarantee (T&Cs Apply)<br>Min. Back Box Depth Required: 25mm<br>Earth Terminal: Yes<br>Number of Gangs: 2<br>Product Type: Blank Plate<br>Terminals: Copper<br>Termination Type: Captive Screw |  |
| **P-W1H1 – 1 Gang Blank Plate 1 Hole -PC Classic Range: White**<br>Brand: Admore<br>Color: White<br>Material: PC<br>Manufacturer Guarantee: 15 Year Manufacturer's Guarantee (T&Cs Apply)<br>Min. Back Box Depth Required: 25mm<br>Earth Terminal: Yes<br>Number of Gangs: 1<br>Product Type: Blank Plate<br>Terminals: Copper<br>Termination Type: Captive Screw | |
| **P-W407 – 13A 1 Gang Switch Socket With A&C Port -PC Classic Range: White**<br>Brand: Admore<br>Amp Rating: 13A<br>Color: White<br>Material: PC<br>Manufacturer Guarantee: 15 Year Manufacturer's Guarantee (T&Cs Apply)<br>Min. Back Box Depth Required: 25mm<br>Earth Terminal: Yes | |

Number of Gangs: 1
Number of Poles: Single
Operating Voltage: 220-240V
Product Type: Switched Socket
Number of Ways: 1
Terminals: Copper
Termination Type: Captive Screw

**P-W432 – Tv Socket -PC Classic Range: White**
Brand: Admore
Color: White
Material: PC
Manufacturer Guarantee: 15 Year Manufacturer's Guarantee (T&Cs Apply)
Min. Back Box Depth Required: 25mm
Earth Terminal: Yes
Number of Gangs: 1
Product Type: TV Socket
Terminals: Copper
Termination Type: Captive Screw

**P-W469 – 1 Gang Satelite Socket -PC Classic Range: White**
Brand: Admore
Color: White
Material: PC
Manufacturer Guarantee: 15 Year Manufacturer's Guarantee (T&Cs Apply)
Min. Back Box Depth Required: 25mm
Earth Terminal: Yes
Number of Gangs: 1
Product Type: TV Socket
Terminals: Copper
Termination Type: Captive Screw

**P-W438 – Telephone Socket 1G Secondary -PC Classic Range: White**
Brand: Admore
Color: White
Material: PC
Manufacturer Guarantee: 15 Year Manufacturer's Guarantee (T&Cs Apply)
Min. Back Box Depth Required: 25mm
Earth Terminal: Yes
Number of Gangs: 1

| | |
|---|---|
| Port Type: RJ11<br>Product Type: Telephone Socket<br>Terminals: Copper<br>Termination Type: Captive Screw | |
| **P-W346 – Rj45 Igang Data Socket -PC Classic Range: White**<br>Brand: Admore<br>Color: White<br>Material: PC<br>Manufacturer Guarantee: 15 Year Manufacturer's Guarantee (T&Cs Apply)<br>Min. Back Box Depth Required: 25mm<br>Number of Gangs: 1<br>Port Type: RJ45<br>Product Type: Network Socket<br>Terminals: Copper<br>Termination Type: Captive Screw | |
| **P-W218 – 3A (Fcu) With Neon -PC Classic Range: White**<br>Brand: Admore<br>Amp Rating: 3A<br>Color: White<br>Material: PC<br>Manufacturer Guarantee: 15 Year Manufacturer's Guarantee (T&Cs Apply)<br>Min. Back Box Depth Required: 25mm<br>Earth Terminal: Yes<br>Number of Gangs: 1<br>Number of Poles: Single<br>Operating Voltage: 220-240V<br>Product Type: Fuse<br>Number of Ways: 1<br>Terminals: Copper<br>Termination Type: Captive Screw | |
| **P-W020 – 20A Jb/Connection Plate -PC Classic Range: White**<br>Brand: Admore<br>Amp Rating: 20A<br>Color: White<br>Material: PC<br>Manufacturer Guarantee: 15 Year Manufacturer's Guarantee (T&Cs Apply)<br>Min. Back Box Depth Required: 25mm<br>Earth Terminal: Yes | |

| | |
|---|---|
| Number of Gangs: 1<br>Number of Poles: Single<br>Operating Voltage: 220-240V<br>Product Type: Connection Plate<br>Number of Ways: 1<br>Terminals: Copper<br>Termination Type: Captive Screw |  |
| **P-W021 – 45A Jb/Connection Plate -PC Classic Range: White**<br>Brand: Admore<br>Amp Rating: 45A<br>Color: White<br>Material: PC<br>Manufacturer Guarantee: 15 Year Manufacturer's Guarantee (T&Cs Apply)<br>Min. Back Box Depth Required: 25mm<br>Earth Terminal: Yes<br>Number of Gangs: 1<br>Number of Poles: Single<br>Operating Voltage: 220-240V<br>Product Type: Connection Plate<br>Number of Ways: 1<br>Terminals: Copper<br>Termination Type: Captive Screw |  |
| **P-W422 – 1 Gang Universal Socket -PC Classic Range: White**<br>Brand: Admore<br>Amp Rating: 13A<br>Color: White<br>Material: PC<br>Manufacturer Guarantee: 15 Year Manufacturer's Guarantee (T&Cs Apply)<br>Min. Back Box Depth Required: 25mm<br>Earth Terminal: Yes<br>Number of Gangs: 1<br>Number of Poles: Single<br>Operating Voltage: 220-240V<br>Product Type: Switched Socket<br>Number of Ways: 1<br>Terminals: Copper<br>Termination Type: Captive Screw | |
| **P-W423 – 2 Gang Universal Socket -PC Classic Range: White**<br>Brand: Admore<br>Amp Rating: 13A<br>Color: White<br>Material: PC<br>Manufacturer Guarantee: 15 Year Manufacturer's Guarantee (T&Cs Apply)<br>Min. Back Box Depth Required: 25mm<br>Earth Terminal: Yes | |

| | |
|---|---|
| Number of Gangs: 1<br>Number of Poles: Single<br>Operating Voltage: 220-240V<br>Product Type: Switched Socket<br>Number of Ways: 1<br>Terminals: Copper<br>Termination Type: Captive Screw |  |
| **P-W424 – 1 Gang Universal Socket A&C Port -PC Classic Range: White**<br>Brand: Admore<br>Amp Rating: 13A<br>Color: White<br>Material: PC<br>Manufacturer Guarantee: 15 Year Manufacturer's Guarantee (T&Cs Apply)<br>Min. Back Box Depth Required: 25mm<br>Earth Terminal: Yes<br>Number of Gangs: 1<br>Number of Poles: Single<br>Operating Voltage: 220-240V<br>Product Type: Switched Socket<br>Number of Ways: 1<br>Terminals: Copper<br>Termination Type: Captive Screw | |
| **P-W425 – 2 Gang Universal Socket A&C Port -PC Classic Range: White**<br>Brand: Admore<br>Amp Rating: 13A<br>Color: White<br>Material: PC<br>Manufacturer Guarantee: 15 Year Manufacturer's Guarantee (T&Cs Apply)<br>Min. Back Box Depth Required: 25mm<br>Earth Terminal: Yes<br>Number of Gangs: 2<br>Number of Poles: Single<br>Operating Voltage: 220-240V<br>Product Type: Switched Socket<br>Number of Ways: 1<br>Terminals: Copper<br>Termination Type: Captive Screw | |