

## ELCB

### ELCB 63/4/100

Brand: Admore  
Product Code: E63410  
Type: Voltage Operated ELCB  
Poles: 4 Pole  
Current Rating: 63A  
Sensitivity (mA): 100mA  
Rated Voltage (V): 415V  
Frequency (Hz): 50Hz  
Operating Temperature Range: -10°C to 55°C  
Mounting Type: DIN Rail  
Test Button: Yes  
IP rating: IP20  
Installation Environment: Indoor  
Standard: BS4263:1983  
Conformity: CE  
Warranty: 5 Years



### ELCB 63/4/300

Brand: Admore  
Product Code: E63430  
Type: Voltage Operated ELCB  
Poles: 4 Pole  
Current Rating: 63A  
Sensitivity (mA): 300mA  
Rated Voltage (V): 415V  
Frequency (Hz): 50Hz  
Operating Temperature Range: -10°C to 55°C  
Mounting Type: DIN Rail  
Test Button: Yes  
IP rating: IP20  
Installation Environment: Indoor  
Standard: BS4263:1983  
Conformity: CE  
Warranty: 5 Years



### ELCB 100/4/100

Brand: Admore  
Product Code: E100410  
Type: Voltage Operated ELCB  
Poles: 4 Pole  
Current Rating: 100A  
Sensitivity (mA): 100mA  
Rated Voltage (V): 415V  
Frequency (Hz): 50Hz  
Operating Temperature Range: -10°C to 55°C  
Mounting Type: DIN Rail  
Test Button: Yes  
IP rating: IP20  
Installation Environment: Indoor  
Standard: BS4263:1983  
Conformity: CE  
Warranty: 5 Years



### ELCB 100/4/300

Brand: Admore  
Product Code: E100430  
Type: Voltage Operated ELCB  
Poles: 4 Pole  
Current Rating: 100A  
Sensitivity (mA): 300mA

Rated Voltage (V): 415V  
Frequency (Hz): 50Hz  
Operating Temperature Range: -10°C to 55°C  
Mounting Type: DIN Rail  
Test Button: Yes  
IP rating: IP20  
Installation Environment: Indoor  
Standard: BS4263:1983  
Conformity: CE  
Warranty: 5 Years



#### ELCB 63/4/030

Brand: Admore  
Product Code: E63403  
Type: Voltage Operated ELCB  
Poles: 4 Pole  
Current Rating: 63A  
Sensitivity (mA): 30mA  
Rated Voltage (V): 415V  
Frequency (Hz): 50Hz  
Operating Temperature Range: -10°C to 55°C  
Mounting Type: DIN Rail  
Test Button: Yes  
IP rating: IP20  
Installation Environment: Indoor  
Standard: BS4263:1983  
Conformity: CE  
Warranty: 5 Years



#### ELCB 100/2/100

Brand: Admore  
Product Code: E100210  
Type: Voltage Operated ELCB  
Poles: 2 Pole  
Current Rating: 100A  
Sensitivity (mA): 100mA  
Rated Voltage (V): 415V  
Frequency (Hz): 50Hz  
Operating Temperature Range: -10°C to 55°C  
Mounting Type: DIN Rail  
Test Button: Yes  
IP rating: IP20  
Installation Environment: Indoor  
Standard: BS4263:1983  
Conformity: CE  
Warranty: 5 Years



#### ELCB 100/2/300

Brand: Admore  
Product Code: E100230  
Type: Voltage Operated ELCB  
Poles: 2 Pole  
Current Rating: 100A  
Sensitivity (mA): 300mA  
Rated Voltage (V): 415V  
Frequency (Hz): 50Hz  
Operating Temperature Range: -10°C to 55°C

Mounting Type: DIN Rail  
Test Button: Yes  
IP rating: IP20  
Installation Environment: Indoor  
Standard: BS4263:1983  
Conformity: CE  
Warranty: 5 Years



#### ELCB 40/4/030

Brand: Admore  
Product Code: E40403  
Type: Voltage Operated ELCB  
Poles: 4 Pole  
Current Rating: 40A  
Sensitivity (mA): 30mA  
Rated Voltage (V): 415V  
Frequency (Hz): 50Hz  
Operating Temperature Range: -10°C to 55°C  
Mounting Type: DIN Rail  
Test Button: Yes  
IP rating: IP20  
Installation Environment: Indoor  
Standard: BS4263:1983  
Conformity: CE  
Warranty: 5 Years



#### ELCB 40/4/100

Brand: Admore  
Product Code: E40410  
Type: Voltage Operated ELCB  
Poles: 4 Pole  
Current Rating: 40A  
Sensitivity (mA): 100mA  
Rated Voltage (V): 415V  
Frequency (Hz): 50Hz  
Operating Temperature Range: -10°C to 55°C  
Mounting Type: DIN Rail  
Test Button: Yes  
IP rating: IP20  
Installation Environment: Indoor  
Standard: BS4263:1983  
Conformity: CE  
Warranty: 5 Years



#### ELCB 40/4/300

Brand: Admore  
Product Code: E40430  
Type: Voltage Operated ELCB  
Poles: 4 Pole  
Current Rating: 40A  
Sensitivity (mA): 300mA  
Rated Voltage (V): 415V  
Frequency (Hz): 50Hz  
Operating Temperature Range: -10°C to 55°C

Mounting Type: DIN Rail  
Test Button: Yes  
IP rating: IP20  
Installation Environment: Indoor  
Standard: BS4263:1983  
Conformity: CE  
Warranty: 5 Years



#### ELCB 40/2/030

Brand: Admore  
Product Code: E40203  
Type: Voltage Operated ELCB  
Poles: 2 Pole  
Current Rating: 40A  
Sensitivity (mA): 30mA  
Rated Voltage (V): 415V  
Frequency (Hz): 50Hz  
Operating Temperature Range: -10°C to 55°C  
Mounting Type: DIN Rail  
Test Button: Yes  
IP rating: IP20  
Installation Environment: Indoor  
Standard: BS4263:1983  
Conformity: CE  
Warranty: 5 Years



#### ELCB 40/2/300

Brand: Admore  
Product Code: E40230  
Type: Voltage Operated ELCB  
Poles: 2 Pole  
Current Rating: 40A  
Sensitivity (mA): 300mA  
Rated Voltage (V): 415V  
Frequency (Hz): 50Hz  
Operating Temperature Range: -10°C to 55°C  
Mounting Type: DIN Rail  
Test Button: Yes  
IP rating: IP20  
Installation Environment: Indoor  
Standard: BS4263:1983  
Conformity: CE  
Warranty: 5 Years



#### ELCB 63/2/030

Brand: Admore  
Product Code: E63203  
Type: Voltage Operated ELCB  
Poles: 2 Pole  
Current Rating: 63A  
Sensitivity (mA): 30mA  
Rated Voltage (V): 415V  
Frequency (Hz): 50Hz  
Operating Temperature Range: -10°C to 55°C



Mounting Type: DIN Rail  
Test Button: Yes  
IP rating: IP20  
Installation Environment: Indoor  
Standard: BS4263:1983  
Conformity: CE  
Warranty: 5 Years



#### ELCB 63/2/100

Brand: Admore  
Product Code: E63210  
Type: Voltage Operated ELCB  
Poles: 2 Pole  
Current Rating: 63A  
Sensitivity (mA): 100mA  
Rated Voltage (V): 415V  
Frequency (Hz): 50Hz  
Operating Temperature Range: -10°C to 55°C  
Mounting Type: DIN Rail  
Test Button: Yes  
IP rating: IP20  
Installation Environment: Indoor  
Standard: BS4263:1983  
Conformity: CE  
Warranty: 5 Years



#### ELCB 63/2/300

Brand: Admore  
Product Code: E63230  
Type: Voltage Operated ELCB  
Poles: 2 Pole  
Current Rating: 63A  
Sensitivity (mA): 300mA  
Rated Voltage (V): 415V  
Frequency (Hz): 50Hz  
Operating Temperature Range: -10°C to 55°C  
Mounting Type: DIN Rail  
Test Button: Yes  
IP rating: IP20  
Installation Environment: Indoor  
Standard: BS4263:1983  
Conformity: CE  
Warranty: 5 Years



#### ELCB 100/2/30

Brand: Admore  
Product Code: E100203  
Type: Voltage Operated ELCB  
Poles: 2 Pole  
Current Rating: 100A  
Sensitivity (mA): 30mA  
Rated Voltage (V): 415V  
Frequency (Hz): 50Hz  
Operating Temperature Range: -10°C to 55°C

Mounting Type: DIN Rail  
Test Button: Yes  
IP rating: IP20  
Installation Environment: Indoor  
Standard: BS4263:1983  
Conformity: CE  
Warranty: 5 Years



اضواء الجزيرة للكهربائيات ذ.م.م.

ADWA AL- JAZEERA

Electricals L.L.C.

