

ELCB

ELCB 63/4/030

Brand: Admore
Product Code: E63403
Type: Voltage Operated ELCB
Poles: 4 Pole
Current Rating: 63A
Sensitivity (mA): 30mA
Rated Voltage (V): 415V
Frequency (Hz): 50Hz
Operating Temperature Range: -10°C to 55°C
Mounting Type: DIN Rail
Test Button: Yes
IP rating: IP20
Installation Environment: Indoor
Standard: BS4263:1983
Conformity: CE
Warranty: 5 Years



ELCB 63/4/100

Brand: Admore
Product Code: E63410
Type: Voltage Operated ELCB
Poles: 4 Pole
Current Rating: 63A
Sensitivity (mA): 100mA
Rated Voltage (V): 415V
Frequency (Hz): 50Hz
Operating Temperature Range: -10°C to 55°C
Mounting Type: DIN Rail
Test Button: Yes
IP rating: IP20
Installation Environment: Indoor
Standard: BS4263:1983
Conformity: CE
Warranty: 5 Years



ELCB 63/4/300

Brand: Admore
Product Code: E63430
Type: Voltage Operated ELCB
Poles: 4 Pole
Current Rating: 63A
Sensitivity (mA): 300mA
Rated Voltage (V): 415V
Frequency (Hz): 50Hz
Operating Temperature Range: -10°C to 55°C
Mounting Type: DIN Rail
Test Button: Yes
IP rating: IP20
Installation Environment: Indoor
Standard: BS4263:1983
Conformity: CE
Warranty: 5 Years



ELCB 100/4/100

Brand: Admore
Product Code: E100410
Type: Voltage Operated ELCB
Poles: 4 Pole
Current Rating: 100A
Sensitivity (mA): 100mA

Rated Voltage (V): 415V
 Frequency (Hz): 50Hz
 Operating Temperature Range: -10°C to 55°C
 Mounting Type: DIN Rail
 Test Button: Yes
 IP rating: IP20
 Installation Environment: Indoor
 Standard: BS4263:1983
 Conformity: CE
 Warranty: 5 Years



ELCB 100/4/300

Brand: Admore
 Product Code: E100430
 Type: Voltage Operated ELCB
 Poles: 4 Pole
 Current Rating: 100A
 Sensitivity (mA): 300mA
 Rated Voltage (V): 415V
 Frequency (Hz): 50Hz
 Operating Temperature Range: -10°C to 55°C
 Mounting Type: DIN Rail
 Test Button: Yes
 IP rating: IP20
 Installation Environment: Indoor
 Standard: BS4263:1983
 Conformity: CE
 Warranty: 5 Years



ELCB 40/4/100

Brand: Admore
 Product Code: E40410
 Type: Voltage Operated ELCB
 Poles: 4 Pole
 Current Rating: 40A
 Sensitivity (mA): 100mA
 Rated Voltage (V): 415V
 Frequency (Hz): 50Hz
 Operating Temperature Range: -10°C to 55°C
 Mounting Type: DIN Rail
 Test Button: Yes
 IP rating: IP20
 Installation Environment: Indoor
 Standard: BS4263:1983
 Conformity: CE
 Warranty: 5 Years



ELCB 40/4/300

Brand: Admore
 Product Code: E40430
 Type: Voltage Operated ELCB
 Poles: 4 Pole
 Current Rating: 40A
 Sensitivity (mA): 300mA
 Rated Voltage (V): 415V
 Frequency (Hz): 50Hz
 Operating Temperature Range: -10°C to 55°C

Mounting Type: DIN Rail
Test Button: Yes
IP rating: IP20
Installation Environment: Indoor
Standard: BS4263:1983
Conformity: CE
Warranty: 5 Years



ELCB 100/2/100

Brand: Admore
Product Code: E100210
Type: Voltage Operated ELCB
Poles: 2 Pole
Current Rating: 100A
Sensitivity (mA): 100mA
Rated Voltage (V): 415V
Frequency (Hz): 50Hz
Operating Temperature Range: -10°C to 55°C
Mounting Type: DIN Rail
Test Button: Yes
IP rating: IP20
Installation Environment: Indoor
Standard: BS4263:1983
Conformity: CE
Warranty: 5 Years



ELCB 100/2/300

Brand: Admore
Product Code: E100230
Type: Voltage Operated ELCB
Poles: 2 Pole
Current Rating: 100A
Sensitivity (mA): 300mA
Rated Voltage (V): 415V
Frequency (Hz): 50Hz
Operating Temperature Range: -10°C to 55°C
Mounting Type: DIN Rail
Test Button: Yes
IP rating: IP20
Installation Environment: Indoor
Standard: BS4263:1983
Conformity: CE
Warranty: 5 Years



ELCB 40/4/030

Brand: Admore
Product Code: E40403
Type: Voltage Operated ELCB
Poles: 4 Pole
Current Rating: 40A
Sensitivity (mA): 30mA
Rated Voltage (V): 415V
Frequency (Hz): 50Hz
Operating Temperature Range: -10°C to 55°C

Mounting Type: DIN Rail
Test Button: Yes
IP rating: IP20
Installation Environment: Indoor
Standard: BS4263:1983
Conformity: CE
Warranty: 5 Years



ELCB 40/2/030

Brand: Admore
Product Code: E40203
Type: Voltage Operated ELCB
Poles: 2 Pole
Current Rating: 40A
Sensitivity (mA): 30mA
Rated Voltage (V): 415V
Frequency (Hz): 50Hz
Operating Temperature Range: -10°C to 55°C
Mounting Type: DIN Rail
Test Button: Yes
IP rating: IP20
Installation Environment: Indoor
Standard: BS4263:1983
Conformity: CE
Warranty: 5 Years



ELCB 40/2/300

Brand: Admore
Product Code: E40230
Type: Voltage Operated ELCB
Poles: 2 Pole
Current Rating: 40A
Sensitivity (mA): 300mA
Rated Voltage (V): 415V
Frequency (Hz): 50Hz
Operating Temperature Range: -10°C to 55°C
Mounting Type: DIN Rail
Test Button: Yes
IP rating: IP20
Installation Environment: Indoor
Standard: BS4263:1983
Conformity: CE
Warranty: 5 Years



ELCB 63/2/030

Brand: Admore
Product Code: E63203
Type: Voltage Operated ELCB
Poles: 2 Pole
Current Rating: 63A
Sensitivity (mA): 30mA
Rated Voltage (V): 415V
Frequency (Hz): 50Hz
Operating Temperature Range: -10°C to 55°C

Mounting Type: DIN Rail
Test Button: Yes
IP rating: IP20
Installation Environment: Indoor
Standard: BS4263:1983
Conformity: CE
Warranty: 5 Years



ELCB 63/2/100

Brand: Admore
Product Code: E63210
Type: Voltage Operated ELCB
Poles: 2 Pole
Current Rating: 63A
Sensitivity (mA): 100mA
Rated Voltage (V): 415V
Frequency (Hz): 50Hz
Operating Temperature Range: -10°C to 55°C
Mounting Type: DIN Rail
Test Button: Yes
IP rating: IP20
Installation Environment: Indoor
Standard: BS4263:1983
Conformity: CE
Warranty: 5 Years



ELCB 63/2/300

Brand: Admore
Product Code: E63230
Type: Voltage Operated ELCB
Poles: 2 Pole
Current Rating: 63A
Sensitivity (mA): 300mA
Rated Voltage (V): 415V
Frequency (Hz): 50Hz
Operating Temperature Range: -10°C to 55°C
Mounting Type: DIN Rail
Test Button: Yes
IP rating: IP20
Installation Environment: Indoor
Standard: BS4263:1983
Conformity: CE
Warranty: 5 Years



ELCB 100/2/30

Brand: Admore
Product Code: E100203
Type: Voltage Operated ELCB
Poles: 2 Pole
Current Rating: 100A
Sensitivity (mA): 30mA
Rated Voltage (V): 415V
Frequency (Hz): 50Hz
Operating Temperature Range: -10°C to 55°C

Mounting Type: DIN Rail
Test Button: Yes
IP rating: IP20
Installation Environment: Indoor
Standard: BS4263:1983
Conformity: CE
Warranty: 5 Years



اضواء الجزيرة للكهربائيات ذ.م.م.

ADWA AL-JAZEERA

Electricals L.L.C.

