



# Airex

## Electric Fans

<p><b>XSF-750 - Airex 30" Industrial Heavy Duty Stand Fan</b> Brand: Airex Model: RSF-750 Type of Fan: Stand Fan Mounting Type: Free Standing Voltage: 220-240V/50hz Power Consumption (W): 190 W Phase: Single Body Material: Metal Blade Material: Aluminum Grill Material: Metal Blade Diameter: 30" Number of Blades: 3 Color: Black Blade Speed (RPM): 1400 Airflow (CFM): 0 cfm Airflow (m<sup>3</sup>/h): 0 m<sup>3</sup>/h Oscillation: Manual, Yes Adjustable Tilt: Yes Number of Speed Settings: 3 Noise Level (dB): dB Operating Environment: -10C ~+50C Warranty: 1 Year Warranty Safety certifications: CE, RoHS</p>	 A black industrial stand fan with a circular metal grille, three blades, and a four-legged base.
<p><b>XBF-750 - Airex 30" Industrial Heavy Duty Bracket Wall Fan</b> Brand: Airex Model: RBF-750 Type of Fan: Wall Fan Mounting Type: Wall Mount Voltage: 220-240V/50hz Power Consumption (W): 190 W Phase: Single Body Material: Metal Blade Material: Aluminum Grill Material: Metal Blade Diameter: 30" Number of Blades: 3 Color: Black Blade Speed (RPM): 1400 Airflow (CFM): 0 cfm Airflow (m<sup>3</sup>/h): 0 m<sup>3</sup>/h Oscillation: Manual, Yes Adjustable Tilt: Yes Number of Speed Settings: 3 Noise Level (dB): dB Operating Environment: -10C ~+50C Warranty: 1 Year Warranty Safety certifications: CE, RoHS</p>	 A black industrial wall fan with a circular metal grille, three blades, and a mounting bracket on the side.
<p><b>XBF-650 - Airex 26" Industrial Heavy Duty Bracket Wall Fan</b> Brand: Airex Model: RBF-650 Type of Fan: Wall Fan Mounting Type: Wall Mount Voltage: 220-240V/50hz Power Consumption (W): 160 W</p>	

Phase: Single  
Body Material: Metal  
Blade Material: Aluminum  
Grill Material: Metal  
Blade Diameter: 26"  
Number of Blades: 3  
Color: Black  
Blade Speed (RPM): 1400  
Airflow (CFM): cfm  
Airflow (m<sup>3</sup>/h): 0 m<sup>3</sup>/h  
Oscillation: Manual, Yes  
Adjustable Tilt: Yes  
Number of Speed Settings: 3  
Noise Level (dB): dB  
Operating Environment: -10C ~+50C  
Warranty: 1 Year Warranty  
Safety certifications: CE, RoHS



**XSF-650 - Airex 26" Industrial Heavy Duty Stand Fan**

Brand: Airex  
Model: XSF-650  
Type of Fan: Stand Fan  
Mounting Type: Free Standing  
Voltage: 220-240V/50hz  
Power Consumption (W): 160 W  
Phase: Single  
Body Material: Metal  
Blade Material: Aluminum  
Grill Material: Metal  
Blade Diameter: 26"  
Number of Blades: 3  
Color: Black  
Blade Speed (RPM): 1400  
Airflow (CFM): cfm  
Airflow (m<sup>3</sup>/h): 0 m<sup>3</sup>/h  
Oscillation: Manual, Yes  
Adjustable Tilt: Yes  
Number of Speed Settings: 3  
Noise Level (dB): dB  
Operating Environment: -10C ~+50C  
Warranty: 1 Year Warranty  
Safety certifications: CE, RoHS



**XCF56G-2 - Airex 56" White Ceiling Fan**

Brand: Airex  
Model: XCF56G-2  
Type of Fan: Ceiling Fan  
Mounting Type: Ceiling Mount  
Voltage: 220-240V/50hz  
Power Consumption (W): 85 W  
Phase: Single  
Body Material: Metal  
Blade Material: Mild Metal  
Blade Diameter: 56"  
Number of Blades: 3  
Color: White  
Blade Speed (RPM): 300  
Airflow (CFM): cfm  
Airflow (m<sup>3</sup>/h): 0 m<sup>3</sup>/h  
Number of Speed Settings: 5 Speed Regulator (included)  
Noise Level (dB): dB  
Operating Environment: -10C ~+50C  
Warranty: 1 Year Warranty  
Safety certifications: CE




<p><b>A-S8000 - Airex Air Cooler Square</b>  Brand: Airex  Model: A-S8000  Type of Fan: Evaporative Coolers  Mounting Type: Free Standing  Voltage: 220-240V/50hz  Power Consumption (W): 160 W  Phase: Single  Body Material: PVC  Blade Material: PVC  Grill Material: PVC  Color: White &amp; Grey (Black Grill)  Airflow (CFM): 2650 cfm  Airflow (m³/h): 4502 m³/h  Oscillation: Yes  Number of Speed Settings: 3  Noise Level (dB): dB  Remote Control: Yes  Timer: Yes  Operating Environment: -10C ~+40C  Warranty: 1 Year Warranty  Safety certifications: CE</p>	<p>No image available</p>
--	---------------------------

## Evaporative Cooling Fans

No products found in this category.

## Ventilation & Exhaust Fans

<p><b>XAU6 - Airex 6" Square With Metal Shutter Wall Mounting</b>  Brand: Airex  Model: XAU6  Type of Fan: Wall Exhuast Fan  Mounting Type: Wall Mount  Voltage: 220-240V/50hz  Power Consumption (W): 25 W  Phase: Single  Body Material: Metal  Blade Material: PVC  Blade Diameter: 6" (150mm)  Number of Blades: 5  Color: White (Black Back Body)  Airflow (CFM): 195 cfm  Airflow (m³/h): 331 m³/h  Noise Level (dB): dB  Warranty: 2 Years Warranty  Safety certifications: CE</p>	
<p><b>XAU8 - Airex 8" Square With Metal Shutter Wall Mounting</b>  Brand: Airex  Model: XAU8  Type of Fan: Wall Exhuast Fan  Mounting Type: Wall Mount  Voltage: 220-240V/50hz  Power Consumption (W): 32 W  Phase: Single  Body Material: Metal  Blade Material: PVC  Blade Diameter: 8" (200mm)  Number of Blades: 5  Color: White (Black Back Body)</p>	

Airflow (CFM): 307 cfm  
Airflow (m<sup>3</sup>/h): 522 m<sup>3</sup>/h  
Noise Level (dB): dB  
Warranty: 2 Years Warranty  
Safety certifications: CE



**XAU10 - Airex 10" Square With Metal Shutter Wall Mounting**

Brand: Airex  
Model: XAU10  
Type of Fan: Wall Exhaust Fan  
Mounting Type: Wall Mount  
Voltage: 220-240V/50hz  
Power Consumption (W): 42 W  
Phase: Single  
Body Material: Metal  
Blade Material: PVC  
Blade Diameter: 10" (250mm)  
Number of Blades: 5  
Color: White (Black Back Body)  
Airflow (CFM): 508 cfm  
Airflow (m<sup>3</sup>/h): 863 m<sup>3</sup>/h  
Noise Level (dB): dB  
Warranty: 2 Years Warranty  
Safety certifications: CE



**XAU12 - Airex 12" Square With Metal Shutter Wall Mounting**

Brand: Airex  
Model: XAU12  
Type of Fan: Wall Exhaust Fan  
Mounting Type: Wall Mount  
Voltage: 220-240V/50hz  
Power Consumption (W): 50 W  
Phase: Single  
Body Material: Metal  
Blade Material: PVC  
Blade Diameter: 12" (300mm)  
Number of Blades: 5  
Color: White (Black Back Body)  
Airflow (CFM): 710 cfm  
Airflow (m<sup>3</sup>/h): 1206 m<sup>3</sup>/h  
Noise Level (dB): dB  
Warranty: 2 Years Warranty  
Safety certifications: CE



**XC-150 - Airex 6" Centrifugal Exhaust Fan**

Brand: Airex  
Model: XC-150  
Type of Fan: Axial Inline Fan  
Mounting Type: Ceiling Mount/Wall Mount  
Voltage: 220-240V/50hz

No image available

Power Consumption (W): 150 W  
Phase: Single  
Body Material: Metal  
Blade Material: Metal  
Duct size: 6" (150mm)  
Color: White  
Blade Speed (RPM): 2600  
Airflow (CFM): 470.864 cfm  
Airflow (m<sup>3</sup>/h): 800 m<sup>3</sup>/h  
Pressure: 360  
Noise Level (dB): 52 dB  
Operating Environment: -10C ~+50C  
Warranty: 2 Years Warranty  
Safety certifications: CE

**XC-200 - Airex 8" Centrifugal Exhaust Fan**

Brand: Airex  
Model: XC-200  
Type of Fan: Axial Inline Fan  
Mounting Type: Ceiling Mount/Wall Mount  
Voltage: 220-240V/50hz  
Power Consumption (W): 157 W  
Phase: Single  
Body Material: Metal  
Blade Material: Metal  
Duct size: 8" (200mm)  
Color: White  
Blade Speed (RPM): 2600  
Airflow (CFM): 559.151 cfm  
Airflow (m<sup>3</sup>/h): 950 m<sup>3</sup>/h  
Pressure: 345  
Noise Level (dB): 52 dB  
Operating Environment: -10C ~+50C  
Warranty: 2 Years Warranty  
Safety certifications: CE



**XC-250 - Airex 10" Centrifugal Exhaust Fan**

Brand: Airex  
Model: XC-250  
Type of Fan: Axial Inline Fan  
Mounting Type: Ceiling Mount/Wall Mount  
Voltage: 220-240V/50hz  
Power Consumption (W): 185 W  
Phase: Single  
Body Material: Metal  
Blade Material: Metal  
Duct size: 10" (250mm)  
Color: White  
Blade Speed (RPM): 2550  
Airflow (CFM): 676.867 cfm  
Airflow (m<sup>3</sup>/h): 1150 m<sup>3</sup>/h  
Pressure: 550  
Noise Level (dB): 57 dB  
Operating Environment: -10C ~+50C  
Warranty: 2 Years Warranty  
Safety certifications: CE



**XC-315 - Airex 12" Centrifugal Exhaust Fan**

Brand: Airex  
Model: XC-315  
Type of Fan: Axial Inline Fan  
Mounting Type: Ceiling Mount/Wall Mount  
Voltage: 220-240V/50hz  
Power Consumption (W): 270 W



Phase: Single  
Body Material: Metal  
Blade Material: Metal  
Duct size: 12" (315mm)  
Color: White  
Blade Speed (RPM): 2600  
Airflow (CFM): 1059.444 cfm  
Airflow (m<sup>3</sup>/h): 1800 m<sup>3</sup>/h  
Pressure: 710  
Noise Level (dB): 60 dB  
Operating Environment: -10C ~+50C  
Warranty: 2 Years Warranty  
Safety certifications: CE



**XBP17U - Airex 4" Pvc Ceiling Exhaust Fan With Metal Body**

Brand: Airex  
Model: XBP17U  
Type of Fan: Ceiling Blower Exhaust Fan  
Mounting Type: Ceiling Mount  
Voltage: 220-240V/50hz  
Power Consumption (W): 25 W  
Phase: Single  
Body Material: Metal  
Blade Material: Metal  
Grill Material: PVC  
Blower Size: 4" (100mm)  
Duct size: 4" (100mm)  
Color: White  
Airflow (CFM): 48 cfm  
Airflow (m<sup>3</sup>/h): 82 m<sup>3</sup>/h  
Noise Level (dB): 26 dB  
Operating Environment: -10C ~+40C  
Safety certifications: CE

No image available

**XBP24U - Airex 6" Pvc Ceiling Exhaust Fan With Metal Body**

Brand: Airex  
Model: XBP24U  
Type of Fan: Ceiling Blower Exhaust Fan  
Mounting Type: Ceiling Mount  
Voltage: 220-240V/50hz  
Power Consumption (W): 30 W  
Phase: Single  
Body Material: Metal  
Blade Material: PVC  
Grill Material: PVC  
Blower Size: 6" (150mm)  
Duct size: 4" (100mm)  
Color: White  
Airflow (CFM): 89 cfm  
Airflow (m<sup>3</sup>/h): 151 m<sup>3</sup>/h  
Noise Level (dB): 28 dB  
Operating Environment: -10C ~+40C  
Safety certifications: CE

No image available

**XC-100 - Airex 4" Centrifugal Exhaust Fan**

Brand: Airex  
Model: XC-100  
Type of Fan: Axial Inline Fan

No image available

Mounting Type: Ceiling Mount/Wall Mount  
Voltage: 220-240V/50hz  
Power Consumption (W): 60 W  
Phase: Single  
Body Material: Metal  
Blade Material: Metal  
Duct size: 4"(100mm)  
Color: White  
Blade Speed (RPM): 2650  
Airflow (CFM): 206.003 cfm  
Airflow (m<sup>3</sup>/h): 350 m<sup>3</sup>/h  
Pressure: 320  
Noise Level (dB): 47 dB  
Operating Environment: -10C ~+50C  
Warranty: 2 Years Warranty  
Safety certifications: CE

**XC-125 - Airex 5" Centrifugal Exhaust Fan**

Brand: Airex  
Model: XC-125  
Type of Fan: Axial Inline Fan  
Mounting Type: Ceiling Mount/Wall Mount  
Voltage: 220-240V/50hz  
Power Consumption (W): 65 W  
Phase: Single  
Body Material: Metal  
Blade Material: Metal  
Duct size: 5" (125mm)  
Color: White  
Blade Speed (RPM): 2650  
Airflow (CFM): 288.4042 cfm  
Airflow (m<sup>3</sup>/h): 490 m<sup>3</sup>/h  
Pressure: 295  
Noise Level (dB): 47 dB  
Operating Environment: -10C ~+50C  
Warranty: 2 Years Warranty  
Safety certifications: CE



ADWAAL-JAZEERA  
Electricals L.L.C.