

Popup & Flap-up Sockets

<p>APU13-2-D2-G - Admore 2 Gang 13A Socket with 2 Data Ports (Gold) Popup Socket</p> <p>Brand: Admore Number of Gangs: 2 Socket Type: 13A Type G Additional Ports: 2 Data Ports Power Rating: 13A Features: Soft Open Color/Finish: Brushed Gold Body Material: Aluminum Receptacle Material: Thermoplastic Mounting type: Floor Included Component: Recaptacles Power Source: AC Power Supply IP Rating: IP44 Voltage Compatibility: 220-240V 50/60Hz Operating Temperature: -10°C to 60°C Installation Environment: Indoor Junction Box Material: Pre-Galvanized Steel Junction Box Dimensions: 202mm x 101mm x 55mm Product Weight: 1.380Kg approx Warranty: 15 Years Certifications: CE</p>	<p>No image available</p>
<p>APU13D11-G - Admore 1 Gang 13A Socket with Data and RJ11 Port (Gold) Popup Socket</p> <p>Brand: Admore Number of Gangs: 1 Socket Type: 13A Type G Additional Ports: Data + Telephone Ports Power Rating: 13A Features: Soft Open Color/Finish: Brushed Gold Body Material: Aluminum Receptacle Material: Thermoplastic Mounting type: Floor Included Component: Recaptacles Power Source: AC Power Supply IP Rating: IP44 Voltage Compatibility: 220-240V 50/60Hz Operating Temperature: -10°C to 60°C Installation Environment: Indoor Junction Box Material: Pre-Galvanized Steel Product Weight: 0.800Kg approx Warranty: 15 Years Certifications: CE</p>	
<p>APU13D-G - Admore 1 Gang 13A Socket with Data Port (Gold) Popup Socket</p> <p>Brand: Admore Number of Gangs: 1 Socket Type: 13A Type G Additional Ports: Data port Power Rating: 13A Features: Soft Open Color/Finish: Brushed Gold Body Material: Aluminum Receptacle Material: Thermoplastic Mounting type: Floor Included Component: Recaptacles Power Source: AC Power Supply IP Rating: IP44</p>	

Voltage Compatibility: 220-240V 50/60Hz
Operating Temperature: -10°C to 60°C
Installation Environment: Indoor
Junction Box Material: Pre-Galvanized Steel
Junction Box Dimensions: 100mm x 100mm x 55mm
Product Weight: 0.705Kg approx
Warranty: 15 Years
Certifications: CE



APU13-2-G - Admore 2 Gang 13A Socket (Gold) Popup Socket

Brand: Admore
Number of Gangs: 2
Socket Type: 13A Type G
Power Rating: 13A
Features: Soft Open
Color/Finish: Brushed Gold
Body Material: Aluminum
Receptacle Material: Thermoplastic
Mounting type: Floor
Included Component: Recaptacles
Power Source: AC Power Supply
IP Rating: IP44
Voltage Compatibility: 220-240V 50/60Hz
Operating Temperature: -10°C to 60°C
Installation Environment: Indoor
Junction Box Material: Pre-Galvanized Steel
Junction Box Dimensions: 131mm x 131mm x 65mm
Product Weight: 1.06Kg approx
Warranty: 15 Years
Certifications: CE



APU13D - Admore 1 Gang 13A Socket with Data Port Chrome Chrome Popup Socket

Brand: Admore
Number of Gangs: 1
Socket Type: 13A Type G
Additional Ports: Data Port
Power Rating: 13A
Features: Soft Open
Color/Finish: Brushed Chrome
Body Material: Aluminum
Receptacle Material: Thermoplastic
Mounting type: Floor
Included Component: Recaptacles
Power Source: AC Power Supply
IP Rating: IP44
Voltage Compatibility: 220-240V 50/60Hz
Operating Temperature: -10°C to 60°C
Installation Environment: Indoor
Junction Box Material: Pre-Galvanized Steel
Junction Box Dimensions: 100mm x 100mm x 55mm
Product Weight: 0.705Kg approx
Warranty: 15 Years
Certifications: CE



APU13-2 - Admore 2 Gang 13A Socket Chrome Popup Socket

Brand: Admore
Number of Gangs: 2
Socket Type: 13A Type G
Power Rating: 13A
Features: Soft Open
Color/Finish: Brushed Chrome
Body Material: Aluminum
Receptacle Material: Thermoplastic
Mounting type: Floor
Included Component: Recaptacles
Power Source: AC Power Supply
IP Rating: IP44
Voltage Compatibility: 220-240V 50/60Hz
Operating Temperature: -10°C to 60°C
Installation Environment: Indoor
Junction Box Material: Pre-Galvanized Steel
Junction Box Dimensions: 131mm x 131mm x 65mm
Product Weight: 1.06Kg approx
Warranty: 15 Years
Certifications: CE



AP19G - Admore 1 Gang 13A Socket with A&C Port and RJ45 (Gold) Popup Socket

Brand: Admore
Number of Gangs: 1
Socket Type: 13A Type G
Additional Ports: Data + USB type A & type C Charging Ports
Power Rating: 13A
Features: Soft Open
Color/Finish: Brushed Gold
Body Material: Aluminum
Receptacle Material: Thermoplastic
Mounting type: Floor
Included Component: Recaptacles
Power Source: AC Power Supply
IP Rating: IP44
Voltage Compatibility: 220-240V 50/60Hz
Operating Temperature: -10°C to 60°C
Installation Environment: Indoor
Junction Box Material: Pre-Galvanized Steel
Warranty: 15 Years
Certifications: CE



APU13-2-D2 - Admore 2 Gang 13A Socket with 2 Data Ports Chrome Popup Socket

Brand: Admore
Number of Gangs: 2
Socket Type: 13A Type G
Additional Ports: 2 Data Ports
Power Rating: 13A
Features: Soft Open
Color/Finish: Brushed Chrome
Body Material: Aluminum
Receptacle Material: Thermoplastic
Mounting type: Floor
Included Component: Recaptacles
Power Source: AC Power Supply
IP Rating: IP44
Voltage Compatibility: 220-240V 50/60Hz
Operating Temperature: -10°C to 60°C
Installation Environment: Indoor
Junction Box Material: Pre-Galvanized Steel



<p>Junction Box Dimensions: 202mm x 101mm x 55mm Product Weight: 1.380Kg approx Warranty: 15 Years Certifications: CE</p>	
<p>AP20G - Admore 2 Gang 13A Socket with A&C Port and RJ45 (Gold) Popup Socket Brand: Admore Number of Gangs: 2 Socket Type: 13A Type G Additional Ports: Data + USB type A & type C Charging Ports Power Rating: 13A Features: Soft Open Color/Finish: Brushed Gold Body Material: Aluminum Receptacle Material: Thermoplastic Mounting type: Floor Included Component: Recaptacles Power Source: AC Power Supply IP Rating: IP44 Voltage Compatibility: 220-240V 50/60Hz Operating Temperature: -10°C to 60°C Installation Environment: Indoor Junction Box Material: Pre-Galvanized Steel Warranty: 15 Years Certifications: CE</p>	
<p>APU13-2CHD - Admore Double 13A Socket with Data and HDMI Port Chrome Popup Socket Brand: Admore Number of Gangs: 2 Socket Type: 13A Type G Additional Ports: Data + HDMI Port Power Rating: 13A Features: Soft Open Color/Finish: Brushed Chrome Body Material: Aluminum Receptacle Material: Thermoplastic Mounting type: Floor Included Component: Recaptacles Power Source: AC Power Supply IP Rating: IP44 Voltage Compatibility: 220-240V 50/60Hz Operating Temperature: -10°C to 60°C Installation Environment: Indoor Junction Box Material: Pre-Galvanized Steel Junction Box Dimensions: 202mm x 101mm x 55mm Product Weight: 1.280Kg approx Warranty: 15 Years Certifications: CE</p>	
<p>APU13-2-USB+D - Admore 2 Gang 13A Socket with Data Port and 2 USB Ports Chrome Popup Socket Brand: Admore Number of Gangs: 2 Socket Type: 13A Type G Additional Ports: Data Port + 2 USB Charging Ports Power Rating: 13A Features: Soft Open Color/Finish: Brushed Chrome Body Material: Aluminum Receptacle Material: Thermoplastic Mounting type: Floor</p>	

Included Component: Recaptacles
Power Source: AC Power Supply
IP Rating: IP44
Voltage Compatibility: 220-240V 50/60Hz
Operating Temperature: -10°C to 60°C
Installation Environment: Indoor
Junction Box Material: Pre-Galvanized Steel
Junction Box Dimensions: 202mm x 101mm x 55mm
Warranty: 15 Years
Certifications: CE



APU13S - Admore 1 Gang 13A Socket with Switch Chrome Popup Socket

Brand: Admore
Number of Gangs: 1
Socket Type: 13A Type G with Switch
Power Rating: 13A
Features: Soft Open
Color/Finish: Brushed Chrome
Body Material: Aluminum
Receptacle Material: Thermoplastic
Mounting type: Floor
Included Component: Recaptacles
Power Source: AC Power Supply
IP Rating: IP44
Voltage Compatibility: 220-240V 50/60Hz
Operating Temperature: -10°C to 60°C
Installation Environment: Indoor
Junction Box Material: Pre-Galvanized Steel
Junction Box Dimensions: 100mm x 100mm x 55mm
Product Weight: 0.705Kg approx
Warranty: 15 Years
Certifications: CE



APU13US - Admore 1 Gang 13A Switch Socket with USB Chrome Popup Socket

Brand: Admore
Number of Gangs: 1
Socket Type: 13A Type G
Additional Ports: USB Port
Power Rating: 13A
Features: Soft Open
Color/Finish: Brushed Chrome
Body Material: Aluminum
Receptacle Material: Thermoplastic
Mounting type: Floor
Included Component: Recaptacles
Power Source: AC Power Supply
IP Rating: IP44
Voltage Compatibility: 220-240V 50/60Hz
Operating Temperature: -10°C to 60°C
Installation Environment: Indoor
Junction Box Material: Pre-Galvanized Steel
Junction Box Dimensions: 145mm x 120mm x 60mm
Product Weight: 0.800Kg approx
Warranty: 15 Years
Certifications: CE



APU132S - Admore 2 Gang 13A Socket with Switch Chrome Popup Socket

Brand: Admore
Number of Gangs: 2
Socket Type: 13A Type G with Switch
Power Rating: 13A
Features: Soft Open
Color/Finish: Brushed Chrome
Body Material: Aluminum
Receptacle Material: Thermoplastic
Mounting type: Floor
Included Component: Recaptacles
Power Source: AC Power Supply
IP Rating: IP44
Voltage Compatibility: 220-240V 50/60Hz
Operating Temperature: -10°C to 60°C
Installation Environment: Indoor
Junction Box Material: Pre-Galvanized Steel
Junction Box Dimensions: 200mm x 101mm x 55mm
Product Weight: 1.31Kg approx
Warranty: 15 Years
Certifications: CE



APU162M - Admore 2 Gang 16A Multi-Function Chrome Popup Socket

Brand: Admore
Number of Gangs: 2
Socket Type: 16A Universal
Power Rating: 16A
Features: Soft Open
Color/Finish: Brushed Chrome
Body Material: Aluminum
Receptacle Material: Thermoplastic
Mounting type: Floor
Included Component: Recaptacles
Power Source: AC Power Supply
IP Rating: IP44
Voltage Compatibility: 220-240V 50/60Hz
Operating Temperature: -10°C to 60°C
Installation Environment: Indoor
Junction Box Material: Pre-Galvanized Steel
Junction Box Dimensions: 131mm x 131mm x 65mm
Product Weight: 1.06Kg approx
Warranty: 15 Years
Certifications: CE



AP17 - Admore 1 Gang 13A Socket with A & C USB Ports and RJ45 Data Chrome Popup Socket

Brand: Admore
Number of Gangs: 1
Socket Type: 13A Type G
Additional Ports: Data + USB type A & type C Charging Ports
Power Rating: 13A
Features: Soft Open
Color/Finish: Brushed Chrome
Body Material: Aluminum
Receptacle Material: Thermoplastic
Mounting type: Floor
Included Component: Recaptacles
Power Source: AC Power Supply
IP Rating: IP44
Voltage Compatibility: 220-240V 50/60Hz
Operating Temperature: -10°C to 60°C
Installation Environment: Indoor



<p>Junction Box Material: Pre-Galvanized Steel Warranty: 15 Years Certifications: CE</p>	
<p>AP18 - Admore 2 Gang 13A Socket with A & C USB Ports and RJ45 Data Chrome Popup Socket Brand: Admore Number of Gangs: 2 Socket Type: 13A Type G Additional Ports: Data + USB type A & type C Charging Ports Power Rating: 13A Features: Soft Open Color/Finish: Brushed Chrome Body Material: Aluminum Receptacle Material: Thermoplastic Mounting type: Floor Included Component: Recaptacles Power Source: AC Power Supply IP Rating: IP44 Voltage Compatibility: 220-240V 50/60Hz Operating Temperature: -10°C to 60°C Installation Environment: Indoor Junction Box Material: Pre-Galvanized Steel Warranty: 15 Years Certifications: CE</p>	
<p>APU13CHD-G - Admore 1 Gang 13A Socket with Data Port and HDMI (Gold) Popup Socket Brand: Admore Number of Gangs: 1 Socket Type: 13A Type G Additional Ports: Data + HDMI Port Power Rating: 13A Features: Soft Open Color/Finish: Brushed Gold Body Material: Aluminum Receptacle Material: Thermoplastic Mounting type: Floor Included Component: Recaptacles Power Source: AC Power Supply IP Rating: IP44 Voltage Compatibility: 220-240V 50/60Hz Operating Temperature: -10°C to 60°C Installation Environment: Indoor Junction Box Material: Pre-Galvanized Steel Warranty: 15 Years Certifications: CE</p>	
<p>APU13-2CHD-G - Admore Double 13A Socket with Data Port and HDMI (Gold) Popup Socket Brand: Admore Number of Gangs: 2 Socket Type: 13A Type G Additional Ports: Data + HDMI Port Power Rating: 13A Features: Soft Open Color/Finish: Brushed Gold Body Material: Aluminum Receptacle Material: Thermoplastic Mounting type: Floor Included Component: Recaptacles Power Source: AC Power Supply IP Rating: IP44</p>	

Voltage Compatibility: 220-240V 50/60Hz
Operating Temperature: -10°C to 60°C
Installation Environment: Indoor
Junction Box Material: Pre-Galvanized Steel
Junction Box Dimensions: 202mm x 101mm x 55mm
Product Weight: 1.280Kg approx
Warranty: 15 Years
Certifications: CE



اضواء الجزيرة للكهربائيات ذ.م.م.

ADWA AL-JAZEERA

Electricals L.L.C.

