

## Popup & Flap-up Sockets

<p><b>APU13-2-D2-G - Admore 2 Gang 13A Socket with 2 Data Ports (Gold) Popup Socket</b> Brand: Admore Number of Gangs: 2 Socket Type: 13A Type G Additional Ports: 2 Data Ports Power Rating: 13A Features: Soft Open Color/Finish: Brushed Gold Body Material: Aluminum Receptacle Material: Thermoplastic Mounting type: Floor Included Component: Receptacles Power Source: AC Power Supply IP Rating: IP44 Voltage Compatibility: 220-240V 50/60Hz Operating Temperature: -10°C to 60°C Installation Environment: Indoor Junction Box Material: Pre-Galvanized Steel Junction Box Dimensions: 202mm x 101mm x 55mm Product Weight: 1.380Kg approx Warranty: 15 Years Certifications: CE</p>	<p>No image available</p>
<p><b>APU13S - Admore 1 Gang 13A Socket with Switch Chrome Popup Socket</b> Brand: Admore Number of Gangs: 1 Socket Type: 13A Type G with Switch Power Rating: 13A Features: Soft Open Color/Finish: Brushed Chrome Body Material: Aluminum Receptacle Material: Thermoplastic Mounting type: Floor Included Component: Receptacles Power Source: AC Power Supply IP Rating: IP44 Voltage Compatibility: 220-240V 50/60Hz Operating Temperature: -10°C to 60°C Installation Environment: Indoor Junction Box Material: Pre-Galvanized Steel Junction Box Dimensions: 100mm x 100mm x 55mm Product Weight: 0.705Kg approx Warranty: 15 Years Certifications: CE</p>	
<p><b>APU13US - Admore 1 Gang 13A Switch Socket with USB Chrome Popup Socket</b> Brand: Admore Number of Gangs: 1 Socket Type: 13A Type G Additional Ports: USB Port Power Rating: 13A Features: Soft Open Color/Finish: Brushed Chrome Body Material: Aluminum Receptacle Material: Thermoplastic Mounting type: Floor Included Component: Receptacles Power Source: AC Power Supply IP Rating: IP44</p>	

Voltage Compatibility: 220-240V 50/60Hz  
Operating Temperature: -10°C to 60°C  
Installation Environment: Indoor  
Junction Box Material: Pre-Galvanized Steel  
Junction Box Dimensions: 145mm x 120mm x 60mm  
Product Weight: 0.800Kg approx  
Warranty: 15 Years  
Certifications: CE



**APU132S - Admore 2 Gang 13A Socket with Switch Chrome Popup Socket**

Brand: Admore  
Number of Gangs: 2  
Socket Type: 13A Type G with Switch  
Power Rating: 13A  
Features: Soft Open  
Color/Finish: Brushed Chrome  
Body Material: Aluminum  
Receptacle Material: Thermoplastic  
Mounting type: Floor  
Included Component: Recaptacles  
Power Source: AC Power Supply  
IP Rating: IP44

Voltage Compatibility: 220-240V 50/60Hz  
Operating Temperature: -10°C to 60°C  
Installation Environment: Indoor  
Junction Box Material: Pre-Galvanized Steel  
Junction Box Dimensions: 200mm x 101mm x 55mm  
Product Weight: 1.31Kg approx  
Warranty: 15 Years  
Certifications: CE



**APU162M - Admore 2 Gang 16A Multi-Function Chrome Popup Socket**

Brand: Admore  
Number of Gangs: 2  
Socket Type: 16A Universal  
Power Rating: 16A  
Features: Soft Open  
Color/Finish: Brushed Chrome  
Body Material: Aluminum  
Receptacle Material: Thermoplastic  
Mounting type: Floor  
Included Component: Recaptacles  
Power Source: AC Power Supply  
IP Rating: IP44

Voltage Compatibility: 220-240V 50/60Hz  
Operating Temperature: -10°C to 60°C  
Installation Environment: Indoor  
Junction Box Material: Pre-Galvanized Steel  
Junction Box Dimensions: 131mm x 131mm x 65mm  
Product Weight: 1.06Kg approx  
Warranty: 15 Years  
Certifications: CE



**AP17 - Admore 1 Gang 13A Socket with A & C USB Ports and RJ45 Data Chrome Popup Socket**

Brand: Admore  
Number of Gangs: 1  
Socket Type: 13A Type G  
Additional Ports: Data + USB type A & type C Charging Ports  
Power Rating: 13A  
Features: Soft Open  
Color/Finish: Brushed Chrome  
Body Material: Aluminum  
Receptacle Material: Thermoplastic  
Mounting type: Floor  
Included Component: Recaptacles  
Power Source: AC Power Supply  
IP Rating: IP44  
Voltage Compatibility: 220-240V 50/60Hz  
Operating Temperature: -10°C to 60°C  
Installation Environment: Indoor  
Junction Box Material: Pre-Galvanized Steel  
Warranty: 15 Years  
Certifications: CE



**AP18 - Admore 2 Gang 13A Socket with A & C USB Ports and RJ45 Data Chrome Popup Socket**

Brand: Admore  
Number of Gangs: 2  
Socket Type: 13A Type G  
Additional Ports: Data + USB type A & type C Charging Ports  
Power Rating: 13A  
Features: Soft Open  
Color/Finish: Brushed Chrome  
Body Material: Aluminum  
Receptacle Material: Thermoplastic  
Mounting type: Floor  
Included Component: Recaptacles  
Power Source: AC Power Supply  
IP Rating: IP44  
Voltage Compatibility: 220-240V 50/60Hz  
Operating Temperature: -10°C to 60°C  
Installation Environment: Indoor  
Junction Box Material: Pre-Galvanized Steel  
Warranty: 15 Years  
Certifications: CE



**APU13CHD-G - Admore 1 Gang 13A Socket with Data Port and HDMI (Gold) Popup Socket**

Brand: Admore  
Number of Gangs: 1  
Socket Type: 13A Type G  
Additional Ports: Data + HDMI Port  
Power Rating: 13A  
Features: Soft Open  
Color/Finish: Brushed Gold  
Body Material: Aluminum  
Receptacle Material: Thermoplastic  
Mounting type: Floor  
Included Component: Recaptacles  
Power Source: AC Power Supply  
IP Rating: IP44  
Voltage Compatibility: 220-240V 50/60Hz  
Operating Temperature: -10°C to 60°C  
Installation Environment: Indoor  
Junction Box Material: Pre-Galvanized Steel



Warranty: 15 Years  
Certifications: CE

**APU13-2CHD-G - Admore Double 13A Socket with Data Port and HDMI (Gold) Popup Socket**

Brand: Admore  
Number of Gangs: 2  
Socket Type: 13A Type G  
Additional Ports: Data + HDMI Port  
Power Rating: 13A  
Features: Soft Open  
Color/Finish: Brushed Gold  
Body Material: Aluminum  
Receptacle Material: Thermoplastic  
Mounting type: Floor  
Included Component: Recaptacles  
Power Source: AC Power Supply  
IP Rating: IP44  
Voltage Compatibility: 220-240V 50/60Hz  
Operating Temperature: -10°C to 60°C  
Installation Environment: Indoor  
Junction Box Material: Pre-Galvanized Steel  
Junction Box Dimensions: 202mm x 101mm x 55mm  
Product Weight: 1.280Kg approx  
Warranty: 15 Years  
Certifications: CE



**APU13D11-G - Admore 1 Gang 13A Socket with Data and RJ11 Port (Gold) Popup Socket**

Brand: Admore  
Number of Gangs: 1  
Socket Type: 13A Type G  
Additional Ports: Data + Telephone Ports  
Power Rating: 13A  
Features: Soft Open  
Color/Finish: Brushed Gold  
Body Material: Aluminum  
Receptacle Material: Thermoplastic  
Mounting type: Floor  
Included Component: Recaptacles  
Power Source: AC Power Supply  
IP Rating: IP44  
Voltage Compatibility: 220-240V 50/60Hz  
Operating Temperature: -10°C to 60°C  
Installation Environment: Indoor  
Junction Box Material: Pre-Galvanized Steel  
Product Weight: 0.800Kg approx  
Warranty: 15 Years  
Certifications: CE



**APU13D-G - Admore 1 Gang 13A Socket with Data Port (Gold) Popup Socket**

Brand: Admore  
Number of Gangs: 1  
Socket Type: 13A Type G  
Additional Ports: Data port  
Power Rating: 13A  
Features: Soft Open  
Color/Finish: Brushed Gold  
Body Material: Aluminum  
Receptacle Material: Thermoplastic  
Mounting type: Floor  
Included Component: Recaptacles  
Power Source: AC Power Supply

IP Rating: IP44  
Voltage Compatibility: 220-240V 50/60Hz  
Operating Temperature: -10°C to 60°C  
Installation Environment: Indoor  
Junction Box Material: Pre-Galvanized Steel  
Junction Box Dimensions: 100mm x 100mm x 55mm  
Product Weight: 0.705Kg approx  
Warranty: 15 Years  
Certifications: CE



**APU13-2-G - Admore 2 Gang 13A Socket (Gold) Pop-up Socket**

Brand: Admore  
Number of Gangs: 2  
Socket Type: 13A Type G  
Power Rating: 13A  
Features: Soft Open  
Color/Finish: Brushed Gold  
Body Material: Aluminum  
Receptacle Material: Thermoplastic  
Mounting type: Floor  
Included Component: Recaptacles  
Power Source: AC Power Supply  
IP Rating: IP44  
Voltage Compatibility: 220-240V 50/60Hz  
Operating Temperature: -10°C to 60°C  
Installation Environment: Indoor  
Junction Box Material: Pre-Galvanized Steel  
Junction Box Dimensions: 131mm x 131mm x 65mm  
Product Weight: 1.06Kg approx  
Warranty: 15 Years  
Certifications: CE



**APU13D - Admore 1 Gang 13A Socket with Data Port Chrome Chrome Pop-up Socket**

Brand: Admore  
Number of Gangs: 1  
Socket Type: 13A Type G  
Additional Ports: Data Port  
Power Rating: 13A  
Features: Soft Open  
Color/Finish: Brushed Chrome  
Body Material: Aluminum  
Receptacle Material: Thermoplastic  
Mounting type: Floor  
Included Component: Recaptacles  
Power Source: AC Power Supply  
IP Rating: IP44  
Voltage Compatibility: 220-240V 50/60Hz  
Operating Temperature: -10°C to 60°C  
Installation Environment: Indoor  
Junction Box Material: Pre-Galvanized Steel  
Junction Box Dimensions: 100mm x 100mm x 55mm  
Product Weight: 0.705Kg approx  
Warranty: 15 Years  
Certifications: CE



**APU13-2 - Admore 2 Gang 13A Socket Chrome Popup Socket**

Brand: Admore  
Number of Gangs: 2  
Socket Type: 13A Type G  
Power Rating: 13A  
Features: Soft Open  
Color/Finish: Brushed Chrome  
Body Material: Aluminum  
Receptacle Material: Thermoplastic  
Mounting type: Floor  
Included Component: Recaptacles  
Power Source: AC Power Supply  
IP Rating: IP44  
Voltage Compatibility: 220-240V 50/60Hz  
Operating Temperature: -10°C to 60°C  
Installation Environment: Indoor  
Junction Box Material: Pre-Galvanized Steel  
Junction Box Dimensions: 131mm x 131mm x 65mm  
Product Weight: 1.06Kg approx  
Warranty: 15 Years  
Certifications: CE



**AP19G - Admore 1 Gang 13A Socket with A&C Port and RJ45 (Gold) Popup Socket**

Brand: Admore  
Number of Gangs: 1  
Socket Type: 13A Type G  
Additional Ports: Data + USB type A & type C Charging Ports  
Power Rating: 13A  
Features: Soft Open  
Color/Finish: Brushed Gold  
Body Material: Aluminum  
Receptacle Material: Thermoplastic  
Mounting type: Floor  
Included Component: Recaptacles  
Power Source: AC Power Supply  
IP Rating: IP44  
Voltage Compatibility: 220-240V 50/60Hz  
Operating Temperature: -10°C to 60°C  
Installation Environment: Indoor  
Junction Box Material: Pre-Galvanized Steel  
Warranty: 15 Years  
Certifications: CE



**APU13-2-D2 - Admore 2 Gang 13A Socket with 2 Data Ports Chrome Popup Socket**

Brand: Admore  
Number of Gangs: 2  
Socket Type: 13A Type G  
Additional Ports: 2 Data Ports  
Power Rating: 13A  
Features: Soft Open  
Color/Finish: Brushed Chrome  
Body Material: Aluminum  
Receptacle Material: Thermoplastic  
Mounting type: Floor  
Included Component: Recaptacles  
Power Source: AC Power Supply  
IP Rating: IP44  
Voltage Compatibility: 220-240V 50/60Hz  
Operating Temperature: -10°C to 60°C  
Installation Environment: Indoor  
Junction Box Material: Pre-Galvanized Steel



Junction Box Dimensions: 202mm x 101mm x 55mm  
Product Weight: 1.380Kg approx  
Warranty: 15 Years  
Certifications: CE

**AP20G - Admore 2 Gang 13A Socket with A&C Port and RJ45 (Gold) Popup Socket**

Brand: Admore  
Number of Gangs: 2  
Socket Type: 13A Type G  
Additional Ports: Data + USB type A & type C Charging Ports  
Power Rating: 13A  
Features: Soft Open  
Color/Finish: Brushed Gold  
Body Material: Aluminum  
Receptacle Material: Thermoplastic  
Mounting type: Floor  
Included Component: Recaptacles  
Power Source: AC Power Supply  
IP Rating: IP44  
Voltage Compatibility: 220-240V 50/60Hz  
Operating Temperature: -10°C to 60°C  
Installation Environment: Indoor  
Junction Box Material: Pre-Galvanized Steel  
Warranty: 15 Years  
Certifications: CE



**APU13-2CHD - Admore Double 13A Socket with Data and HDMI Port Chrome Popout Socket**

Brand: Admore  
Number of Gangs: 2  
Socket Type: 13A Type G  
Additional Ports: Data + HDMI Port  
Power Rating: 13A  
Features: Soft Open  
Color/Finish: Brushed Chrome  
Body Material: Aluminum  
Receptacle Material: Thermoplastic  
Mounting type: Floor  
Included Component: Recaptacles  
Power Source: AC Power Supply  
IP Rating: IP44  
Voltage Compatibility: 220-240V 50/60Hz  
Operating Temperature: -10°C to 60°C  
Installation Environment: Indoor  
Junction Box Material: Pre-Galvanized Steel  
Junction Box Dimensions: 202mm x 101mm x 55mm  
Product Weight: 1.280Kg approx  
Warranty: 15 Years  
Certifications: CE



**APU13-2-USB+D - Admore 2 Gang 13A Socket with Data Port and 2 USB Ports Chrome Popout Socket**

Brand: Admore  
Number of Gangs: 2  
Socket Type: 13A Type G  
Additional Ports: Data Port + 2 USB Charging Ports  
Power Rating: 13A  
Features: Soft Open  
Color/Finish: Brushed Chrome  
Body Material: Aluminum  
Receptacle Material: Thermoplastic  
Mounting type: Floor

Included Component: Recaptacles  
Power Source: AC Power Supply  
IP Rating: IP44  
Voltage Compatibility: 220-240V 50/60Hz  
Operating Temperature: -10°C to 60°C  
Installation Environment: Indoor  
Junction Box Material: Pre-Galvanized Steel  
Junction Box Dimensions: 202mm x 101mm x 55mm  
Warranty: 15 Years  
Certifications: CE



اضواء الجزيرة للكهربائيات ذ.م.م.

ADWA AL-JAZEERA

Electricals L.L.C.

