

Socket Extensions & Adapters

<p>A-E45 Admore 4 Gang 13A Switched Socket Extensions (5 Meters) Brand: Admore Voltage Rating: 250V Current Rating: 13A Max Power Rating: 3250 Watts Max Shape: Rectangle Bar Number of Outlets/Sockets: 4 Gang Type of Outlet/Socket: Type G (3 Pin UK) Body Material: PP Shell (Flame Retrardant Material) Wire Length: 5 Meters Wire Material: 99.9% Copper Wire: 1.25mm² Color: White Terminals: Copper Grounding: Yes Overload Protection: Yes Power Indicator Light: Yes Plug Type: Type G (3 Pin UK Fused Plug) Fuse: 13A Warranty: 1 Year Safety Standards: UAE.S IEC 60884-2-5 Certifications: CE</p>	<p>No image available</p>
<p>A-E410 Admore 4 Gang 13A Switched Socket Extensions (10 Meters) Brand: Admore Voltage Rating: 250V Current Rating: 13A Max Power Rating: 3250 Watts Max Shape: Rectangle Bar Number of Outlets/Sockets: 4 Gang Body Material: PP Shell (Flame Retrardant Material) Wire Length: 10 Meters Wire Material: 99.9% Copper Wire: 1.25mm² Color: White Terminals: Copper Grounding: Yes Overload Protection: Yes Power Indicator Light: Yes Plug Type: Type G (3 Pin UK Fused Plug) Fuse: 13A Warranty: 1 Year Safety Standards: UAE.S IEC 60884-2-5 Certifications: CE</p>	
<p>AER5 Admore 5 meters Green & Black 4 Gang Retractable Socket Extension Brand: Admore Voltage Rating: 250V Current Rating: 13A Max Power Rating: 3250 Watts Max Shape: Round Number of Outlets/Sockets: 4 Gang Type of Outlet/Socket: Type G (3 Pin UK) Body Material: ABS PVC Wire Length: 5 Meters Wire Material: 99.9% Copper Wire: 1.25mm² Color: Green & Black Terminals: Copper</p>	

Grounding: Yes
Overload Protection: Yes
Thermal Cutout: Yes
Plug Type: Type G (3 Pin UK Fused Plug)
Fuse: 13A
Retractable Cord: Yes
Warranty: 1 Year
Safety Standards: UAE.S IEC 60884-2-5
Certifications: CE



AER50 | Admore 50 meters Green & Black 4 Gang Retractable Socket Extension

Brand: Admore
Voltage Rating: 250V
Current Rating: 13A Max
Power Rating: 3250 Watts Max
Shape: Round
Number of Outlets/Sockets: 4 Gang
Type of Outlet/Socket: Type G (3 Pin UK)
Body Material: ABS PVC
Wire Length: 50 Meters
Wire Material: 99.9% Copper
Wire: 1.25mm²
Color: Green & Black
Terminals: Copper
Grounding: Yes
Overload Protection: Yes
Thermal Cutout: Yes
Plug Type: Type G (3 Pin UK Fused Plug)
Fuse: 13A
Retractable Cord: Yes
Warranty: 1 Year
Safety Standards: UAE.S IEC 60884-2-5
Certifications: CE

No image available

SB01176 | Admore 4 Gang 13A 5 Meters Switched Socket Extension

Brand: Admore
Voltage Rating: 250V
Current Rating: 13A Max
Power Rating: 3250 Watts Max
Shape: Rectangle Bar
Number of Outlets/Sockets: 4 Gang
Type of Outlet/Socket: Type G (3 Pin UK)
Body Material: ABS PVC
Wire Length: 5 Meters
Wire Material: 99.9% Copper
Wire: 1.25mm²
Color: Off-White
Terminals: Copper
Grounding: Yes
Overload Protection: Yes
Power Indicator Light: Yes
Plug Type: Type G (3 Pin UK Fused Plug)
Fuse: 13A
Warranty: 1 Year
Safety Standards: UAE.S IEC 60884-2-5



<p>Certifications: CE</p>	
<p>SB01178 Admore 4 Gang 13A 5 Meters Universal Switched Socket Extension Brand: Admore Voltage Rating: 250V Current Rating: 13A Max Power Rating: 3250 Watts Max Shape: Rectangle Bar Number of Outlets/Sockets: 4 Gang Type of Outlet/Socket: Type U (Universal Sockets) Body Material: ABS PVC Wire Length: 5 Meters Wire Material: 99.9% Copper Wire: 1.25mm² Color: Off-White Terminals: Copper Grounding: Yes Overload Protection: Yes Power Indicator Light: Yes Plug Type: Type G (3 Pin UK Fused Plug) Fuse: 13A Warranty: 1 Year Safety Standards: UAE.S IEC 60884-2-5 Certifications: CE</p>	<p>No image available</p>
<p>A-E1x3C Admore 3 Gang Universal Switched Socket Adapter with USB Charging Ports (Multiplug) Brand: Admore Voltage Rating: 250V Current Rating: 13A Max Power Rating: 3250 Watts Max Number of Outlets/Sockets: 3 Gang Type of Outlet/Socket: Type U (Universal Sockets) Body Material: ABS PVC Wire Material: 99.9% Copper Wire: 1.25mm² Color: White Terminals: Copper Grounding: Yes Overload Protection: Yes Power Indicator Light: Yes Plug Type: Type G (3 Pin UK Fused Plug) Fuse: 13A Warranty: 1 Year Safety Standards: UAE.S IEC 60884-2-5 Certifications: CE</p>	<p>No image available</p>
<p>A-E35U Admore 3 Gang 13A Switched Socket Extensions + USB Charging ports (5 Meters) Brand: Admore Voltage Rating: 250V Current Rating: 13A Max Power Rating: 3250 Watts Max Shape: Rectangle Bar Number of Outlets/Sockets: 3 Gang Type of Outlet/Socket: Type G (3 Pin UK) Body Material: PP Shell (Flame Retrardant Material) Wire Length: 5 Meters Wire Material: 99.9% Copper Wire: 1.25mm² Color: White Terminals: Copper</p>	

Grounding: Yes
USB Charging Ports: 3 x Type A + 1 x Type C
Overload Protection: Yes
Power Indicator Light: 3 Red LED Indicators
Test Standard: BS1362
Plug Type: Type G (3 Pin UK Fused Plug)
Fuse: 13A
Warranty: 1 Year
Safety Standards: UAE.S IEC 60884-2-5
Certifications: CE



REU-3 | Roska 3 Gang 13A Universal Switched Socket Extensions (3 Meters)

Brand: Roska
Voltage Rating: 250V
Current Rating: 13A Max
Power Rating: 3250 Watts Max
Shape: Rectangle Bar
Number of Outlets/Sockets: 3 Gang
Type of Outlet/Socket: Type U (Universal Sockets)
Body Material: ABS PVC
Wire Length: 3 Meters
Wire Material: 99.9% Copper
Wire: 1.25mm²
Color: White
Terminals: Copper
Grounding: Yes
Overload Protection: Yes
Power Indicator Light: Yes
Plug Type: Type G (3 Pin UK Fused Plug)
Fuse: 13A
Warranty: 1 Year
Safety Standards: UAE.S IEC 60884-2-5
Certifications: CE



REU-4 | Roska 4 Gang 13A Universal Switched Socket Extensions (5 Meters)

Brand: Roska
Voltage Rating: 250V
Current Rating: 13A Max
Power Rating: 3250 Watts Max
Shape: Rectangle Bar
Number of Outlets/Sockets: 4 Gang
Type of Outlet/Socket: Type U (Universal Sockets)
Body Material: ABS PVC
Wire Length: 5 Meters
Wire Material: 99.9% Copper
Wire: 1.25mm²
Color: White
Terminals: Copper
Grounding: Yes
Overload Protection: Yes
Power Indicator Light: Yes
Plug Type: Type G (3 Pin UK Fused Plug)
Fuse: 13A
Warranty: 1 Year
Safety Standards: UAE.S IEC 60884-2-5
Certifications: CE



AER25 | Admore 25 meters Green & Black 4 Gang Retractable Socket Extension

Brand: Admore
Voltage Rating: 250V
Current Rating: 13A Max
Power Rating: 3250 Watts Max
Shape: Round
Number of Outlets/Sockets: 4 Gang
Type of Outlet/Socket: Type G (3 Pin UK)
Body Material: ABS PVC
Wire Length: 25 Meters
Wire Material: 99.9% Copper
Wire: 1.25mm²
Color: Green & Black
Terminals: Copper
Grounding: Yes
Overload Protection: Yes
Thermal Cutout: Yes
Plug Type: Type G (3 Pin UK Fused Plug)
Fuse: 13A
Retractable Cord: Yes
Warranty: 1 Year
Safety Standards: UAE.S IEC 60884-2-5
Certifications: CE



REU-5 | Roska 5 Gang 13A Universal Switched Socket Extensions (5 Meters)

Brand: Roska
Voltage Rating: 250V
Current Rating: 13A Max
Power Rating: 3250 Watts Max
Shape: Rectangle Bar
Number of Outlets/Sockets: 5 Gang
Type of Outlet/Socket: Type U (Universal Sockets)
Body Material: ABS PVC
Wire Length: 5 Meters
Wire Material: 99.9% Copper
Wire: 1.25mm²
Color: White
Terminals: Copper
Grounding: Yes
Overload Protection: Yes
Power Indicator Light: Yes
Plug Type: Type G (3 Pin UK Fused Plug)
Fuse: 13A
Warranty: 1 Year
Safety Standards: UAE.S IEC 60884-2-5
Certifications: CE



REU-2-USB | Roska 4 Gang 13A Universal Switched Socket Extensions + USB Charging ports(5 Meters)

Brand: Roska
Voltage Rating: 250V
Current Rating: 13A Max
Power Rating: 3250 Watts Max
Shape: Rectangle Bar
Type of Outlet/Socket: Type U (Universal Sockets)
Body Material: ABS PVC
Wire Length: 5 Meters
Wire Material: 99.9% Copper
Wire: 1.25mm²
Color: White
Terminals: Copper
Grounding: Yes
Overload Protection: Yes

Power Indicator Light: Yes
Plug Type: Type G (3 Pin UK Fused Plug)
Fuse: 13A
Warranty: 1 Year
Safety Standards: UAE.S IEC 60884-2-5
Certifications: CE



SB01174 | Admore 2 Gang 13A 5 Meters Switched Socket Extension

Brand: Admore
Voltage Rating: 250V
Current Rating: 13A Max
Power Rating: 3250 Watts Max
Shape: Rectangle Bar
Number of Outlets/Sockets: 2 Gang
Type of Outlet/Socket: Type G (3 Pin UK)
Body Material: ABS PVC
Wire Length: 5 Meters
Wire Material: 99.9% Copper
Wire: 1.25mm²
Color: Off-White
Terminals: Copper
Grounding: Yes
Overload Protection: Yes
Power Indicator Light: Yes
Plug Type: Type G (3 Pin UK Fused Plug)
Fuse: 13A
Warranty: 1 Year
Safety Standards: UAE.S IEC 60884-2-5
Certifications: CE



RES-3 | Roska 3 Gang 13A Switched Socket Extensions (3 Meters)

Brand: Roska
Voltage Rating: 250V
Current Rating: 13A Max
Power Rating: 3250 Watts Max
Shape: Rectangle Bar
Number of Outlets/Sockets: 3 Gang
Body Material: ABS PVC
Wire Length: 3 Meters
Wire Material: 99.9% Copper
Wire: 1.25mm²
Color: White
Terminals: Copper
Grounding: Yes
Overload Protection: Yes
Power Indicator Light: Yes
Plug Type: Type G (3 Pin UK Fused Plug)
Fuse: 13A
Warranty: 1 Year
Safety Standards: UAE.S IEC 60884-2-5
Certifications: CE



RES-1 | Roska 4 Gang 13A Switched Socket Extensions (5 Meters)

Brand: Roska
Voltage Rating: 250V
Current Rating: 13A Max
Power Rating: 3250 Watts Max
Shape: Rectangle Bar
Number of Outlets/Sockets: 4 Gang
Body Material: ABS PVC
Wire Length: 3 Meters
Wire Material: 99.9% Copper
Wire: 1.25mm²
Color: White
Terminals: Copper
Grounding: Yes
Overload Protection: Yes
Power Indicator Light: Yes
Plug Type: Type G (3 Pin UK Fused Plug)
Fuse: 13A
Warranty: 1 Year
Safety Standards: UAE.S IEC 60884-2-5
Certifications: CE




SB01177 | Admore 4 Gang 13A 5 Meters Slim Socket Extension

Brand: Admore
Voltage Rating: 250V
Current Rating: 13A Max
Power Rating: 3250 Watts Max
Shape: Rectangle Bar
Number of Outlets/Sockets: 4 Gang
Type of Outlet/Socket: Type G (3 Pin UK)
Body Material: ABS PVC
Wire Length: 3 Meters
Wire Material: 99.9% Copper
Wire: 1.25mm²
Color: Off-White
Terminals: Copper
Grounding: Yes
Overload Protection: Yes
Power Indicator Light: Yes
Plug Type: Type G (3 Pin UK Fused Plug)
Fuse: 13A
Warranty: 1 Year
Safety Standards: UAE.S IEC 60884-2-5
Certifications: CE



RES-5 | Roska 5 Gang 13A Switched Socket Extensions (5 Meters)


Brand: Roska
Voltage Rating: 250V
Current Rating: 13A Max
Power Rating: 3250 Watts Max
Shape: Rectangle Bar
Number of Outlets/Sockets: 5 Gang
Body Material: ABS PVC
Wire Length: 5 Meters
Wire Material: 99.9% Copper
Wire: 1.25mm²
Color: White
Terminals: Copper
Grounding: Yes
Overload Protection: Yes
Power Indicator Light: Yes
Plug Type: Type G (3 Pin UK Fused Plug)



Fuse: 13A
Warranty: 1 Year
Safety Standards: UAE.S IEC 60884-2-5
Certifications: CE

RES-4-USB | Roska 4 Gang 13A Switched Socket Extensions + USB Charging ports(5 Meters)

Brand: Roska
Voltage Rating: 250V
Current Rating: 13A Max
Power Rating: 3250 Watts Max
Shape: Rectangle Bar
Body Material: ABS PVC
Wire Length: 5 Meters
Wire Material: 99.9% Copper
Wire: 1.25mm²
Color: White
Terminals: Copper
Grounding: Yes
Overload Protection: Yes
Power Indicator Light: Yes
Plug Type: Type G (3 Pin UK Fused Plug)
Fuse: 13A
Warranty: 1 Year
Safety Standards: UAE.S IEC 60884-2-5
Certifications: CE



SB01683 | Admore 3 Gang 13A 5 Meters Universal Switched Socket Extension with 2 USB Charging Ports

Brand: Admore
Voltage Rating: 250V
Current Rating: 13A Max
Power Rating: 3250 Watts Max
Shape: Rectangle Bar
Number of Outlets/Sockets: 3 Gang
Type of Outlet/Socket: Type G (3 Pin UK)
Body Material: ABS PVC
Wire Length: 5 Meters
Wire Material: 99.9% Copper
Wire: 1.25mm²
Color: Off-White
Terminals: Copper
Grounding: Yes
USB Charging Ports: 2 x Type A
Overload Protection: Yes
Power Indicator Light: Yes
Plug Type: Type G (3 Pin UK Fused Plug)
Fuse: 13A
Warranty: 1 Year
Safety Standards: UAE.S IEC 60884-2-5
Certifications: CE



A-E1x4 | Admore 4 Gang Universal Switched Socket Adapter (Multiplug)

Brand: Admore
Voltage Rating: 250V
Current Rating: 13A Max
Power Rating: 3250 Watts Max
Number of Outlets/Sockets: 4 Gang
Type of Outlet/Socket: Type U (Universal Sockets)
Body Material: ABS PVC
Wire Material: 99.9% Copper
Wire: 1.25mm²

Color: White
Terminals: Copper
Grounding: Yes
Overload Protection: Yes
Power Indicator Light: Yes
Plug Type: Type G (3 Pin UK Fused Plug)
Fuse: 13A
Warranty: 1 Year
Safety Standards: UAE.S IEC 60884-2-5
Certifications: CE



A-E33 | Admore 3 Gang 13A Switched Socket Extensions (3 Meters)

Brand: Admore
Voltage Rating: 250V
Current Rating: 13A Max
Power Rating: 3250 Watts Max
Shape: Rectangle Bar
Number of Outlets/Sockets: 3 Gang
Body Material: PP Shell (Flame Retardant Material)
Wire Length: 3 Meters
Wire Material: 99.9% Copper
Wire: 1.25mm²
Color: White
Terminals: Copper
Grounding: Yes
Overload Protection: Yes
Power Indicator Light: Yes
Plug Type: Type G (3 Pin UK Fused Plug)
Fuse: 13A
Warranty: 1 Year
Safety Standards: UAE.S IEC 60884-2-5
Certifications: CE



A-E55 | Admore 5 Gang 13A Switched Socket Extensions (5 Meters)

Brand: Admore
Voltage Rating: 250V
Current Rating: 13A Max
Power Rating: 3250 Watts Max
Shape: Rectangle Bar
Number of Outlets/Sockets: 5 Gang
Body Material: PP Shell (Flame Retardant Material)
Wire Length: 5 Meters
Wire Material: 99.9% Copper
Wire: 1.25mm²
Color: White
Terminals: Copper
Grounding: Yes
Overload Protection: Yes
Power Indicator Light: Yes
Plug Type: Type G (3 Pin UK Fused Plug)
Fuse: 13A
Warranty: 1 Year
Safety Standards: UAE.S IEC 60884-2-5
Certifications: CE

No image available

AER10 | Admore 10 meters Green & Black 4 Gang Retractable Socket Extension

Brand: Admore

Voltage Rating: 250V

Current Rating: 13A Max

Power Rating: 3250 Watts Max

Shape: Round

Number of Outlets/sockets: 4 Gang

Type of Outlet/Socket: Type G (3 Pin UK)

Body Material: ABS PVC

Wire Length: 10 Meters

Wire Material: 99.9% Copper

Wire: 1.25mm²

Color: Green & Black

Terminals: Copper

Grounding: Yes

Overload Protection: Yes

Thermal Cutout: Yes

Plug Type: Type G (3 Pin UK Fused Plug)

Fuse: 13A

Retractable Cord: Yes

Warranty: 1 Year

Safety Standards: UAE.S IEC 60884-2-5

Certifications: CE



اضواء الجزيرة للكهربائيات ذ.م.م.

ADWA AL-JAZEERA

Electricals L.L.C.