


ELCB

<p>ELCB 100/4/300 Brand: Admore Product Code: E100430 Type: Voltage Operated ELCB Poles: 4 Pole Current Rating: 100A Sensitivity (mA): 300mA Rated Voltage (V): 415V Frequency (Hz): 50Hz Operating Temperature Range: -10°C to 55°C Mounting Type: DIN Rail Test Button: Yes IP rating: IP20 Installation Environment: Indoor Standard: BS4263:1983 Conformity: CE Warranty: 5 Years</p>	 A white 4-pole voltage-operated ELCB mounted on a DIN rail. It features a yellow test button labeled 'T' and a black handle. The label includes technical specifications: RCCB E-100430, 100/0,30, In 100A 4Pol, IΔn 300mA, Ue AC415V 50Hz, T AC240V, IP20, Tmax40°C, BS4263:1983.
<p>ELCB 63/4/030 Brand: Admore Product Code: E63403 Type: Voltage Operated ELCB Poles: 4 Pole Current Rating: 63A Sensitivity (mA): 30mA Rated Voltage (V): 415V Frequency (Hz): 50Hz Operating Temperature Range: -10°C to 55°C Mounting Type: DIN Rail Test Button: Yes IP rating: IP20 Installation Environment: Indoor Standard: BS4263:1983 Conformity: CE Warranty: 5 Years</p>	 A white 4-pole voltage-operated ELCB mounted on a DIN rail. It features a yellow test button labeled 'T' and a black handle. The label includes technical specifications: RCCB E-63403, 63/0,30, In 63A 4Pol, IΔn 300mA, Ue AC415V 50Hz, T AC240V, IP20, Tmax40°C, BS4263:1983.
<p>ELCB 63/4/100 Brand: Admore Product Code: E63410 Type: Voltage Operated ELCB Poles: 4 Pole Current Rating: 63A Sensitivity (mA): 100mA Rated Voltage (V): 415V Frequency (Hz): 50Hz Operating Temperature Range: -10°C to 55°C Mounting Type: DIN Rail Test Button: Yes IP rating: IP20 Installation Environment: Indoor Standard: BS4263:1983 Conformity: CE Warranty: 5 Years</p>	 A white 4-pole voltage-operated ELCB mounted on a DIN rail. It features a yellow test button labeled 'T' and a black handle. The label includes technical specifications: RCCB E-63410, 63/0,10, In 63A 4Pol, IΔn 100mA, Ue AC415V 50Hz, T AC240V, IP20, Tmax40°C, BS4263:1983.
<p>ELCB 63/4/300 Brand: Admore Product Code: E63430 Type: Voltage Operated ELCB Poles: 4 Pole Current Rating: 63A Sensitivity (mA): 300mA</p>	

Rated Voltage (V): 415V
Frequency (Hz): 50Hz
Operating Temperature Range: -10°C to 55°C
Mounting Type: DIN Rail
Test Button: Yes
IP rating: IP20
Installation Environment: Indoor
Standard: BS4263:1983
Conformity: CE
Warranty: 5 Years



ELCB 100/4/100

Brand: Admore
Product Code: E100410
Type: Voltage Operated ELCB
Poles: 4 Pole
Current Rating: 100A
Sensitivity (mA): 100mA
Rated Voltage (V): 415V
Frequency (Hz): 50Hz
Operating Temperature Range: -10°C to 55°C
Mounting Type: DIN Rail
Test Button: Yes
IP rating: IP20
Installation Environment: Indoor
Standard: BS4263:1983
Conformity: CE
Warranty: 5 Years



ELCB 100/2/100

Brand: Admore
Product Code: E100210
Type: Voltage Operated ELCB
Poles: 2 Pole
Current Rating: 100A
Sensitivity (mA): 100mA
Rated Voltage (V): 415V
Frequency (Hz): 50Hz
Operating Temperature Range: -10°C to 55°C
Mounting Type: DIN Rail
Test Button: Yes
IP rating: IP20
Installation Environment: Indoor
Standard: BS4263:1983
Conformity: CE
Warranty: 5 Years



ELCB 100/2/300

Brand: Admore
Product Code: E100230
Type: Voltage Operated ELCB
Poles: 2 Pole
Current Rating: 100A
Sensitivity (mA): 300mA
Rated Voltage (V): 415V
Frequency (Hz): 50Hz
Operating Temperature Range: -10°C to 55°C

Mounting Type: DIN Rail
Test Button: Yes
IP rating: IP20
Installation Environment: Indoor
Standard: BS4263:1983
Conformity: CE
Warranty: 5 Years



ELCB 40/4/030

Brand: Admore
Product Code: E40403
Type: Voltage Operated ELCB
Poles: 4 Pole
Current Rating: 40A
Sensitivity (mA): 30mA
Rated Voltage (V): 415V
Frequency (Hz): 50Hz
Operating Temperature Range: -10°C to 55°C
Mounting Type: DIN Rail
Test Button: Yes
IP rating: IP20
Installation Environment: Indoor
Standard: BS4263:1983
Conformity: CE
Warranty: 5 Years



ELCB 40/4/100

Brand: Admore
Product Code: E40410
Type: Voltage Operated ELCB
Poles: 4 Pole
Current Rating: 40A
Sensitivity (mA): 100mA
Rated Voltage (V): 415V
Frequency (Hz): 50Hz
Operating Temperature Range: -10°C to 55°C
Mounting Type: DIN Rail
Test Button: Yes
IP rating: IP20
Installation Environment: Indoor
Standard: BS4263:1983
Conformity: CE
Warranty: 5 Years



ELCB 40/4/300

Brand: Admore
Product Code: E40430
Type: Voltage Operated ELCB
Poles: 4 Pole
Current Rating: 40A
Sensitivity (mA): 300mA
Rated Voltage (V): 415V
Frequency (Hz): 50Hz
Operating Temperature Range: -10°C to 55°C

Mounting Type: DIN Rail
Test Button: Yes
IP rating: IP20
Installation Environment: Indoor
Standard: BS4263:1983
Conformity: CE
Warranty: 5 Years



ELCB 40/2/030

Brand: Admore
Product Code: E40203
Type: Voltage Operated ELCB
Poles: 2 Pole
Current Rating: 40A
Sensitivity (mA): 30mA
Rated Voltage (V): 415V
Frequency (Hz): 50Hz
Operating Temperature Range: -10°C to 55°C
Mounting Type: DIN Rail
Test Button: Yes
IP rating: IP20
Installation Environment: Indoor
Standard: BS4263:1983
Conformity: CE
Warranty: 5 Years



ELCB 40/2/300

Brand: Admore
Product Code: E40230
Type: Voltage Operated ELCB
Poles: 2 Pole
Current Rating: 40A
Sensitivity (mA): 300mA
Rated Voltage (V): 415V
Frequency (Hz): 50Hz
Operating Temperature Range: -10°C to 55°C
Mounting Type: DIN Rail
Test Button: Yes
IP rating: IP20
Installation Environment: Indoor
Standard: BS4263:1983
Conformity: CE
Warranty: 5 Years



ELCB 63/2/030

Brand: Admore
Product Code: E63203
Type: Voltage Operated ELCB
Poles: 2 Pole
Current Rating: 63A
Sensitivity (mA): 30mA
Rated Voltage (V): 415V
Frequency (Hz): 50Hz
Operating Temperature Range: -10°C to 55°C

Mounting Type: DIN Rail
Test Button: Yes
IP rating: IP20
Installation Environment: Indoor
Standard: BS4263:1983
Conformity: CE
Warranty: 5 Years



ELCB 63/2/100

Brand: Admore
Product Code: E63210
Type: Voltage Operated ELCB
Poles: 2 Pole
Current Rating: 63A
Sensitivity (mA): 100mA
Rated Voltage (V): 415V
Frequency (Hz): 50Hz
Operating Temperature Range: -10°C to 55°C
Mounting Type: DIN Rail
Test Button: Yes
IP rating: IP20
Installation Environment: Indoor
Standard: BS4263:1983
Conformity: CE
Warranty: 5 Years



ELCB 63/2/300

Brand: Admore
Product Code: E63230
Type: Voltage Operated ELCB
Poles: 2 Pole
Current Rating: 63A
Sensitivity (mA): 300mA
Rated Voltage (V): 415V
Frequency (Hz): 50Hz
Operating Temperature Range: -10°C to 55°C
Mounting Type: DIN Rail
Test Button: Yes
IP rating: IP20
Installation Environment: Indoor
Standard: BS4263:1983
Conformity: CE
Warranty: 5 Years



ELCB 100/2/30

Brand: Admore
Product Code: E100203
Type: Voltage Operated ELCB
Poles: 2 Pole
Current Rating: 100A
Sensitivity (mA): 30mA
Rated Voltage (V): 415V
Frequency (Hz): 50Hz
Operating Temperature Range: -10°C to 55°C

Mounting Type: DIN Rail
Test Button: Yes
IP rating: IP20
Installation Environment: Indoor
Standard: BS4263:1983
Conformity: CE
Warranty: 5 Years



اضواء الجزيرة للكهربائيات ذ.م.م.

ADWA AL- JAZEERA

Electricals L.L.C.

