

## Ceiling Exhaust Fans

<p><b>R-N8 - Roska 8" Ceiling Exhaust Fan</b> Brand: Roska Model: R-N8 Type of Fan: Ceiling Exhaust Fan Mounting Type: Ceiling Mount Voltage: 220-240V/50hz Power Consumption (W): 25 W Phase: Single Body Material: PVC Blade Material: PVC Blade Diameter: 8" (200mm) Number of Blades: 7 Duct size: 8" (200mm) Color: White Airflow (CFM): cfm Airflow (m<sup>3</sup>/h): 0 m<sup>3</sup>/h Noise Level (dB): dB Warranty: 2 Years Warranty Safety certifications: CE</p>	
<p><b>R-N4 FULL SET - Roska 4" Ceiling Fan With Duct With Aluminum Pipe 3.75M Pipe</b> Brand: Roska Model: R-N4 FULL SET Type of Fan: Ceiling Exhaust Fan Mounting Type: Ceiling Mount Voltage: 220-240V/50hz Power Consumption (W): 15 W Phase: Single Body Material: PVC Blade Material: PVC Blade Diameter: 4" (100mm) Number of Blades: 7 Duct size: 4" (100mm) Color: White Airflow (CFM): cfm Airflow (m<sup>3</sup>/h): 0 m<sup>3</sup>/h Noise Level (dB): dB Warranty: 2 Years Warranty Safety certifications: CE</p>	No image available
<p><b>R-N6 FULL SET - Roska 6" Ceiling Fan With Duct With Aluminum Pipe 3.75M Pipe</b> Brand: Roska Model: R-N6 FULL SET Type of Fan: Ceiling Exhaust Fan Mounting Type: Ceiling Mount Voltage: 220-240V/50hz Power Consumption (W): 25 W Phase: Single Body Material: PVC Blade Material: PVC Blade Diameter: 6" (150mm) Number of Blades: 7 Duct size: 6" (150mm) Color: White Airflow (CFM): cfm Airflow (m<sup>3</sup>/h): 0 m<sup>3</sup>/h Noise Level (dB): dB Warranty: 2 Years Warranty Safety certifications: CE</p>	No image available

**R-N4 - Roska 4" Ceiling Exhaust Fan**

Brand: Roska  
Model: R-N4  
Type of Fan: Ceiling Exhaust Fan  
Mounting Type: Ceiling Mount  
Voltage: 220-240V/50hz  
Power Consumption (W): 15 W  
Phase: Single  
Body Material: PVC  
Blade Material: PVC  
Blade Diameter: 4" (100mm)  
Number of Blades: 7  
Duct size: 4" (100mm)  
Color: White  
Airflow (CFM): cfm  
Airflow (m<sup>3</sup>/h): 0 m<sup>3</sup>/h  
Noise Level (dB): dB  
Warranty: 2 Years Warranty  
Safety certifications: CE

**R-N6 - Roska 6" Ceiling Exhaust Fan**

Brand: Roska  
Model: R-N6  
Type of Fan: Ceiling Exhaust Fan  
Mounting Type: Ceiling Mount  
Voltage: 220-240V/50hz  
Power Consumption (W): 25 W  
Phase: Single  
Body Material: PVC  
Blade Material: PVC  
Blade Diameter: 6" (150mm)  
Number of Blades: 7  
Duct size: 6" (150mm)  
Color: White  
Airflow (CFM): cfm  
Airflow (m<sup>3</sup>/h): 0 m<sup>3</sup>/h  
Noise Level (dB): dB  
Warranty: 2 Years Warranty  
Safety certifications: CE

**K-QR6 - Khaleegia 6" Ceiling Exhaust Fan**

Brand: Khaleegia  
Model: K-QR6  
Type of Fan: Ceiling/Wall Exhaust Fan  
Mounting Type: Wall/Ceiling Mount  
Voltage: 220-240V/50hz  
Power Consumption (W): 25 W  
Phase: Single  
Body Material: PVC  
Blade Material: PVC  
Blade Diameter: 5" (125mm)  
Color: White  
Blade Speed (RPM): 2400  
Airflow (CFM): 124 cfm  
Airflow (m<sup>3</sup>/h): 211 m<sup>3</sup>/h  
Noise Level (dB): 37 dB  
Operating Environment: -10C ~+50C  
Warranty: 2 Years Warranty  
Safety certifications: CE

**K-QR8 - Khaleegia 8" Ceiling Exhaust Fan**

Brand: Khaleegia  
Model: K-QR8  
Type of Fan: Ceiling/Wall Exhaust Fan

Mounting Type: Wall/Ceiling Mount  
Voltage: 220-240V/50hz  
Power Consumption (W): 25 W  
Phase: Single  
Body Material: PVC  
Blade Material: PVC  
Blade Diameter: 8" (200mm)  
Color: White  
Blade Speed (RPM): 1700  
Airflow (CFM): 218 cfm  
Airflow (m<sup>3</sup>/h): 370 m<sup>3</sup>/h  
Noise Level (dB): 39 dB  
Operating Environment: -10C ~+50C  
Warranty: 2 Years Warranty  
Safety certifications: CE



**K-NX8 - Khaleegia 8" Ceiling Mounted Exhaust Fan**

Brand: Khaleegia  
Model: K-NX8  
Type of Fan: Ceiling/Wall Exhaust Fan  
Mounting Type: Wall/Ceiling Mount  
Voltage: 220-240V/50hz  
Power Consumption (W): 25 W  
Phase: Single  
Body Material: PVC  
Blade Material: PVC  
Grill Material: PVC  
Blade Diameter: 8" (200mm)  
Color: White  
Blade Speed (RPM): 1700  
Airflow (CFM): 218 cfm  
Airflow (m<sup>3</sup>/h): 370 m<sup>3</sup>/h  
Noise Level (dB): 39 dB  
Operating Environment: -10C ~+50C  
Warranty: 2 Years Warranty  
Safety certifications: CE



**K-QR4 - Khaleegia 4" Ceiling Exhaust Fan**

Brand: Khaleegia  
Model: K-QR4  
Type of Fan: Ceiling/Wall Exhaust Fan  
Mounting Type: Wall/Ceiling Mount  
Voltage: 220-240V/50hz  
Power Consumption (W): 15 W  
Phase: Single  
Body Material: PVC  
Blade Material: PVC  
Blade Diameter: 4" (100mm)  
Color: White  
Blade Speed (RPM): 2400  
Airflow (CFM): 47 cfm  
Airflow (m<sup>3</sup>/h): 80 m<sup>3</sup>/h  
Noise Level (dB): 33 dB  
Operating Environment: -10C ~+50C  
Warranty: 2 Years Warranty  
Safety certifications: CE



**K-Q4 - Khaleegia 4" Vent Duct Fan With Auto Shutter**

Brand: Khaleegia  
Model: K-Q4  
Type of Fan: Ceiling Exhaust Fan

Mounting Type: Ceiling Mount  
Voltage: 220-240V/50hz  
Power Consumption (W): 15 W  
Phase: Single  
Body Material: PVC  
Blade Material: PVC  
Grill Material: PVC  
Duct size: 4" (100mm)  
Color: White  
Airflow (CFM): cfm  
Airflow (m<sup>3</sup>/h): 0 m<sup>3</sup>/h  
Noise Level (dB): dB  
Operating Environment: -10C ~+50C  
Safety certifications: CE



**K-Q6 - Khaleegia 6" Vent Duct Fan With Auto Shutter**

Brand: Khaleegia  
Model: K-Q6  
Type of Fan: Ceiling Exhaust Fan  
Mounting Type: Ceiling Mount  
Voltage: 220-240V/50hz  
Power Consumption (W): 25 W  
Phase: Single  
Body Material: PVC  
Blade Material: PVC  
Grill Material: PVC  
Duct size: 6" (150mm)  
Color: White  
Airflow (CFM): cfm  
Airflow (m<sup>3</sup>/h): 0 m<sup>3</sup>/h  
Noise Level (dB): dB  
Operating Environment: -10C ~+50C  
Safety certifications: CE



**K-NX4 - Khaleegia 4" Ceiling Mounted Exhaust Fan**

Brand: Khaleegia  
Model: K-NX4  
Type of Fan: Ceiling/Wall Exhaust Fan  
Mounting Type: Wall/Ceiling Mount  
Voltage: 220-240V/50hz  
Power Consumption (W): 15 W  
Phase: Single  
Body Material: PVC  
Blade Material: PVC  
Grill Material: PVC  
Blade Diameter: 4" (100mm)  
Color: White  
Blade Speed (RPM): 2300-2450  
Airflow (CFM): 59 cfm  
Airflow (m<sup>3</sup>/h): 100 m<sup>3</sup>/h  
Noise Level (dB): 33 dB  
Operating Environment: -10C ~+50C  
Warranty: 2 Years Warranty  
Safety certifications: CE



**K-NX5 - Khaleegia 5" Ceiling Mounted Exhaust Fan**

Brand: Khaleegia  
Model: K-NX5  
Type of Fan: Ceiling/Wall Exhaust Fan  
Mounting Type: Wall/Ceiling Mount

Voltage: 220-240V/50hz  
 Power Consumption (W): 20 W  
 Phase: Single  
 Body Material: PVC  
 Blade Material: PVC  
 Grill Material: PVC  
 Blade Diameter: 5" (125mm)  
 Color: White  
 Blade Speed (RPM): 1850-2050  
 Airflow (CFM): 115 cfm  
 Airflow (m<sup>3</sup>/h): 195 m<sup>3</sup>/h  
 Noise Level (dB): 35 dB  
 Operating Environment: -10C ~+50C  
 Warranty: 2 Years Warranty  
 Safety certifications: CE



**K-NX6 - Khaleegia 6" Ceiling Mounted Exhaust Fan**

Brand: Khaleegia  
 Model: K-NX6  
 Type of Fan: Ceiling/Wall Exhaust Fan  
 Mounting Type: Wall/Ceiling Mount  
 Voltage: 220-240V/50hz  
 Power Consumption (W): 25 W  
 Phase: Single  
 Body Material: PVC  
 Blade Material: PVC  
 Grill Material: PVC  
 Blade Diameter: 6" (150mm)  
 Color: White  
 Blade Speed (RPM): 1450  
 Airflow (CFM): 189 cfm  
 Airflow (m<sup>3</sup>/h): 321 m<sup>3</sup>/h  
 Noise Level (dB): 37 dB  
 Operating Environment: -10C ~+50C  
 Warranty: 2 Years Warranty  
 Safety certifications: CE



**XBP17U - Airex 4" Pvc Ceiling Exhaust Fan With Metal Body**

Brand: Airex  
 Model: XBP17U  
 Type of Fan: Ceiling Blower Exhaust Fan  
 Mounting Type: Ceiling Mount  
 Voltage: 220-240V/50hz  
 Power Consumption (W): 25 W  
 Phase: Single  
 Body Material: Metal  
 Blade Material: Metal  
 Grill Material: PVC  
 Blower Size: 4" (100mm)  
 Duct size: 4" (100mm)  
 Color: White  
 Airflow (CFM): 48 cfm  
 Airflow (m<sup>3</sup>/h): 82 m<sup>3</sup>/h  
 Noise Level (dB): 26 dB  
 Operating Environment: -10C ~+40C  
 Safety certifications: CE

No image available

**XBP24U - Airex 6" Pvc Ceiling Exhaust Fan With Metal Body**

Brand: Airex  
 Model: XBP24U

No image available

Type of Fan: Ceiling Blower Exhaust Fan  
Mounting Type: Ceiling Mount  
Voltage: 220-240V/50hz  
Power Consumption (W): 30 W  
Phase: Single  
Body Material: Metal  
Blade Material: PVC  
Grill Material: PVC  
Blower Size: 6" (150mm)  
Duct size: 4" (100mm)  
Color: White  
Airflow (CFM): 89 cfm  
Airflow (m<sup>3</sup>/h): 151 m<sup>3</sup>/h  
Noise Level (dB): 28 dB  
Operating Environment: -10C ~+40C  
Safety certifications: CE


**A-BP17U - Admore 4" Pvc Ceiling Exhaust Fan With Metal Body**

Brand: Admore  
Model: A-BP17U  
Type of Fan: Ceiling Blower Exhaust Fan  
Mounting Type: Ceiling Mount  
Voltage: 220-240V/50hz  
Power Consumption (W): 25 W  
Phase: Single  
Body Material: Metal  
Blade Material: Metal  
Grill Material: PVC  
Blower Size: 4" (100mm)  
Duct size: 4" (100mm)  
Color: White  
Airflow (CFM): 47 cfm  
Airflow (m<sup>3</sup>/h): 80 m<sup>3</sup>/h  
Noise Level (dB): 26 dB  
Operating Environment: -10C ~+40C  
Warranty: 2 Years Warranty  
Safety certifications: CE



**A-BP24U - Admore 6" Pvc Ceiling Exhaust Fan With Metal Body**

Brand: Admore  
Model: A-BP24U  
Type of Fan: Ceiling Blower Exhaust Fan  
Mounting Type: Ceiling Mount  
Voltage: 220-240V/50hz  
Power Consumption (W): 32 W  
Phase: Single  
Body Material: Metal  
Blade Material: PVC  
Grill Material: PVC  
Blower Size: 6" (150mm)  
Duct size: 4" (100mm)  
Color: White  
Airflow (CFM): 88 cfm  
Airflow (m<sup>3</sup>/h): 150 m<sup>3</sup>/h  
Noise Level (dB): 28 dB  
Operating Environment: -10C ~+40C  
Warranty: 2 Years Warranty  
Safety certifications: CE



**ABD600 - Admore 60X60 Ceiling Exhaust Fan**

Brand: Admore  
Model: ABD600

No image available

Type of Fan: Ceiling Blower Exhaust Fan  
 Mounting Type: Ceiling Mount  
 Voltage: 220-240V/50hz  
 Power Consumption (W): 70 W  
 Phase: Single  
 Body Material: PVC  
 Blade Material: PVC  
 Grill Material: PVC  
 Duct size: 6" (150mm)  
 Color: White  
 Airflow (CFM): 265 cfm  
 Airflow (m<sup>3</sup>/h): 450 m<sup>3</sup>/h  
 Noise Level (dB): 47 dB  
 Operating Environment: -10C ~+40C  
 Cut-Hole Size: 600x600mm  
 Warranty: 2 Years Warranty  
 Safety certifications: CE

**ABD810 - Admore 4" Ceiling Exhaust Fan**

Brand: Admore  
 Model: ABD810  
 Type of Fan: Ceiling Blower Exhaust Fan  
 Mounting Type: Ceiling Mount  
 Voltage: 220-240V/50hz  
 Power Consumption (W): 20 W  
 Phase: Single  
 Body Material: PVC  
 Blade Material: PVC  
 Grill Material: PVC  
 Duct size: 4" (100mm)  
 Color: White  
 Airflow (CFM): 88 cfm  
 Airflow (m<sup>3</sup>/h): 150 m<sup>3</sup>/h  
 Noise Level (dB): 38 dB  
 Operating Environment: -10C ~+40C  
 Warranty: 2 Years Warranty  
 Safety certifications: CE



**ABD815 - Admore 6" Ceiling Exhaust Fan**

Brand: Admore  
 Model: ABD815  
 Type of Fan: Ceiling Blower Exhaust Fan  
 Mounting Type: Ceiling Mount  
 Voltage: 220-240V/50hz  
 Power Consumption (W): 24 W  
 Phase: Single  
 Body Material: PVC  
 Blade Material: PVC  
 Grill Material: PVC  
 Duct size: 4" (100mm)  
 Color: White  
 Airflow (CFM): 118 cfm  
 Airflow (m<sup>3</sup>/h): 200 m<sup>3</sup>/h  
 Noise Level (dB): 40 dB  
 Operating Environment: -10C ~+40C  
 Warranty: 2 Years Warranty  
 Safety certifications: CE



**ABD1020 - Admore 8" Ceiling Exhaust Fan**

Brand: Admore  
 Model: ABD1020  
 Type of Fan: Ceiling Blower Exhaust Fan  
 Mounting Type: Ceiling Mount  
 Voltage: 220-240V/50hz

Power Consumption (W): 30 W  
Phase: Single  
Body Material: PVC  
Blade Material: PVC  
Grill Material: PVC  
Duct size: 4" (100mm)  
Color: White  
Airflow (CFM): 147 cfm  
Airflow (m<sup>3</sup>/h): 250 m<sup>3</sup>/h  
Noise Level (dB): 43 dB  
Operating Environment: -10C ~+40C  
Warranty: 2 Years Warranty  
Safety certifications: CE



**A-BD1440 - Admore 10" Ceiling Exhaust Fan**

Brand: Admore  
Model: A-BD1440  
Type of Fan: Ceiling Blower Exhaust Fan  
Mounting Type: Ceiling Mount  
Voltage: 220-240V/50hz  
Power Consumption (W): 68 W  
Phase: Single  
Body Material: PVC  
Blade Material: PVC  
Grill Material: PVC  
Duct size: 6" (150mm)  
Color: White  
Airflow (CFM): 236 cfm  
Airflow (m<sup>3</sup>/h): 401 m<sup>3</sup>/h  
Noise Level (dB): 45 dB  
Operating Environment: -10C ~+40C  
Warranty: 2 Years Warranty  
Safety certifications: CE

No image available