

Glass/Wall Exhaust Fans

R-AU6 - Roska 6" Wall Mounted Exhaust Fan

Brand: Roska
Model: R-AU6
Type of Fan: Wall Exhaust Fan
Mounting Type: Wall Mount
Voltage: 220-240V/50hz
Power Consumption (W): 20 W
Phase: Single
Body Material: PVC
Blade Material: PVC
Blade Diameter: 6" (150mm)
Number of Blades: 5
Color: White
Airflow (CFM): cfm
Airflow (m³/h): 0 m³/h
Noise Level (dB): dB
Warranty: 2 Years Warranty
Safety certifications: CE



R-S150 - Roska 6" Square Auto Single Shutter Glass Mounting

Brand: Roska
Model: R-S150
Type of Fan: Glass Exhaust Fan
Mounting Type: Glass Mount
Voltage: 220-240V/50hz
Power Consumption (W): 22 W
Phase: Single
Body Material: PVC
Blade Material: PVC
Grill Material: PVC
Blade Diameter: 6" (150mm)
Color: White & Grey
Shutter: Auto Shutter
Airflow (CFM): 108 cfm
Airflow (m³/h): 183 m³/h
Noise Level (dB): dB
Warranty: 2 Years Warranty
Safety certifications: CE



R-S200 - Roska 8" Square Auto Single Shutter Glass Mounting

Brand: Roska
Model: R-S200
Type of Fan: Glass Exhaust Fan
Mounting Type: Glass Mount
Voltage: 220-240V/50hz
Power Consumption (W): 30 W
Phase: Single
Body Material: PVC
Blade Material: PVC
Grill Material: PVC
Blade Diameter: 8" (200mm)
Color: White & Grey
Shutter: Auto Shutter
Airflow (CFM): 243 cfm
Airflow (m³/h): 413 m³/h
Noise Level (dB): dB
Warranty: 2 Years Warranty
Safety certifications: CE



R-C6 - Roska 6" Glass Mounted Exhaust Fan

Brand: Roska
Model: R-C6
Type of Fan: Glass Exhaust Fan
Mounting Type: Glass Mount
Voltage: 220-240V/50hz
Power Consumption (W): 15 W
Phase: Single
Body Material: PVC
Blade Material: PVC
Blade Diameter: 6" (150mm)
Number of Blades: 5
Color: White
Airflow (CFM): 153.031194820483 cfm
Airflow (m³/h): 260 m³/h
Noise Level (dB): dB
Warranty: 2 Years Warranty
Safety certifications: CE

**R-C8 - Roska 8" Glass Mounted Exhaust Fan**

Brand: Roska
Model: R-C8
Type of Fan: Glass Exhaust Fan
Mounting Type: Glass Mount
Voltage: 220-240V/50hz
Power Consumption (W): 25 W
Phase: Single
Body Material: PVC
Blade Material: PVC
Blade Diameter: 8" (200mm)
Number of Blades: 5
Color: White
Airflow (CFM): 282.519128899353 cfm
Airflow (m³/h): 480 m³/h
Noise Level (dB): dB
Warranty: 2 Years Warranty
Safety certifications: CE

**R-GC6 - Roska 6" Round Fan With Grill And Back Shutter**

Brand: Roska
Model: R-GC6
Type of Fan: Glass Exhaust Fan
Mounting Type: Glass Mount
Voltage: 220-240V/50hz
Power Consumption (W): 15 W
Phase: Single
Body Material: PVC
Blade Material: PVC
Blade Diameter: 6" (150mm)
Number of Blades: 5
Color: White
Airflow (CFM): 153 cfm
Airflow (m³/h): 260 m³/h
Noise Level (dB): dB
Warranty: 1 Year Warranty
Safety certifications: CE

**R-AU8 - Roska 8" Wall Mounted Exhaust Fan**

Brand: Roska
Model: R-AU8
Type of Fan: Wall Exhaust Fan
Mounting Type: Wall Mount
Voltage: 220-240V/50hz

Power Consumption (W): 28 W
Phase: Single
Body Material: PVC
Blade Material: PVC
Blade Diameter: 8" (200mm)
Number of Blades: 5
Color: White
Airflow (CFM): cfm
Airflow (m³/h): 0 m³/h
Noise Level (dB): dB
Warranty: 2 Years Warranty
Safety certifications: CE



XAU6 - Airex 6" Square With Metal Shutter Wall Mounting

Brand: Airex
Model: XAU6
Type of Fan: Wall Exhaust Fan
Mounting Type: Wall Mount
Voltage: 220-240V/50hz
Power Consumption (W): 25 W
Phase: Single
Body Material: Metal
Blade Material: PVC
Blade Diameter: 6" (150mm)
Number of Blades: 5
Color: White (Black Back Body)
Airflow (CFM): 195 cfm
Airflow (m³/h): 331 m³/h
Noise Level (dB): dB
Warranty: 2 Years Warranty
Safety certifications: CE



XAU8 - Airex 8" Square With Metal Shutter Wall Mounting

Brand: Airex
Model: XAU8
Type of Fan: Wall Exhaust Fan
Mounting Type: Wall Mount
Voltage: 220-240V/50hz
Power Consumption (W): 32 W
Phase: Single
Body Material: Metal
Blade Material: PVC
Blade Diameter: 8" (200mm)
Number of Blades: 5
Color: White (Black Back Body)
Airflow (CFM): 307 cfm
Airflow (m³/h): 522 m³/h
Noise Level (dB): dB
Warranty: 2 Years Warranty
Safety certifications: CE



XAU10 - Airex 10" Square With Metal Shutter Wall Mounting

Brand: Airex
Model: XAU10
Type of Fan: Wall Exhaust Fan
Mounting Type: Wall Mount

Voltage: 220-240V/50hz
Power Consumption (W): 42 W
Phase: Single
Body Material: Metal
Blade Material: PVC
Blade Diameter: 10" (250mm)
Number of Blades: 5
Color: White (Black Back Body)
Airflow (CFM): 508 cfm
Airflow (m³/h): 863 m³/h
Noise Level (dB): dB
Warranty: 2 Years Warranty
Safety certifications: CE



XAU12 - Airex 12" Square With Metal Shutter Wall Mounting

Brand: Airex
Model: XAU12
Type of Fan: Wall Exhaust Fan
Mounting Type: Wall Mount
Voltage: 220-240V/50hz
Power Consumption (W): 50 W
Phase: Single
Body Material: Metal
Blade Material: PVC
Blade Diameter: 12" (300mm)
Number of Blades: 5
Color: White (Black Back Body)
Airflow (CFM): 710 cfm
Airflow (m³/h): 1206 m³/h
Noise Level (dB): dB
Warranty: 2 Years Warranty
Safety certifications: CE



K-M4 - Khaleegia 4" Square Auto Double Shutter Glass Mounting

Brand: Khaleegia
Model: K-M4
Type of Fan: Glass Exhaust Fan
Mounting Type: Glass Mount
Voltage: 220-240V/50hz
Power Consumption (W): 15 W
Phase: Single
Body Material: PVC
Blade Material: PVC
Color: White
Airflow (CFM): 59 cfm
Airflow (m³/h): 100 m³/h
Noise Level (dB): 32 dB
Operating Environment: -10C ~+50C
Cut-Hole Size: 130-135mm
Warranty: 2 Years Warranty
Safety certifications: CE



K-M6 - Khaleegia 6" Square Auto Double Shutter Glass Mounting

Brand: Khaleegia
Model: K-M6
Type of Fan: Glass Exhaust Fan
Mounting Type: Glass Mount

Voltage: 220-240V/50hz
Power Consumption (W): 25 W
Phase: Single
Body Material: PVC
Blade Material: PVC
Color: White
Airflow (CFM): 177 cfm
Airflow (m³/h): 301 m³/h
Noise Level (dB): 35 dB
Operating Environment: -10C ~+50C
Cut-Hole Size: 184-188mm
Warranty: 2 Years Warranty
Safety certifications: CE



K-M8 - Khaleegia 8" Square Auto Double Shutter Glass Mounting

Brand: Khaleegia
Model: K-M8
Type of Fan: Glass Exhaust Fan
Mounting Type: Glass Mount
Voltage: 220-240V/50hz
Power Consumption (W): W
Phase: Single
Body Material: PVC
Blade Material: PVC
Color: White
Airflow (CFM): cfm
Airflow (m³/h): 0 m³/h
Noise Level (dB): dB
Operating Environment: -10C ~+50C
Warranty: 2 Years Warranty
Safety certifications: CE



K-M9 - Khaleegia 9" Square Auto Double Shutter Glass Mounting

Brand: Khaleegia
Model: K-M9
Type of Fan: Glass Exhaust Fan
Mounting Type: Glass Mount
Voltage: 220-240V/50hz
Power Consumption (W): 40 W
Phase: Single
Body Material: PVC
Blade Material: PVC
Color: White
Airflow (CFM): 343 cfm
Airflow (m³/h): 583 m³/h
Noise Level (dB): 38 dB
Operating Environment: -10C ~+50C
Cut-Hole Size: 254-258mm
Warranty: 2 Years Warranty
Safety certifications: CE



K-NX4 - Khaleegia 4" Ceiling Mounted Exhaust Fan

Brand: Khaleegia
Model: K-NX4
Type of Fan: Ceiling/Wall Exhaust Fan
Mounting Type: Wall/Ceiling Mount
Voltage: 220-240V/50hz
Power Consumption (W): 15 W

Phase: Single
Body Material: PVC
Blade Material: PVC
Grill Material: PVC
Blade Diameter: 4" (100mm)
Color: White
Blade Speed (RPM): 2300-2450
Airflow (CFM): 59 cfm
Airflow (m³/h): 100 m³/h
Noise Level (dB): 33 dB
Operating Environment: -10C ~+50C
Warranty: 2 Years Warranty
Safety certifications: CE



K-NX5 - Khaleegia 5" Ceiling Mounted Exhaust Fan

Brand: Khaleegia
Model: K-NX5
Type of Fan: Ceiling/Wall Exhaust Fan
Mounting Type: Wall/Ceiling Mount
Voltage: 220-240V/50hz
Power Consumption (W): 20 W
Phase: Single
Body Material: PVC
Blade Material: PVC
Grill Material: PVC
Blade Diameter: 5" (125mm)
Color: White
Blade Speed (RPM): 1850-2050
Airflow (CFM): 115 cfm
Airflow (m³/h): 195 m³/h
Noise Level (dB): 35 dB
Operating Environment: -10C ~+50C
Warranty: 2 Years Warranty
Safety certifications: CE



K-NX6 - Khaleegia 6" Ceiling Mounted Exhaust Fan

Brand: Khaleegia
Model: K-NX6
Type of Fan: Ceiling/Wall Exhaust Fan
Mounting Type: Wall/Ceiling Mount
Voltage: 220-240V/50hz
Power Consumption (W): 25 W
Phase: Single
Body Material: PVC
Blade Material: PVC
Grill Material: PVC
Blade Diameter: 6" (150mm)
Color: White
Blade Speed (RPM): 1450
Airflow (CFM): 189 cfm
Airflow (m³/h): 321 m³/h
Noise Level (dB): 37 dB
Operating Environment: -10C ~+50C
Warranty: 2 Years Warranty
Safety certifications: CE



K-NX8 - Khaleegia 8" Ceiling Mounted Exhaust Fan

Brand: Khaleegia
Model: K-NX8
Type of Fan: Ceiling/Wall Exhaust Fan

Mounting Type: Wall/Ceiling Mount
Voltage: 220-240V/50hz
Power Consumption (W): 25 W
Phase: Single
Body Material: PVC
Blade Material: PVC
Grill Material: PVC
Blade Diameter: 8" (200mm)
Color: White
Blade Speed (RPM): 1700
Airflow (CFM): 218 cfm
Airflow (m³/h): 370 m³/h
Noise Level (dB): 39 dB
Operating Environment: -10C ~+50C
Warranty: 2 Years Warranty
Safety certifications: CE



K-C8 plus - Khaleegia 8" Round Exhaust Fan For Glass

Brand: Khaleegia
Model: K-C8 plus
Type of Fan: Glass Exhaust Fan
Mounting Type: Glass Mount
Voltage: 220-240V/50hz
Power Consumption (W): 27 W
Phase: Single
Body Material: PVC
Blade Material: PVC
Blade Diameter: 8" (200mm)
Number of Blades: 5
Color: White
Shutter: Pull String Shutter
Blade Speed (RPM): 1900
Airflow (CFM): 284 cfm
Airflow (m³/h): 483 m³/h
Noise Level (dB): 39 dB
Operating Environment: -10C ~+50C
Safety certifications: CE



K-C6 plus - Khaleegia 6" Round Exhaust Fan For Glass

Brand: Khaleegia
Model: K-C6 plus
Type of Fan: Glass Exhaust Fan
Mounting Type: Glass Mount
Voltage: 220-240V/50hz
Power Consumption (W): 20 W
Phase: Single
Body Material: PVC
Blade Material: PVC
Blade Diameter: 6" (150mm)
Number of Blades: 5
Color: White
Shutter: Pull String Shutter
Blade Speed (RPM): 2100
Airflow (CFM): 153 cfm
Airflow (m³/h): 260 m³/h
Noise Level (dB): 37 dB
Operating Environment: -10C ~+50C
Safety certifications: CE



K-F8 - Khaleegia 8" Square Auto Single Shutter Glass Mounting Exhaust Fan

Brand: Khaleegia
Model: K-F8
Type of Fan: Glass Exhaust Fan
Mounting Type: Glass Mount
Voltage: 220-240V/50hz
Power Consumption (W): 24 W
Phase: Single
Body Material: PVC
Blade Material: PVC
Grill Material: PVC
Color: White
Shutter: Auto Shutter
Blade Speed (RPM): 1250
Airflow (CFM): 307 cfm
Airflow (m³/h): 522 m³/h
Noise Level (dB): 39 dB
Operating Environment: -10C ~+40C
Warranty: 1 Year Warranty
Safety certifications: CE



K-F6 - Khaleegia 6" Square Auto Single Shutter Glass Mounting Exhaust Fan

Brand: Khaleegia
Model: K-F6
Type of Fan: Glass Exhaust Fan
Mounting Type: Glass Mount
Voltage: 220-240V/50hz
Power Consumption (W): 21 W
Phase: Single
Body Material: PVC
Blade Material: PVC
Grill Material: PVC
Color: White
Shutter: Auto Shutter
Blade Speed (RPM): 1350
Airflow (CFM): 177 cfm
Airflow (m³/h): 301 m³/h
Noise Level (dB): 33 dB
Operating Environment: -10C ~+40C
Warranty: 1 Year Warranty
Safety certifications: CE



A-SC15 - Admore 6" Auto Shutter Round Exhaust Fan

Brand: Admore
Model: A-SC15
Type of Fan: Round Exhaust Fan
Mounting Type: Glass Mount
Voltage: 220-240V/50hz
Power Consumption (W): 18 W
Phase: Single
Body Material: PVC
Blade Material: PVC
Blade Diameter: 6" (150mm)
Color: White
Shutter: Gravity Shutter
Airflow (CFM): 153.0308 cfm
Airflow (m³/h): 260 m³/h
Noise Level (dB): 35 dB
Operating Environment: -10C ~+40C
Cut-Hole Size: 160mm-178mm
Warranty: 2 Years Warranty
Safety certifications: CE



A-SC20 - Admore 8" Auto Shutter Round Exhaust Fan

Brand: Admore
Model: A-SC20
Type of Fan: Round Exhaust Fan
Mounting Type: Glass Mount
Voltage: 220-240V/50hz
Power Consumption (W): 29 W
Phase: Single
Body Material: PVC
Blade Material: PVC
Blade Diameter: 8" (200mm)
Color: White
Shutter: Gravity Shutter
Airflow (CFM): 145.96784 cfm
Airflow (m³/h): 248 m³/h
Noise Level (dB): 39 dB
Operating Environment: -10C ~+40C
Cut-Hole Size: 210mm-230mm
Warranty: 2 Years Warranty
Safety certifications: CE



A-T6 - Admore A-T6 6" Square Auto Double Shutter Glass Mounting

Brand: Admore
Model: A-T6
Type of Fan: Square Exhaust Fan
Mounting Type: Glass Mount
Voltage: 220-240V/50hz
Power Consumption (W): 25 W
Phase: Single
Body Material: PVC
Blade Material: PVC
Blade Diameter: 6" (150mm)
Color: White
Shutter: Auto Shutter
Airflow (CFM): 176.574 cfm
Airflow (m³/h): 300 m³/h
Noise Level (dB): 35 dB
Operating Environment: -10C ~+40C
Safety certifications: CE



A-T9 - Admore A-T9 9" Square Auto Double Shutter Glass Mounting

Brand: Admore
Model: A-T9
Type of Fan: Square Exhaust Fan
Mounting Type: Glass Mount
Voltage: 220-240V/50hz
Power Consumption (W): 40 W
Phase: Single
Body Material: PVC
Blade Material: PVC
Blade Diameter: 9" (223mm)
Color: White
Shutter: Auto Shutter
Airflow (CFM): 341.3764 cfm
Airflow (m³/h): 580 m³/h
Noise Level (dB): 38 dB
Operating Environment: -10C ~+40C
Safety certifications: CE



K-AG6 - Khaleegia 6" Square With Shutter Wall Mounting

Brand: Khaleegia
Model: K-AG6
Type of Fan: Square Exhaust Fan
Mounting Type: Wall Mount
Voltage: 220-240V/50hz
Power Consumption (W): 21 W
Phase: Single
Body Material: PVC
Blade Material: PVC
Grill Material: PVC
Blade Diameter: 6" (150mm)
Color: White
Shutter: Gravity Shutter
Airflow (CFM): 195 cfm
Airflow (m³/h): 331 m³/h
Noise Level (dB): 37 dB
Operating Environment: -10C ~+40C
Cut-Hole Size: 193mm
Warranty: 2 Years Warranty
Safety certifications: CE



K-AG8 - Khaleegia 8" Square With Shutter Wall Mounting

Brand: Khaleegia
Model: K-AG8
Type of Fan: Square Exhaust Fan
Mounting Type: Wall Mount
Voltage: 220-240V/50hz
Power Consumption (W): 24 W
Phase: Single
Body Material: PVC
Blade Material: PVC
Grill Material: PVC
Blade Diameter: 8" (200mm)
Color: White
Shutter: Gravity Shutter
Airflow (CFM): 307 cfm
Airflow (m³/h): 522 m³/h
Noise Level (dB): 40 dB
Operating Environment: -10C ~+40C
Cut-Hole Size: 242 mm
Warranty: 2 Years Warranty
Safety certifications: CE



K-AG10 - Khaleegia 10" Square With Shutter Wall Mounting

Brand: Khaleegia
Model: K-AG10
Type of Fan: Square Exhaust Fan
Mounting Type: Wall Mount
Voltage: 220-240V/50hz
Power Consumption (W): 37 W
Phase: Single
Body Material: PVC
Blade Material: PVC
Grill Material: PVC
Blade Diameter: 10" (250mm)
Color: White
Shutter: Gravity Shutter
Airflow (CFM): 508 cfm
Airflow (m³/h): 863 m³/h
Noise Level (dB): 42 dB
Operating Environment: -10C ~+40C
Cut-Hole Size: 290 mm
Warranty: 2 Years Warranty



Safety certifications: CE

K-AG12 - Khaleegia 12" Square With Shutter Wall Mounting

Brand: Khaleegia

Model: K-AG12

Type of Fan: Square Exhaust Fan

Mounting Type: Wall Mount

Voltage: 220-240V/50hz

Power Consumption (W): 36 W

Phase: Single

Body Material: PVC

Blade Material: PVC

Grill Material: PVC

Blade Diameter: 12" (300mm)

Color: White

Shutter: Gravity Shutter

Airflow (CFM): 710 cfm

Airflow (m³/h): 1206 m³/h

Noise Level (dB): 47 dB

Operating Environment: -10C ~+40C

Cut-Hole Size: 345 mm

Warranty: 2 Years Warranty

Safety certifications: CE



اضواء الجزيرة للكهربائيات ذ.م.م.

ADWA AL-JAZEERA

Electricals L.L.C.