

## Glass/Wall Exhaust Fans

### R-AU6 - Roska 6" Wall Mounted Exhaust Fan

Brand: Roska  
Model: R-AU6  
Type of Fan: Wall Exhaust Fan  
Mounting Type: Wall Mount  
Voltage: 220-240V/50hz  
Power Consumption (W): 20 W  
Phase: Single  
Body Material: PVC  
Blade Material: PVC  
Blade Diameter: 6" (150mm)  
Number of Blades: 5  
Color: White  
Airflow (CFM): cfm  
Airflow (m<sup>3</sup>/h): 0 m<sup>3</sup>/h  
Noise Level (dB): dB  
Warranty: 2 Years Warranty  
Safety certifications: CE



### R-S150 - Roska 6" Square Auto Single Shutter Glass Mounting

Brand: Roska  
Model: R-S150  
Type of Fan: Glass Exhaust Fan  
Mounting Type: Glass Mount  
Voltage: 220-240V/50hz  
Power Consumption (W): 22 W  
Phase: Single  
Body Material: PVC  
Blade Material: PVC  
Grill Material: PVC  
Blade Diameter: 6" (150mm)  
Color: White & Grey  
Shutter: Auto Shutter  
Airflow (CFM): 108 cfm  
Airflow (m<sup>3</sup>/h): 183 m<sup>3</sup>/h  
Noise Level (dB): dB  
Warranty: 2 Years Warranty  
Safety certifications: CE



### R-S200 - Roska 8" Square Auto Single Shutter Glass Mounting

Brand: Roska  
Model: R-S200  
Type of Fan: Glass Exhaust Fan  
Mounting Type: Glass Mount  
Voltage: 220-240V/50hz  
Power Consumption (W): 30 W  
Phase: Single  
Body Material: PVC  
Blade Material: PVC  
Grill Material: PVC  
Blade Diameter: 8" (200mm)  
Color: White & Grey  
Shutter: Auto Shutter  
Airflow (CFM): 243 cfm  
Airflow (m<sup>3</sup>/h): 413 m<sup>3</sup>/h  
Noise Level (dB): dB  
Warranty: 2 Years Warranty  
Safety certifications: CE



**XAU6 - Airex 6" Square With Metal Shutter Wall Mounting**

Brand: Airex  
Model: XAU6  
Type of Fan: Wall Exhaust Fan  
Mounting Type: Wall Mount  
Voltage: 220-240V/50hz  
Power Consumption (W): 25 W  
Phase: Single  
Body Material: Metal  
Blade Material: PVC  
Blade Diameter: 6" (150mm)  
Number of Blades: 5  
Color: White (Black Back Body)  
Airflow (CFM): 195 cfm  
Airflow (m<sup>3</sup>/h): 331 m<sup>3</sup>/h  
Noise Level (dB): dB  
Warranty: 2 Years Warranty  
Safety certifications: CE



**XAU8 - Airex 8" Square With Metal Shutter Wall Mounting**

Brand: Airex  
Model: XAU8  
Type of Fan: Wall Exhaust Fan  
Mounting Type: Wall Mount  
Voltage: 220-240V/50hz  
Power Consumption (W): 32 W  
Phase: Single  
Body Material: Metal  
Blade Material: PVC  
Blade Diameter: 8" (200mm)  
Number of Blades: 5  
Color: White (Black Back Body)  
Airflow (CFM): 307 cfm  
Airflow (m<sup>3</sup>/h): 522 m<sup>3</sup>/h  
Noise Level (dB): dB  
Warranty: 2 Years Warranty  
Safety certifications: CE



**XAU10 - Airex 10" Square With Metal Shutter Wall Mounting**

Brand: Airex  
Model: XAU10  
Type of Fan: Wall Exhaust Fan  
Mounting Type: Wall Mount  
Voltage: 220-240V/50hz  
Power Consumption (W): 42 W  
Phase: Single  
Body Material: Metal  
Blade Material: PVC  
Blade Diameter: 10" (250mm)  
Number of Blades: 5  
Color: White (Black Back Body)  
Airflow (CFM): 508 cfm  
Airflow (m<sup>3</sup>/h): 863 m<sup>3</sup>/h  
Noise Level (dB): dB  
Warranty: 2 Years Warranty  
Safety certifications: CE



**XAU12 - Airex 12" Square With Metal Shutter Wall Mounting**

Brand: Airex  
Model: XAU12

Type of Fan: Wall Exhaust Fan  
Mounting Type: Wall Mount  
Voltage: 220-240V/50hz  
Power Consumption (W): 50 W  
Phase: Single  
Body Material: Metal  
Blade Material: PVC  
Blade Diameter: 12" (300mm)  
Number of Blades: 5  
Color: White (Black Back Body)  
Airflow (CFM): 710 cfm  
Airflow (m<sup>3</sup>/h): 1206 m<sup>3</sup>/h  
Noise Level (dB): dB  
Warranty: 2 Years Warranty  
Safety certifications: CE



**R-C6 - Roska 6" Glass Mounted Exhaust Fan**

Brand: Roska  
Model: R-C6  
Type of Fan: Glass Exhaust Fan  
Mounting Type: Glass Mount  
Voltage: 220-240V/50hz  
Power Consumption (W): 15 W  
Phase: Single  
Body Material: PVC  
Blade Material: PVC  
Blade Diameter: 6" (150mm)  
Number of Blades: 5  
Color: White  
Airflow (CFM): 153.031194820483 cfm  
Airflow (m<sup>3</sup>/h): 260 m<sup>3</sup>/h  
Noise Level (dB): dB  
Warranty: 2 Years Warranty  
Safety certifications: CE



**R-C8 - Roska 8" Glass Mounted Exhaust Fan**

Brand: Roska  
Model: R-C8  
Type of Fan: Glass Exhaust Fan  
Mounting Type: Glass Mount  
Voltage: 220-240V/50hz  
Power Consumption (W): 25 W  
Phase: Single  
Body Material: PVC  
Blade Material: PVC  
Blade Diameter: 8" (200mm)  
Number of Blades: 5  
Color: White  
Airflow (CFM): 282.519128899353 cfm  
Airflow (m<sup>3</sup>/h): 480 m<sup>3</sup>/h  
Noise Level (dB): dB  
Warranty: 2 Years Warranty  
Safety certifications: CE



**R-GC6 - Roska 6" Round Fan With Grill And Back Shutter**

Brand: Roska  
Model: R-GC6  
Type of Fan: Glass Exhaust Fan  
Mounting Type: Glass Mount  
Voltage: 220-240V/50hz  
Power Consumption (W): 15 W

Phase: Single  
Body Material: PVC  
Blade Material: PVC  
Blade Diameter: 6" (150mm)  
Number of Blades: 5  
Color: White  
Airflow (CFM): 153 cfm  
Airflow (m<sup>3</sup>/h): 260 m<sup>3</sup>/h  
Noise Level (dB): dB  
Warranty: 1 Year Warranty  
Safety certifications: CE



**R-AU8 - Roska 8" Wall Mounted Exhaust Fan**

Brand: Roska  
Model: R-AU8  
Type of Fan: Wall Exhaust Fan  
Mounting Type: Wall Mount  
Voltage: 220-240V/50hz  
Power Consumption (W): 28 W  
Phase: Single  
Body Material: PVC  
Blade Material: PVC  
Blade Diameter: 8" (200mm)  
Number of Blades: 5  
Color: White  
Airflow (CFM): cfm  
Airflow (m<sup>3</sup>/h): 0 m<sup>3</sup>/h  
Noise Level (dB): dB  
Warranty: 2 Years Warranty  
Safety certifications: CE



**K-NX8 - Khaleegia 8" Ceiling Mounted Exhaust Fan**

Brand: Khaleegia  
Model: K-NX8  
Type of Fan: Ceiling/Wall Exhaust Fan  
Mounting Type: Wall/Ceiling Mount  
Voltage: 220-240V/50hz  
Power Consumption (W): 25 W  
Phase: Single  
Body Material: PVC  
Blade Material: PVC  
Grill Material: PVC  
Blade Diameter: 8" (200mm)  
Color: White  
Blade Speed (RPM): 1700  
Airflow (CFM): 218 cfm  
Airflow (m<sup>3</sup>/h): 370 m<sup>3</sup>/h  
Noise Level (dB): 39 dB  
Operating Environment: -10C ~+50C  
Warranty: 2 Years Warranty  
Safety certifications: CE



**K-M4 - Khaleegia 4" Square Auto Double Shutter Glass Mounting**

Brand: Khaleegia  
Model: K-M4  
Type of Fan: Glass Exhaust Fan  
Mounting Type: Glass Mount

Voltage: 220-240V/50hz  
Power Consumption (W): 15 W  
Phase: Single  
Body Material: PVC  
Blade Material: PVC  
Color: White  
Airflow (CFM): 59 cfm  
Airflow (m<sup>3</sup>/h): 100 m<sup>3</sup>/h  
Noise Level (dB): 32 dB  
Operating Environment: -10C ~+50C  
Cut-Hole Size: 130-135mm  
Warranty: 2 Years Warranty  
Safety certifications: CE



**K-M6 - Khaleegia 6" Square Auto Double Shutter  
Glass Mounting**

Brand: Khaleegia  
Model: K-M6  
Type of Fan: Glass Exhaust Fan  
Mounting Type: Glass Mount  
Voltage: 220-240V/50hz  
Power Consumption (W): 25 W  
Phase: Single  
Body Material: PVC  
Blade Material: PVC  
Color: White  
Airflow (CFM): 177 cfm  
Airflow (m<sup>3</sup>/h): 301 m<sup>3</sup>/h  
Noise Level (dB): 35 dB  
Operating Environment: -10C ~+50C  
Cut-Hole Size: 184-188mm  
Warranty: 2 Years Warranty  
Safety certifications: CE



**K-M8 - Khaleegia 8" Square Auto Double Shutter  
Glass Mounting**

Brand: Khaleegia  
Model: K-M8  
Type of Fan: Glass Exhaust Fan  
Mounting Type: Glass Mount  
Voltage: 220-240V/50hz  
Power Consumption (W): W  
Phase: Single  
Body Material: PVC  
Blade Material: PVC  
Color: White  
Airflow (CFM): cfm  
Airflow (m<sup>3</sup>/h): 0 m<sup>3</sup>/h  
Noise Level (dB): dB  
Operating Environment: -10C ~+50C  
Warranty: 2 Years Warranty  
Safety certifications: CE



**K-M9 - Khaleegia 9" Square Auto Double Shutter  
Glass Mounting**

Brand: Khaleegia  
Model: K-M9  
Type of Fan: Glass Exhaust Fan  
Mounting Type: Glass Mount  
Voltage: 220-240V/50hz

Power Consumption (W): 40 W  
Phase: Single  
Body Material: PVC  
Blade Material: PVC  
Color: White  
Airflow (CFM): 343 cfm  
Airflow (m<sup>3</sup>/h): 583 m<sup>3</sup>/h  
Noise Level (dB): 38 dB  
Operating Environment: -10C ~+50C  
Cut-Hole Size: 254-258mm  
Warranty: 2 Years Warranty  
Safety certifications: CE



**K-NX4 - Khaleegia 4" Ceiling Mounted Exhaust Fan**

Brand: Khaleegia  
Model: K-NX4  
Type of Fan: Ceiling/Wall Exhaust Fan  
Mounting Type: Wall/Ceiling Mount  
Voltage: 220-240V/50hz  
Power Consumption (W): 15 W  
Phase: Single  
Body Material: PVC  
Blade Material: PVC  
Grill Material: PVC  
Blade Diameter: 4" (100mm)  
Color: White  
Blade Speed (RPM): 2300-2450  
Airflow (CFM): 59 cfm  
Airflow (m<sup>3</sup>/h): 100 m<sup>3</sup>/h  
Noise Level (dB): 33 dB  
Operating Environment: -10C ~+50C  
Warranty: 2 Years Warranty  
Safety certifications: CE



**K-NX5 - Khaleegia 5" Ceiling Mounted Exhaust Fan**

Brand: Khaleegia  
Model: K-NX5  
Type of Fan: Ceiling/Wall Exhaust Fan  
Mounting Type: Wall/Ceiling Mount  
Voltage: 220-240V/50hz  
Power Consumption (W): 20 W  
Phase: Single  
Body Material: PVC  
Blade Material: PVC  
Grill Material: PVC  
Blade Diameter: 5" (125mm)  
Color: White  
Blade Speed (RPM): 1850-2050  
Airflow (CFM): 115 cfm  
Airflow (m<sup>3</sup>/h): 195 m<sup>3</sup>/h  
Noise Level (dB): 35 dB  
Operating Environment: -10C ~+50C  
Warranty: 2 Years Warranty  
Safety certifications: CE



**K-NX6 - Khaleegia 6" Ceiling Mounted Exhaust Fan**

Brand: Khaleegia  
Model: K-NX6  
Type of Fan: Ceiling/Wall Exhaust Fan

Mounting Type: Wall/Ceiling Mount  
Voltage: 220-240V/50hz  
Power Consumption (W): 25 W  
Phase: Single  
Body Material: PVC  
Blade Material: PVC  
Grill Material: PVC  
Blade Diameter: 6" (150mm)  
Color: White  
Blade Speed (RPM): 1450  
Airflow (CFM): 189 cfm  
Airflow (m<sup>3</sup>/h): 321 m<sup>3</sup>/h  
Noise Level (dB): 37 dB  
Operating Environment: -10C ~+50C  
Warranty: 2 Years Warranty  
Safety certifications: CE



**K-C8 plus - Khaleegia 8" Round Exhaust Fan For Glass**

Brand: Khaleegia  
Model: K-C8 plus  
Type of Fan: Glass Exhaust Fan  
Mounting Type: Glass Mount  
Voltage: 220-240V/50hz  
Power Consumption (W): 27 W  
Phase: Single  
Body Material: PVC  
Blade Material: PVC  
Blade Diameter: 8" (200mm)  
Number of Blades: 5  
Color: White  
Shutter: Pull String Shutter  
Blade Speed (RPM): 1900  
Airflow (CFM): 284 cfm  
Airflow (m<sup>3</sup>/h): 483 m<sup>3</sup>/h  
Noise Level (dB): 39 dB  
Operating Environment: -10C ~+50C  
Safety certifications: CE



**K-C6 plus - Khaleegia 6" Round Exhaust Fan For Glass**

Brand: Khaleegia  
Model: K-C6 plus  
Type of Fan: Glass Exhaust Fan  
Mounting Type: Glass Mount  
Voltage: 220-240V/50hz  
Power Consumption (W): 20 W  
Phase: Single  
Body Material: PVC  
Blade Material: PVC  
Blade Diameter: 6" (150mm)  
Number of Blades: 5  
Color: White  
Shutter: Pull String Shutter  
Blade Speed (RPM): 2100  
Airflow (CFM): 153 cfm  
Airflow (m<sup>3</sup>/h): 260 m<sup>3</sup>/h  
Noise Level (dB): 37 dB  
Operating Environment: -10C ~+50C  
Safety certifications: CE



**K-F8 - Khaleegia 8" Square Auto Single Shutter Glass Mounting Exhaust Fan**

Brand: Khaleegia  
Model: K-F8  
Type of Fan: Glass Exhaust Fan  
Mounting Type: Glass Mount  
Voltage: 220-240V/50hz  
Power Consumption (W): 24 W  
Phase: Single  
Body Material: PVC  
Blade Material: PVC  
Grill Material: PVC  
Color: White  
Shutter: Auto Shutter  
Blade Speed (RPM): 1250  
Airflow (CFM): 307 cfm  
Airflow (m<sup>3</sup>/h): 522 m<sup>3</sup>/h  
Noise Level (dB): 39 dB  
Operating Environment: -10C ~+40C  
Warranty: 1 Year Warranty  
Safety certifications: CE



**K-F6 - Khaleegia 6" Square Auto Single Shutter Glass Mounting Exhaust Fan**

Brand: Khaleegia  
Model: K-F6  
Type of Fan: Glass Exhaust Fan  
Mounting Type: Glass Mount  
Voltage: 220-240V/50hz  
Power Consumption (W): 21 W  
Phase: Single  
Body Material: PVC  
Blade Material: PVC  
Grill Material: PVC  
Color: White  
Shutter: Auto Shutter  
Blade Speed (RPM): 1350  
Airflow (CFM): 177 cfm  
Airflow (m<sup>3</sup>/h): 301 m<sup>3</sup>/h  
Noise Level (dB): 33 dB  
Operating Environment: -10C ~+40C  
Warranty: 1 Year Warranty  
Safety certifications: CE



**A-SC15 - Admore 6" Auto Shutter Round Exhaust Fan**

Brand: Admore  
Model: A-SC15  
Type of Fan: Round Exhaust Fan  
Mounting Type: Glass Mount  
Voltage: 220-240V/50hz  
Power Consumption (W): 18 W  
Phase: Single  
Body Material: PVC  
Blade Material: PVC  
Blade Diameter: 6" (150mm)  
Color: White  
Shutter: Gravity Shutter  
Airflow (CFM): 153.0308 cfm  
Airflow (m<sup>3</sup>/h): 260 m<sup>3</sup>/h  
Noise Level (dB): 35 dB  
Operating Environment: -10C ~+40C  
Cut-Hole Size: 160mm-178mm  
Warranty: 2 Years Warranty  
Safety certifications: CE





**A-SC20 - Admore 8" Auto Shutter Round Exhaust Fan**

Brand: Admore  
Model: A-SC20  
Type of Fan: Round Exhaust Fan  
Mounting Type: Glass Mount  
Voltage: 220-240V/50hz  
Power Consumption (W): 29 W  
Phase: Single  
Body Material: PVC  
Blade Material: PVC  
Blade Diameter: 8" (200mm)  
Color: White  
Shutter: Gravity Shutter  
Airflow (CFM): 145.96784 cfm  
Airflow (m<sup>3</sup>/h): 248 m<sup>3</sup>/h  
Noise Level (dB): 39 dB  
Operating Environment: -10C ~+40C  
Cut-Hole Size: 210mm-230mm  
Warranty: 2 Years Warranty  
Safety certifications: CE



**A-T6 - Admore A-T6 6" Square Auto Double Shutter Glass Mounting**

Brand: Admore  
Model: A-T6  
Type of Fan: Square Exhaust Fan  
Mounting Type: Glass Mount  
Voltage: 220-240V/50hz  
Power Consumption (W): 25 W  
Phase: Single  
Body Material: PVC  
Blade Material: PVC  
Blade Diameter: 6" (150mm)  
Color: White  
Shutter: Auto Shutter  
Airflow (CFM): 176.574 cfm  
Airflow (m<sup>3</sup>/h): 300 m<sup>3</sup>/h  
Noise Level (dB): 35 dB  
Operating Environment: -10C ~+40C  
Safety certifications: CE



**A-T9 - Admore A-T9 9" Square Auto Double Shutter Glass Mounting**

Brand: Admore  
Model: A-T9  
Type of Fan: Square Exhaust Fan  
Mounting Type: Glass Mount  
Voltage: 220-240V/50hz  
Power Consumption (W): 40 W  
Phase: Single  
Body Material: PVC  
Blade Material: PVC  
Blade Diameter: 9" (223mm)  
Color: White  
Shutter: Auto Shutter  
Airflow (CFM): 341.3764 cfm  
Airflow (m<sup>3</sup>/h): 580 m<sup>3</sup>/h  
Noise Level (dB): 38 dB  
Operating Environment: -10C ~+40C  
Safety certifications: CE



**K-AG12 - Khaleegia 12" Square With Shutter Wall Mounting**

Brand: Khaleegia  
Model: K-AG12  
Type of Fan: Square Exhaust Fan  
Mounting Type: Wall Mount  
Voltage: 220-240V/50hz  
Power Consumption (W): 36 W  
Phase: Single  
Body Material: PVC  
Blade Material: PVC  
Grill Material: PVC  
Blade Diameter: 12" (300mm)  
Color: White  
Shutter: Gravity Shutter  
Airflow (CFM): 710 cfm  
Airflow (m<sup>3</sup>/h): 1206 m<sup>3</sup>/h  
Noise Level (dB): 47 dB  
Operating Environment: -10C ~+40C  
Cut-Hole Size: 345 mm  
Warranty: 2 Years Warranty  
Safety certifications: CE



**K-AG6 - Khaleegia 6" Square With Shutter Wall Mounting**

Brand: Khaleegia  
Model: K-AG6  
Type of Fan: Square Exhaust Fan  
Mounting Type: Wall Mount  
Voltage: 220-240V/50hz  
Power Consumption (W): 21 W  
Phase: Single  
Body Material: PVC  
Blade Material: PVC  
Grill Material: PVC  
Blade Diameter: 6" (150mm)  
Color: White  
Shutter: Gravity Shutter  
Airflow (CFM): 195 cfm  
Airflow (m<sup>3</sup>/h): 331 m<sup>3</sup>/h  
Noise Level (dB): 37 dB  
Operating Environment: -10C ~+40C  
Cut-Hole Size: 193mm  
Warranty: 2 Years Warranty  
Safety certifications: CE



**K-AG8 - Khaleegia 8" Square With Shutter Wall Mounting**

Brand: Khaleegia  
Model: K-AG8  
Type of Fan: Square Exhaust Fan  
Mounting Type: Wall Mount  
Voltage: 220-240V/50hz  
Power Consumption (W): 24 W  
Phase: Single  
Body Material: PVC  
Blade Material: PVC  
Grill Material: PVC  
Blade Diameter: 8" (200mm)  
Color: White  
Shutter: Gravity Shutter  
Airflow (CFM): 307 cfm  
Airflow (m<sup>3</sup>/h): 522 m<sup>3</sup>/h  
Noise Level (dB): 40 dB  
Operating Environment: -10C ~+40C  
Cut-Hole Size: 242 mm  
Warranty: 2 Years Warranty



Safety certifications: CE

**K-AG10 - Khaleegia 10" Square With Shutter Wall Mounting**

Brand: Khaleegia

Model: K-AG10

Type of Fan: Square Exhaust Fan

Mounting Type: Wall Mount

Voltage: 220-240V/50hz

Power Consumption (W): 37 W

Phase: Single

Body Material: PVC

Blade Material: PVC

Grill Material: PVC

Blade Diameter: 10" (250mm)

Color: White

Shutter: Gravity Shutter

Airflow (CFM): 508 cfm

Airflow (m<sup>3</sup>/h): 863 m<sup>3</sup>/h

Noise Level (dB): 42 dB

Operating Environment: -10C ~+40C

Cut-Hole Size: 290 mm

Warranty: 2 Years Warranty

Safety certifications: CE



اضواء الجزيرة للكهربائيات ذ.م.م.

ADWA AL-JAZEERA

Electricals L.L.C.

