


Ventilation & Exhaust Fans

Ceiling Exhaust Fans

<p>R-N8 - Roska 8" Ceiling Exhaust Fan Brand: Roska Model: R-N8 Type of Fan: Ceiling Exhaust Fan Mounting Type: Ceiling Mount Voltage: 220-240V/50hz Power Consumption (W): 25 W Phase: Single Body Material: PVC Blade Material: PVC Blade Diameter: 8" (200mm) Number of Blades: 7 Duct size: 8" (200mm) Color: White Airflow (CFM): cfm Airflow (m³/h): 0 m³/h Noise Level (dB): dB Warranty: 2 Years Warranty Safety certifications: CE</p>	
<p>R-N4 FULL SET - Roska 4" Ceiling Fan With Duct With Aluminum Pipe 3.75M Pipe Brand: Roska Model: R-N4 FULL SET Type of Fan: Ceiling Exhaust Fan Mounting Type: Ceiling Mount Voltage: 220-240V/50hz Power Consumption (W): 15 W Phase: Single Body Material: PVC Blade Material: PVC Blade Diameter: 4" (100mm) Number of Blades: 7 Duct size: 4" (100mm) Color: White Airflow (CFM): cfm Airflow (m³/h): 0 m³/h Noise Level (dB): dB Warranty: 2 Years Warranty Safety certifications: CE</p>	No image available
<p>R-N6 FULL SET - Roska 6" Ceiling Fan With Duct With Aluminum Pipe 3.75M Pipe Brand: Roska Model: R-N6 FULL SET Type of Fan: Ceiling Exhaust Fan Mounting Type: Ceiling Mount Voltage: 220-240V/50hz Power Consumption (W): 25 W Phase: Single Body Material: PVC Blade Material: PVC Blade Diameter: 6" (150mm) Number of Blades: 7 Duct size: 6" (150mm) Color: White Airflow (CFM): cfm Airflow (m³/h): 0 m³/h Noise Level (dB): dB Warranty: 2 Years Warranty</p>	No image available

Safety certifications: CE

R-N4 - Roska 4" Ceiling Exhaust Fan

Brand: Roska
Model: R-N4
Type of Fan: Ceiling Exhaust Fan
Mounting Type: Ceiling Mount
Voltage: 220-240V/50hz
Power Consumption (W): 15 W
Phase: Single
Body Material: PVC
Blade Material: PVC
Blade Diameter: 4" (100mm)
Number of Blades: 7
Duct size: 4" (100mm)
Color: White
Airflow (CFM): cfm
Airflow (m³/h): 0 m³/h
Noise Level (dB): dB
Warranty: 2 Years Warranty
Safety certifications: CE



R-N6 - Roska 6" Ceiling Exhaust Fan

Brand: Roska
Model: R-N6
Type of Fan: Ceiling Exhaust Fan
Mounting Type: Ceiling Mount
Voltage: 220-240V/50hz
Power Consumption (W): 25 W
Phase: Single
Body Material: PVC
Blade Material: PVC
Blade Diameter: 6" (150mm)
Number of Blades: 7
Duct size: 6" (150mm)
Color: White
Airflow (CFM): cfm
Airflow (m³/h): 0 m³/h
Noise Level (dB): dB
Warranty: 2 Years Warranty
Safety certifications: CE



Glass/Wall Exhaust Fans

R-AU6 - Roska 6" Wall Mounted Exhaust Fan

Brand: Roska
Model: R-AU6
Type of Fan: Wall Exhaust Fan
Mounting Type: Wall Mount
Voltage: 220-240V/50hz
Power Consumption (W): 20 W
Phase: Single
Body Material: PVC
Blade Material: PVC
Blade Diameter: 6" (150mm)
Number of Blades: 5
Color: White
Airflow (CFM): cfm
Airflow (m³/h): 0 m³/h
Noise Level (dB): dB
Warranty: 2 Years Warranty
Safety certifications: CE



**R-S150 - Roska 6" Square Auto Single Shutter
Glass Mounting**

Brand: Roska
Model: R-S150
Type of Fan: Glass Exhaust Fan
Mounting Type: Glass Mount
Voltage: 220-240V/50hz
Power Consumption (W): 22 W
Phase: Single
Body Material: PVC
Blade Material: PVC
Grill Material: PVC
Blade Diameter: 6" (150mm)
Color: White & Grey
Shutter: Auto Shutter
Airflow (CFM): 108 cfm
Airflow (m³/h): 183 m³/h
Noise Level (dB): dB
Warranty: 2 Years Warranty
Safety certifications: CE



**R-S200 - Roska 8" Square Auto Single Shutter
Glass Mounting**

Brand: Roska
Model: R-S200
Type of Fan: Glass Exhaust Fan
Mounting Type: Glass Mount
Voltage: 220-240V/50hz
Power Consumption (W): 30 W
Phase: Single
Body Material: PVC
Blade Material: PVC
Grill Material: PVC
Blade Diameter: 8" (200mm)
Color: White & Grey
Shutter: Auto Shutter
Airflow (CFM): 243 cfm
Airflow (m³/h): 413 m³/h
Noise Level (dB): dB
Warranty: 2 Years Warranty
Safety certifications: CE



R-C6 - Roska 6" Glass Mounted Exhaust Fan

Brand: Roska
Model: R-C6
Type of Fan: Glass Exhaust Fan
Mounting Type: Glass Mount
Voltage: 220-240V/50hz
Power Consumption (W): 15 W
Phase: Single
Body Material: PVC
Blade Material: PVC
Blade Diameter: 6" (150mm)
Number of Blades: 5
Color: White
Airflow (CFM): 153.031194820483 cfm
Airflow (m³/h): 260 m³/h
Noise Level (dB): dB
Warranty: 2 Years Warranty
Safety certifications: CE



R-C8 - Roska 8" Glass Mounted Exhaust Fan

Brand: Roska
Model: R-C8

Type of Fan: Glass Exhaust Fan
 Mounting Type: Glass Mount
 Voltage: 220-240V/50hz
 Power Consumption (W): 25 W
 Phase: Single
 Body Material: PVC
 Blade Material: PVC
 Blade Diameter: 8" (200mm)
 Number of Blades: 5
 Color: White
 Airflow (CFM): 282.519128899353 cfm
 Airflow (m³/h): 480 m³/h
 Noise Level (dB): dB
 Warranty: 2 Years Warranty
 Safety certifications: CE



R-GC6 - Roska 6" Round Fan With Grill And Back Shutter

Brand: Roska
 Model: R-GC6
 Type of Fan: Glass Exhaust Fan
 Mounting Type: Glass Mount
 Voltage: 220-240V/50hz
 Power Consumption (W): 15 W
 Phase: Single
 Body Material: PVC
 Blade Material: PVC
 Blade Diameter: 6" (150mm)
 Number of Blades: 5
 Color: White
 Airflow (CFM): 153 cfm
 Airflow (m³/h): 260 m³/h
 Noise Level (dB): dB
 Warranty: 1 Year Warranty
 Safety certifications: CE



R-AU8 - Roska 8" Wall Mounted Exhaust Fan

Brand: Roska
 Model: R-AU8
 Type of Fan: Wall Exhaust Fan
 Mounting Type: Wall Mount
 Voltage: 220-240V/50hz
 Power Consumption (W): 28 W
 Phase: Single
 Body Material: PVC
 Blade Material: PVC
 Blade Diameter: 8" (200mm)
 Number of Blades: 5
 Color: White
 Airflow (CFM): cfm
 Airflow (m³/h): 0 m³/h
 Noise Level (dB): dB
 Warranty: 2 Years Warranty
 Safety certifications: CE



Inline Duct Fans

R-IF100 - Roska 4" Mixflow Inline Fan

Brand: Roska
 Model: R-IF100
 Type of Fan: Inline duct Fan

Mounting Type: Wall/Ceiling Mount
Voltage: 220-240V/50hz
Power Consumption (W): 40 W
Phase: Single
Body Material: PVC
Blade Material: PVC
Duct size: 4" (100mm)
Airflow (CFM): 123.602118893467 cfm
Airflow (m³/h): 210 m³/h
Noise Level (dB): dB
Operating Environment: -10C ~+50C
Warranty: 2 Years Warranty
Safety certifications: CE



R-IF150 - Roska 6" Mixflow Inline Fan

Brand: Roska
Model: R-IF150
Type of Fan: Inline duct Fan
Mounting Type: Wall/Ceiling Mount
Voltage: 220-240V/50hz
Power Consumption (W): 60 W
Phase: Single
Body Material: PVC
Blade Material: PVC
Duct size: 6" (150mm)
Airflow (CFM): 266.038846380224 cfm
Airflow (m³/h): 452 m³/h
Noise Level (dB): dB
Operating Environment: -10C ~+50C
Warranty: 2 Years Warranty
Safety certifications: CE

